

Radiation Report

TPS7H4012 Plastic Neutron Displacement Damage (NDD) Characterization Report



ABSTRACT

This report presents the effect of neutron displacement damage (NDD) on the Texas Instruments TPS7H4012-SP. The TPS7H4012-SP showed a strong degree of hardness to neutron irradiation up to fluence level 1×10^{13} n/cm².

The neutron irradiation test is a destructive test. Test procedure follows MIL-STD-883 method 1017 as guidance. The purpose of this test is to determine the device susceptibility to non-ionizing energy loss (NIEL) degradation. The objectives of the test are to detect and measure the degradation of critical device parameters as a function of neutron fluence and to determine if these parameters are within specified limits after exposure to a specified level of neutron fluence.

Table of Contents

1 Device Information	2
1.1 Product Description	2
1.2 Device Details	2
2 Total Dose Test Setup	3
2.1 Test Overview	3
2.2 Test Facility	3
2.3 Test Setup Details	3
2.4 Test Configuration and Condition	3
3 NDD Characterization Test Results	4
3.1 NDD Characterization Summary	4
3.2 Datasheet Electrical Parameter Characteristics	4
4 Applicable and Reference Documents	9
4.1 Applicable Documents	9
4.2 Reference Documents	9
A Appendix: NDD Report Data	9

List of Figures

Figure 1-1. TPS7H4012-SP Device	2
---------------------------------	---

List of Tables

Table 1-1. Device and Exposure Details	2
Table 2-1. Neutron Irradiation Conditions	3

Trademarks

All trademarks are the property of their respective owners.

1 Device Information

1.1 Product Description

The TPS7H4012 is a 14V, 6A synchronous buck converter optimized for use in a space environment. High efficiency and reduced component count are achieved through peak current mode control.

The wide voltage range of the TPS7H4012 enables the device to be used as a point of load regulator to convert directly from a 12V or 5V rail. The output voltage start-up ramp is controlled by the SS_TR pin. Power sequencing is possible with the EN and PWRGD pins. The device can be configured with up to four devices in parallel without an external clock for increased current capabilities. Additionally, various features are included such as differential remote sensing, selectable current limit, a flexible fault input pin, and configurable compensation.

1.2 Device Details

Table 1-1 lists the device information used in the initial NDD characterization.

Table 1-1. Device and Exposure Details

NDD Exposure Details	
TI Device	TPS7H4012-SP
TI Part Name	5962R2122103PYE
Package	44-pin DDW (HTSSOP)
Technology	Linear BiCMOS (LBC7)
Lot Number / Date Code	5391994/56AVQNK
Sample Quantity	12 +4 control units
Exposure Facility	VPT Rad
Neutron Fluence (1-MeV equivalent) Level	1×10^{12} , 5×10^{12} , 1×10^{13} n/cm ²
Irradiation Temperature	Ambient room temperature (25°C)




Figure 1-1. TPS7H4012-SP Device

2 Total Dose Test Setup

2.1 Test Overview

General test procedures adhere to MIL-STD-883, Method 1017 as a guide for neutron irradiation. The TPS7H4012-SP was electrically tested using the production automated test equipment (ATE) program at an ambient room temperature of 25°C before and after neutron irradiation.

2.2 Test Facility

VPT Rad performs all neutron displacement damage irradiations in a Low-Enriched, open-pool, water moderated, thermal neutron reactor. VPT Rad uses flat-plate type fuel, and having a maximum thermal energy output of up to 1MW. The Fast Neutron Irradiator (FNI) faces one side of the reactor core, the design produces a geometrical planar beam of fast neutrons that is approximately uniform over an area of 12in × 20in. Lead and thermal neutron absorbing compounds are combined to filter out both fission gammas and thermal neutrons. The ratio of fast-to-thermal neutrons is approximately 400:1, with a gamma exposure of less than 150rad (Si) for a 1E12 n/cm² (1MeV Si equivalent) exposure. The FNI can accommodate a sample or samples with size up to 30cm in diameter and 15 cm thick including packaging materials. The minimum neutron fluence rate is 1E6 n/cm²-s. The maximum neutron fluence rate is approximately 1E11 n/cm²-s. Both values are 1MeV Si equivalent. The neutron fluence rate is determined using the previously measured neutron radiation field for the FNI, performed in accordance with ASTM standards (ASTM F1190), and correlated to the measured reactor power level. The neutron dose is timed to meet the customer-specified fluence for the irradiation. Neutron dosimetry meeting ASTM standards (ASTM E265) is used to track and verify irradiations meet the required minimum. The facility retains source-suitability with the Defense Logistics Agency (DLA) Laboratory Suitability Program for ASTM Test Method 1017. The DUTS are typically irradiation in an unbiased condition as per TM1017. If bias conditions are required, the conditions can be maintained through dry thimbles connected to the irradiation volume.

2.3 Test Setup Details

Devices were irradiated at three fluence levels in unbiased conditions: 1.0×10^{12} n/cm², 5.0×10^{12} n/cm² and 1.0×10^{13} n/cm². See the details in the following table.

2.4 Test Configuration and Condition

Table 2-1. Neutron Irradiation Conditions

GROUP	SAMPLE QTY	NEUTRON FLUENCE (n/cm ²)	BIAS
A	4	1.0×10^{12}	Unbias
B	4	5.0×10^{12}	Unbias
C	4	1.0×10^{13}	Unbias
Control Units	4	N/A	N/A

3 NDD Characterization Test Results

3.1 NDD Characterization Summary

The results show that all devices were fully functional and within specification limits. A sample size of twelve units was exposed for neutron irradiation and an additional four unirradiated control units were used as correlation. Overall, the TPS7H4012-SP showed a strong degree of hardness to neutron irradiation up to fluence level $1 \times 10^{13} \text{ n/cm}^2$. The measurements taken post-irradiation for each sample set showed a marginal shift for most parameters at each fluence level.

The parameters that did show a greater degree of change between pre- and post-irradiation were still within the electrical performance characteristics specified in the data sheet electrical parameters. Electrical testing is done for pre- and post- neutron irradiation by ATE. ATE electrical test is done at an ambient room temperature of 25°C.

See [Appendix A](#) for NDD report up to $1 \times 10^{13} \text{ n/cm}^2$.

3.2 Datasheet Electrical Parameter Characteristics

Over $4.5\text{V} \leq V_{\text{IN}} \leq 14\text{V}$, $P_{\text{VIN}} = V_{\text{IN}}$, $V_{\text{SNS-}} = 0\text{V}$, open loop configuration, $I_{\text{OUT}} = 0\text{A}$, $T_{\text{A}} = 25^\circ\text{C}$, unless otherwise noted.

otherwise noted.

PARAMETER		TEST CONDITIONS		SUB-GROUP	MIN	TYP	MAX	UNIT
POWER SUPPLIES AND CURRENTS								
V _{UVLOR_PVIN}	PVIN internal UVLO rising threshold			1, 2, 3	3.2	3.4	3.6	V
V _{UVLOHYST_PVIN}	PVIN internal UVLO hysteresis			1, 2, 3	425	450	500	mV
V _{UVLOR_VIN}	VIN internal UVLO rising threshold			1, 2, 3	3.4	3.6	3.8	V
V _{UVLOHYST_VIN}	VIN internal UVLO hysteresis			1, 2, 3	140	155	170	mV
I _{SHDN_VIN}	VIN shutdown supply current	V _{EN} = 0V	VIN = 4.5V	1, 2, 3		2	2.9	mA
			VIN = 14V	1, 2, 3		2	3	
I _{SHDN_PVIN}	PVIN shutdown supply current	V _{EN} = 0V	PVIN = 4.5V	1, 2, 3		2.6	3.5	mA
			PVIN = 14V	1, 2, 3		3.5	4.7	
I _{Q_VIN}	VIN operating quiescent current (non switching)	V _{EN} = 7V, VSNS+ = 1V		1, 2, 3		2.6	5	mA
ENABLE								
V _{EN(rising)}	Enable rising threshold (turn-on)			1, 2, 3	0.555	0.61	0.655	V
V _{EN(falling)}	Enable falling threshold (turn-off)			1, 2, 3	0.455	0.51	0.554	V
t _{EN(delay)}	Enable propogation delay	EN high to SW high, SS pin open		1, 2, 3		52	100	μs
I _{EN(LKG)}	Enable input leakage current	V _{EN} = 7V		1, 2, 3		2	100	nA
VOLTAGE REFERENCE AND SENSE								

PARAMETER		TEST CONDITIONS		SUB-GROUP	MIN	TYP	MAX	UNIT
V _{REF}	Internal voltage reference (including error amplifier V _{IO})	See datasheet	T _A = –55°C	3	0.594	0.598	0.603	V
			T _A = 25°C	1	0.596	0.6	0.603	
			T _A = 125°C	2	0.597	0.6	0.604	
V _{REF(internal)}	Internal voltage reference (without error amplifier included)	V _{REF(internal)} = V _{SS_TR}		1, 2, 3	0.593	0.6	0.606	V
V _{BG}	Bandgap voltage (voltage at the REFCAP pin)	C _{REFCAP} = 470nF		1, 2, 3	1.184	1.2	1.222	V
I _{VSNS+(LKG)}	VSNS+ input leakage current	VSNS+ = 0.6V		1, 2, 3		10	30	nA
ERROR AMPLIFIER								
V _{IO}	Error amplifier input offset voltage	VSNS+ = 0.6V		1, 2, 3	–2.9		2.9	mV
g _{mEA}	Error amplifier transconductance	–10μA < I _{COMP} < 10μA, V _{COMP} = 1V	T _A = –55°C	11	1400	2050	2700	μS
			T _A = 25°C	9	1200	1650	2100	
			T _A = 125°C	10	1000	1250	1500	
EA _{DC}	Error amplifier DC gain	VSNS+ = 0.6V				11500		V/V
EA _{ISRC}	Error amplifier source	V _{COMP} = 1V, 100mV input overdrive		1, 2, 3	90	125	200	μA
EA _{ISNK}	Error amplifier sink	V _{COMP} = 1V, 100mV input overdrive		1, 2, 3	90	125	200	μA
EA _{Ro}	Error amplifier output resistance					7		MΩ
EA _{BW}	Error amplifier bandwidth	Unity gain bandwidth				9		MHz
g _{mps}	Power stage transconductance	V _{COMP} = 0.7V	TPS7H4012, HTSSOP	1, 2, 3	8	11.2	14.5	S
OVERCURRENT PROTECTION								
I _{OC_HS1}	High-side switch current limit threshold 1(4)	R _{SHORT} = 100mΩ	TPS7H4012, HTSSOP	1, 2, 3		9.7	12.2	A
I _{OC_HS2}	High-side switch current limit threshold 2	V _{IN} = 12V, R _{SHORT} ≈ 4mΩ	TPS7H4012, HTSSOP	1, 2, 3		11.8		A
I _{OC_LS(sink)}	Low-side switch sinking overcurrent threshold	T _A = –55°C		3		2		A
		T _A = 25°C		1		1.9		A
		T _A = 125°C		2		1.7		A
COMP _{SHDN}	COMP shutdown voltage			1, 2, 3	1.7	1.9	2.1	V

PARAMETER		TEST CONDITIONS		SUB-GROUP	MIN	TYP	MAX	UNIT
t _{COMP(delay)}	COMP shutdown delay			9, 10, 11		30		μs
SOFT START AND TRACKING								
t _{SS}	Soft start time	V _{SS_TR} from 10% to 90%, V _{OUT(set)} = 3.3V	CSS = 5.6nF	9, 10, 11		1.5		ms
			CSS = 22nF	9, 10, 11	4.7	5.8	7.3	
			CSS = 100nF	9, 10, 11		24.7		
R _{SS(discharge)}	Soft start discharge pull-down resistor			1, 2, 3	200	442	700	Ω
SS _{startup}	Maximum voltage on SS before startup(5)					20		mV
SLOPE COMPENSATION								
SC	Slope compensation, TPS74012	f _{SW} = 100kHz, VIN = 12V	RSC = 499kΩ			−0.8		A/μs
			RSC = 1.5MΩ			−0.3		
		f _{SW} = 500kHz, VIN = 12V	RSC = 100kΩ			−4.4		A/μs
			RSC = 499kΩ			−1.6		
			RSC = 1.5MΩ			−1.2		
		f _{SW} = 1000kHz, VIN = 12V	RSC = 100kΩ			−6.1		A/μs
			RSC = 499kΩ			−3.2		
			RSC = 1.5MΩ			−2.9		
MINIMUM ON TIME AND DEAD TIME								
t _{on(min)}	Minimum on time	50% to 50% of VIN, I _{SW} = 2A	VIN = 4.5V	9, 10, 11		210	235	ns
			VIN = 5V	9, 10, 11		213	250	
			VIN = 12V	9, 10, 11		199	250	
			VIN = 14V	9, 10, 11		199	250	
t _{off(min)}	Minimum off time	I _{SW} = 2A				306		ns
t _{dead}	Dead time					70		ns
SWITCHING FREQUENCY AND SYNCHRONIZATION								
f _{SW}	RT programmed switching frequency	R _{RT} = 511kΩ		4, 5, 6	90	100	120	kHz
		R _{RT} = 90.9kΩ		4, 5, 6	450	500	550	kHz
		R _{RT} = 40.2kΩ	VIN = 4.5V	4, 5, 6	850	1000	1150	kHz
			5 ≤ VIN ≤ 14	4, 5, 6	870	1000	1170	
t _{SYNC_D}	SYNC1 to SW delay	SYNC1 input	VIN = 4.5V	9, 10, 11	150	256	390	ns
			5V ≤ VIN ≤ 14V	9, 10, 11	160	240	310	
			VIN = 12V, IOUT = 3A			246		
V _{SYNC1(IH)}	SYNC1 input high threshold			1, 2, 3			1.7	V

PARAMETER		TEST CONDITIONS	SUB-GROUP	MIN	TYP	MAX	UNIT
$V_{\text{SYNC1(IL)}}$	SYNC1 input low threshold		1, 2, 3	0.7			V
f_{SYNC}	SYNC1 input frequency range		4, 5, 6	100		1000	kHz
D_{SYNC}	SYNC1 input duty cycle range	External clock duty cycle	4, 5, 6	40%		60%	
$t_{\text{CLK_E_I}}$	External clock to internal clock detection time	RT populated	9, 10, 11		2	5	$(1/f_{\text{sw}})$ s
$t_{\text{CLK_I_E}}$	Internal clock to external clock detection time	RT populated	9, 10, 11		1	2	$(1/f_{\text{sw}})$ s
POWER GOOD AND THERMAL SHUTDOWN							
$\text{PWRGD}_{\text{LOW_F\%}}$	PWRGD falling threshold (fault), low	Threshold for PWRGD (VSNS+ as percent of V_{REF}) VSNS+ falling	1, 2, 3	89%	92%	95%	
$\text{PWRGD}_{\text{LOW_R\%}}$	PWRGD rising threshold (good), low	Threshold for PWRGD (VSNS+ as percent of V_{REF}) VSNS+ rising	1, 2, 3	92%	95%	98%	
$\text{PWRGD}_{\text{HIGH_R\%}}$	PWRGD rising threshold (fault), high	Threshold for PWRGD (VSNS+ as percent of V_{REF}) VSNS+ rising	1, 2, 3	105%	108%	112%	
$\text{PWRGD}_{\text{HIGH_F\%}}$	PWRGD falling threshold (good), high	Threshold for PWRGD (VSNS+ as percent of V_{REF}) VSNS+ falling	1, 2, 3	102%	105%	109%	
$I_{\text{PWRGD(LKG)}}$	Output high leakage	$\text{VSNS+} = V_{\text{REF}}$, $V_{\text{PWRGD}} = 7\text{V}$	1, 2, 3		50	500	nA
$V_{\text{PWRGD(OL)}}$	Power good output low	$I_{\text{PWRGD(SINK)}} = 0\text{mA to } 2\text{mA}$	1, 2, 3		250	300	mV
$V_{\text{INMIN_PWRGD}}$	Minimum VIN for valid PWRGD output	Measured when $V_{\text{PWRGD}} \leq 0.5\text{V}$ at $100\mu\text{A}$	1, 2, 3		1	2	V
$T_{\text{SD(enter)}}$	Thermal shutdown enter temperature				175		°C

PARAMETER		TEST CONDITIONS		SUB-GROUP	MIN	TYP	MAX	UNIT
T _{SD(exit)}	Thermal shutdown exit temperature					140		°C
T _{SD(HYS)}	Thermal shutdown hysteresis					35		°C
MOSFET								
R _{DS_ON_HS}	High-side switch resistance at I _{HS} = 6A, TPS7H4012, HTSSOP	PVIN = 4.5V	T _A = −55°C	3		29	42	mΩ
			T _A = 25°C	1		37	48	
			T _A = 125°C	2		47	63	
		5V ≤ PVIN ≤ 14V	T _A = −55°C	3		26	38	mΩ
			T _A = 25°C	1		33	46	
			T _A = 125°C	2		41	56	
R _{DS_ON_LS}	Low-side switch resistance at I _{LS} = 6A, TPS7H4012, HTSSOP	PVIN = 4.5V	T _A = −55°C	3		20	31	mΩ
			T _A = 25°C	1		28	39	
			T _A = 125°C	2		41	50	
		5V ≤ PVIN ≤ 14V	T _A = −55°C	3		20	29	mΩ
			T _A = 25°C	1		27	37	
			T _A = 125°C	2		39	48	

4 Applicable and Reference Documents

4.1 Applicable Documents

- Texas Instruments, [TPS7H4012-SP 4.5V to 14V Input 6A Radiation Hardened Synchronous Buck Converter](#), datasheet.
- Texas Instruments, [TPS7H4012-SP \(TPS7H4012EVM-CVAL\) Evaluation Module User's Guide](#), user's guide.

4.2 Reference Documents


Texas Instruments neutron irradiation test follow the guideline from MIL-STD-883 TM 1017. The document is available in the Defense Logistic Agency's website.

A Appendix: NDD Report Data

This appendix contains the NDD report data.

Device Test: 12.1 IDD|STATIC/VIN/4.5/////@VIN_SHDN_CURR_4V


NDD vs Result Stats



Test Results (Upper Limit = 2.9 (mA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	2.042	2.0442	0.0022
266	1e+12	NDD	2.0094	1.9997	-0.0097
267	1e+12	NDD	2.0479	2.0423	-0.0056
288	1e+12	NDD	2.0637	2.0553	-0.0084
348	5e+12	NDD	2.017	1.9966	-0.0204
353	5e+12	NDD	1.9858	1.9591	-0.0267
370	5e+12	NDD	1.9982	1.979	-0.0192
377	5e+12	NDD	2.0349	1.9907	-0.0442
389	1e+13	NDD	2.0428	1.9888	-0.054
394	1e+13	NDD	2.0306	1.9841	-0.0465
395	1e+13	NDD		1.987	
396	0	CORRELATION	2.0416		
571	1e+13	NDD	2.0297	1.9601	-0.0696
632	0	CORRELATION	2.0002	2.0067	0.0065
649	0	CORRELATION	2.0664	2.0715	0.0051
662	0	CORRELATION	1.9663	1.9736	0.0073

NDD vs Post - Pre Exposure Delta




Test Statistics (mA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.9663	2.0186	2.0664	0.044301	1.9736	2.0173	2.0715	0.049798	0.0051	0.0063	0.0073	0.0011136
1e+12	2.0094	2.0408	2.0637	0.02282	1.9997	2.0354	2.0553	0.024465	-0.0097	-0.005375	0.0022	0.0053319
5e+12	1.9858	2.009	2.0349	0.021523	1.9591	1.9813	1.9966	0.016539	-0.0442	-0.027625	-0.0192	0.011529
1e+13	2.0297	2.0344	2.0428	0.0073173	1.9601	1.98	1.9888	0.013407	-0.0696	-0.0567	-0.0465	0.011784

Device Test: 12.10 LEVEL|STATIC/REFCAP/5////@VBANDGAP


NDD vs Result Stats



Test Results (Lower Limit = 1.184, Upper Limit = 1.222 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.2004	1.1997	-0.0007
266	1e+12	NDD	1.2007	1.1997	-0.001
267	1e+12	NDD	1.2073	1.2066	-0.0007
288	1e+12	NDD	1.2031	1.2027	-0.0004
348	5e+12	NDD	1.2034	1.2007	-0.0027
353	5e+12	NDD	1.2005	1.1977	-0.0028
370	5e+12	NDD	1.2032	1.2007	-0.0025
377	5e+12	NDD	1.202	1.1993	-0.0027
389	1e+13	NDD	1.204	1.1981	-0.0059
394	1e+13	NDD	1.2013	1.1961	-0.0052
395	1e+13	NDD		1.1959	
396	0	CORRELATION	1.2018		
571	1e+13	NDD	1.2047	1.1995	-0.0052
632	0	CORRELATION	1.2017	1.2015	-0.0002
649	0	CORRELATION	1.2051	1.2049	-0.0002
662	0	CORRELATION	1.2021	1.2019	-0.0002

NDD vs Post - Pre Exposure Delta




Test Statistics (V)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.2017	1.2027	1.2051	0.0016256	1.2015	1.2028	1.2049	0.0018583	-0.0002	-0.0002	-0.0002	0
1e+12	1.2004	1.2029	1.2073	0.0031879	1.1997	1.2022	1.2066	0.0032715	-0.001	-0.0007	-0.0004	0.00024495
5e+12	1.2005	1.2023	1.2034	0.0013351	1.1977	1.1996	1.2007	0.0014283	-0.0028	-0.002675	-0.0025	0.00012583
1e+13	1.2013	1.2033	1.2047	0.0017954	1.1959	1.1974	1.1995	0.0017166	-0.0059	-0.0054333	-0.0052	0.00040415

Device Test: 12.13 IQ|STATIC/VIN/12////@IQ_VIN

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta



Test Results (Upper Limit = 5.0 (mA))


Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	2.7235	2.7123	-0.0112
266	1e+12	NDD	2.6861	2.6713	-0.0148
267	1e+12	NDD	2.7619	2.7527	-0.0092
288	1e+12	NDD	2.7501	2.7414	-0.0087
348	5e+12	NDD	2.7229	2.6778	-0.0451
353	5e+12	NDD	2.657	2.6093	-0.0477
370	5e+12	NDD	2.6686	2.6275	-0.0411
377	5e+12	NDD	2.715	2.6696	-0.0454
389	1e+13	NDD	2.7516	2.6578	-0.0938
394	1e+13	NDD	2.7228	2.6397	-0.0831
395	1e+13	NDD		2.6425	
396	0	CORRELATION	2.7384		
571	1e+13	NDD	2.7162	2.6172	-0.099
632	0	CORRELATION	2.6839	2.6802	-0.0037
649	0	CORRELATION	2.7983	2.7932	-0.0051
662	0	CORRELATION	2.6278	2.624	-0.0038

Test Statistics (mA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	2.6278	2.7121	2.7983	0.073084	2.624	2.6991	2.7932	0.086174	-0.0051	-0.0042	-0.0037	0.00078102
1e+12	2.6861	2.7304	2.7619	0.033618	2.6713	2.7194	2.7527	0.036318	-0.0148	-0.010975	-0.0087	0.0027693
5e+12	2.657	2.6909	2.7229	0.032921	2.6093	2.646	2.6778	0.032951	-0.0477	-0.044825	-0.0411	0.0027415
1e+13	2.7162	2.7302	2.7516	0.018824	2.6172	2.6393	2.6578	0.016744	-0.099	-0.091967	-0.0831	0.008107

Device Test: 12.15 LEVEL|STATIC/REFCAP/12////@VBANDGAP


NDD vs Result Stats



Test Results (Lower Limit = 1.184, Upper Limit = 1.222 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.2005	1.1998	-0.0007
266	1e+12	NDD	1.2008	1.1998	-0.001
267	1e+12	NDD	1.2074	1.2067	-0.0007
288	1e+12	NDD	1.2032	1.2028	-0.0004
348	5e+12	NDD	1.2035	1.2008	-0.0027
353	5e+12	NDD	1.2006	1.1978	-0.0028
370	5e+12	NDD	1.2033	1.2008	-0.0025
377	5e+12	NDD	1.2021	1.1995	-0.0026
389	1e+13	NDD	1.2041	1.1982	-0.0059
394	1e+13	NDD	1.2015	1.1963	-0.0052
395	1e+13	NDD		1.1961	
396	0	CORRELATION	1.2019		
571	1e+13	NDD	1.2048	1.1997	-0.0051
632	0	CORRELATION	1.2019	1.2016	-0.0003
649	0	CORRELATION	1.2052	1.205	-0.0002
662	0	CORRELATION	1.2021	1.2021	0


NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.2019	1.2028	1.2052	0.0016194	1.2016	1.2029	1.205	0.0018358	-0.0003	-0.00016667	0	0.00015275
1e+12	1.2005	1.203	1.2074	0.0031879	1.1998	1.2023	1.2067	0.0032715	-0.001	-0.0007	-0.0004	0.00024495
5e+12	1.2006	1.2024	1.2035	0.0013351	1.1978	1.1997	1.2008	0.0014221	-0.0028	-0.00265	-0.0025	0.0001291
1e+13	1.2015	1.2035	1.2048	0.0017388	1.1961	1.1976	1.1997	0.0017037	-0.0059	-0.0054	-0.0051	0.00043589


NDD vs Result Stats



Test Results (Upper Limit = 3.0 (mA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	2.0965	2.0889	-0.0076
266	1e+12	NDD	2.03	2.0163	-0.0137
267	1e+12	NDD	2.0688	2.0822	0.0134
288	1e+12	NDD	2.0711	2.0972	0.0261
348	5e+12	NDD	2.0598	2.0395	-0.0203
353	5e+12	NDD	2.0312	1.9668	-0.0644
370	5e+12	NDD	2.0516	2.0563	0.0047
377	5e+12	NDD	2.0384	2.0381	-0.0003
389	1e+13	NDD	2.0967	2.0488	-0.0479
394	1e+13	NDD	2.0494	2.0487	-0.0007
395	1e+13	NDD		2.0333	
396	0	CORRELATION	2.0973		
571	1e+13	NDD	2.0436	2.0522	0.0086
632	0	CORRELATION	2.0699	2.0762	0.0063
649	0	CORRELATION	2.0782	2.0811	0.0029
662	0	CORRELATION	2.0102	2.0086	-0.0016

NDD vs Post - Pre Exposure Delta




Test Statistics (mA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	2.0102	2.0639	2.0973	0.037593	2.0086	2.0553	2.0811	0.040518	-0.0016	0.0025333	0.0063	0.0039627
1e+12	2.03	2.0666	2.0965	0.027439	2.0163	2.0712	2.0972	0.037078	-0.0137	0.00455	0.0261	0.01847
5e+12	2.0312	2.0453	2.0598	0.012863	1.9668	2.0252	2.0563	0.039786	-0.0644	-0.020075	0.0047	0.031462
1e+13	2.0436	2.0632	2.0967	0.029128	2.0333	2.0457	2.0522	0.0084579	-0.0479	-0.013333	0.0086	0.030295

Device Test: 12.17 IDD|STATIC/PVIN/14////@PVIN_SHDN_CURR_14V


NDD vs Result Stats



Test Results (Upper Limit = 4.7 (mA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.4861	3.4699	-0.0162
266	1e+12	NDD	3.3525	3.3683	0.0158
267	1e+12	NDD	3.4878	3.478	-0.0098
288	1e+12	NDD	3.607	3.5719	-0.0351
348	5e+12	NDD	3.4961	3.4686	-0.0275
353	5e+12	NDD	3.3335	3.324	-0.0095
370	5e+12	NDD	3.6618	3.6135	-0.0483
377	5e+12	NDD	3.3508	3.3005	-0.0503
389	1e+13	NDD	3.4891	3.4134	-0.0757
394	1e+13	NDD	3.459	3.4025	-0.0565
395	1e+13	NDD		3.4917	
396	0	CORRELATION	3.5456		
571	1e+13	NDD	3.4698	3.3704	-0.0994
632	0	CORRELATION	3.2395	3.2363	-0.0032
649	0	CORRELATION	3.4277	3.4489	0.0212
662	0	CORRELATION	3.3225	3.3186	-0.0039

NDD vs Post - Pre Exposure Delta




Test Statistics (mA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.2395	3.3838	3.5456	0.13252	3.2363	3.3346	3.4489	0.1072	-0.0039	0.0047	0.0212	0.014294
1e+12	3.3525	3.4834	3.607	0.10398	3.3683	3.472	3.5719	0.083215	-0.0351	-0.011325	0.0158	0.021033
5e+12	3.3335	3.4606	3.6618	0.1527	3.3005	3.4266	3.6135	0.14506	-0.0503	-0.0339	-0.0095	0.019258
1e+13	3.459	3.4726	3.4891	0.015249	3.3704	3.4195	3.4917	0.051478	-0.0994	-0.0772	-0.0565	0.021489

Device Test: 12.18 IQ|STATIC/VIN/14////@IQ_VIN


NDD vs Result Stats



Test Results (Upper Limit = 5.0 (mA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	2.7139	2.7019	-0.012
266	1e+12	NDD	2.6757	2.6603	-0.0154
267	1e+12	NDD	2.752	2.7417	-0.0103
288	1e+12	NDD	2.7397	2.7306	-0.0091
348	5e+12	NDD	2.7118	2.6667	-0.0451
353	5e+12	NDD	2.6473	2.5997	-0.0476
370	5e+12	NDD	2.6586	2.6176	-0.041
377	5e+12	NDD	2.7053	2.6596	-0.0457
389	1e+13	NDD	2.7411	2.649	-0.0921
394	1e+13	NDD	2.7115	2.6295	-0.082
395	1e+13	NDD		2.633	
396	0	CORRELATION	2.7278		
571	1e+13	NDD	2.7042	2.6068	-0.0974
632	0	CORRELATION	2.6739	2.6701	-0.0038
649	0	CORRELATION	2.7877	2.7827	-0.005
662	0	CORRELATION	2.6184	2.6148	-0.0036

NDD vs Post - Pre Exposure Delta




Test Statistics (mA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	2.6184	2.702	2.7877	0.072546	2.6148	2.6892	2.7827	0.085564	-0.005	-0.0041333	-0.0036	0.00075719
1e+12	2.6757	2.7203	2.752	0.033721	2.6603	2.7086	2.7417	0.03632	-0.0154	-0.0117	-0.0091	0.0027386
5e+12	2.6473	2.6807	2.7118	0.032539	2.5997	2.6359	2.6667	0.032433	-0.0476	-0.04485	-0.041	0.0027791
1e+13	2.7042	2.7189	2.7411	0.019541	2.6068	2.6296	2.649	0.017395	-0.0974	-0.0905	-0.082	0.0078237

Device Test: 12.2 IDD|STATIC/PVIN/4.5/////@PVIN_SHDN_CURR_4V


NDD vs Result Stats



Test Results (Upper Limit = 3.5 (mA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	2.6713	2.6433	-0.028
266	1e+12	NDD	2.5866	2.562	-0.0246
267	1e+12	NDD	2.7003	2.6732	-0.0271
288	1e+12	NDD	2.6698	2.6608	-0.009
348	5e+12	NDD	2.6902	2.6402	-0.05
353	5e+12	NDD	2.5762	2.5511	-0.0251
370	5e+12	NDD	2.6577	2.6288	-0.0289
377	5e+12	NDD	2.5711	2.5518	-0.0193
389	1e+13	NDD	2.6773	2.6054	-0.0719
394	1e+13	NDD	2.6551	2.588	-0.0671
395	1e+13	NDD		2.6387	
396	0	CORRELATION	2.7218		
571	1e+13	NDD	2.656	2.6022	-0.0538
632	0	CORRELATION	2.5809	2.5455	-0.0354
649	0	CORRELATION	2.6409	2.6137	-0.0272
662	0	CORRELATION	2.5787	2.5519	-0.0268

NDD vs Post - Pre Exposure Delta




Test Statistics (mA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	2.5787	2.6306	2.7218	0.067298	2.5455	2.5704	2.6137	0.037664	-0.0354	-0.0298	-0.0268	0.0048539
1e+12	2.5866	2.657	2.7003	0.048988	2.562	2.6348	2.6732	0.050075	-0.028	-0.022175	-0.009	0.0089003
5e+12	2.5711	2.6238	2.6902	0.059445	2.5511	2.593	2.6402	0.048175	-0.05	-0.030825	-0.0193	0.013379
1e+13	2.6551	2.6628	2.6773	0.012565	2.588	2.6086	2.6387	0.02146	-0.0719	-0.064267	-0.0538	0.0093767

Device Test: 12.20 LEVEL|STATIC/REFCAP/14////@VBANDGAP


NDD vs Result Stats



Test Results (Lower Limit = 1.184, Upper Limit = 1.222 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.2005	1.1998	-0.0007
266	1e+12	NDD	1.2008	1.1999	-0.0009
267	1e+12	NDD	1.2074	1.2068	-0.0006
288	1e+12	NDD	1.2032	1.2029	-0.0003
348	5e+12	NDD	1.2035	1.2008	-0.0027
353	5e+12	NDD	1.2007	1.1979	-0.0028
370	5e+12	NDD	1.2034	1.2009	-0.0025
377	5e+12	NDD	1.2022	1.1995	-0.0027
389	1e+13	NDD	1.2041	1.1982	-0.0059
394	1e+13	NDD	1.2015	1.1963	-0.0052
395	1e+13	NDD		1.1961	
396	0	CORRELATION	1.2019		
571	1e+13	NDD	1.2049	1.1997	-0.0052
632	0	CORRELATION	1.2019	1.2017	-0.0002
649	0	CORRELATION	1.2052	1.205	-0.0002
662	0	CORRELATION	1.2022	1.2021	-0.0001

NDD vs Post - Pre Exposure Delta




Test Statistics (V)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.2019	1.2028	1.2052	0.0016062	1.2017	1.2029	1.205	0.0018009	-0.0002	-0.00016667	-0.0001	5.7735e-05
1e+12	1.2005	1.203	1.2074	0.0031879	1.1998	1.2024	1.2068	0.003297	-0.0009	-0.000625	-0.0003	0.00025
5e+12	1.2007	1.2025	1.2035	0.0013077	1.1979	1.1998	1.2009	0.0014033	-0.0028	-0.002675	-0.0025	0.00012583
1e+13	1.2015	1.2035	1.2049	0.0017776	1.1961	1.1976	1.1997	0.0017037	-0.0059	-0.0054333	-0.0052	0.00040415

Device Test: 12.3 IQ|STATIC/VIN/4.5////@IQ_VIN

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta



Test Results (Upper Limit = 5.0 (mA))


Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	2.6727	2.6605	-0.0122
266	1e+12	NDD	2.6354	2.6203	-0.0151
267	1e+12	NDD	2.7099	2.7004	-0.0095
288	1e+12	NDD	2.6986	2.6893	-0.0093
348	5e+12	NDD	2.6684	2.6228	-0.0456
353	5e+12	NDD	2.607	2.5587	-0.0483
370	5e+12	NDD	2.6154	2.574	-0.0414
377	5e+12	NDD	2.6635	2.617	-0.0465
389	1e+13	NDD	2.6976	2.6034	-0.0942
394	1e+13	NDD	2.6734	2.5895	-0.0839
395	1e+13	NDD		2.5896	
396	0	CORRELATION	2.6856		
571	1e+13	NDD	2.6613	2.5618	-0.0995
632	0	CORRELATION	2.6325	2.6276	-0.0049
649	0	CORRELATION	2.745	2.7395	-0.0055
662	0	CORRELATION	2.5767	2.5729	-0.0038

Test Statistics (mA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	2.5767	2.66	2.745	0.072054	2.5729	2.6467	2.7395	0.084921	-0.0055	-0.0047333	-0.0038	0.00086217
1e+12	2.6354	2.6791	2.7099	0.033063	2.6203	2.6676	2.7004	0.035751	-0.0151	-0.011525	-0.0093	0.0027256
5e+12	2.607	2.6386	2.6684	0.031858	2.5587	2.5931	2.6228	0.031631	-0.0483	-0.04545	-0.0414	0.002924
1e+13	2.6613	2.6774	2.6976	0.018483	2.5618	2.5861	2.6034	0.017451	-0.0995	-0.092533	-0.0839	0.0079324

Device Test: 12.5 LEVEL|STATIC/REFCAP/4.5////@VBANDGAP


NDD vs Result Stats



Test Results (Lower Limit = 1.184, Upper Limit = 1.222 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.2004	1.1996	-0.0008
266	1e+12	NDD	1.2007	1.1997	-0.001
267	1e+12	NDD	1.2073	1.2067	-0.0006
288	1e+12	NDD	1.2031	1.2027	-0.0004
348	5e+12	NDD	1.2034	1.2006	-0.0028
353	5e+12	NDD	1.2005	1.1976	-0.0029
370	5e+12	NDD	1.2032	1.2006	-0.0026
377	5e+12	NDD	1.202	1.1992	-0.0028
389	1e+13	NDD	1.204	1.1979	-0.0061
394	1e+13	NDD	1.2013	1.1959	-0.0054
395	1e+13	NDD		1.1957	
396	0	CORRELATION	1.2018		
571	1e+13	NDD	1.2047	1.1993	-0.0054
632	0	CORRELATION	1.2017	1.2015	-0.0002
649	0	CORRELATION	1.2051	1.2049	-0.0002
662	0	CORRELATION	1.2021	1.202	-0.0001

NDD vs Post - Pre Exposure Delta




Test Statistics (V)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.2017	1.2027	1.2051	0.0016256	1.2015	1.2028	1.2049	0.0018358	-0.0002	-0.00016667	-0.0001	5.7735e-05
1e+12	1.2004	1.2029	1.2073	0.0031879	1.1996	1.2022	1.2067	0.003342	-0.001	-0.0007	-0.0004	0.0002582
5e+12	1.2005	1.2023	1.2034	0.0013351	1.1976	1.1995	1.2006	0.0014283	-0.0029	-0.002775	-0.0026	0.00012583
1e+13	1.2013	1.2033	1.2047	0.0017954	1.1957	1.1972	1.1993	0.0017166	-0.0061	-0.0056333	-0.0054	0.00040415

Device Test: 12.8 IQ|STATIC/VIN/5////@IQ_VIN

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta



Test Results (Upper Limit = 5.0 (mA))


Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	2.7263	2.7144	-0.0119
266	1e+12	NDD	2.6886	2.6736	-0.015
267	1e+12	NDD	2.7638	2.7539	-0.0099
288	1e+12	NDD	2.752	2.7426	-0.0094
348	5e+12	NDD	2.7203	2.6761	-0.0442
353	5e+12	NDD	2.6598	2.6121	-0.0477
370	5e+12	NDD	2.6689	2.6278	-0.0411
377	5e+12	NDD	2.7166	2.6711	-0.0455
389	1e+13	NDD	2.7509	2.6586	-0.0923
394	1e+13	NDD	2.7267	2.6449	-0.0818
395	1e+13	NDD		2.6449	
396	0	CORRELATION	2.739		
571	1e+13	NDD	2.7139	2.6165	-0.0974
632	0	CORRELATION	2.6846	2.68	-0.0046
649	0	CORRELATION	2.7984	2.7927	-0.0057
662	0	CORRELATION	2.6294	2.6256	-0.0038

Test Statistics (mA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	2.6294	2.7128	2.7984	0.07249	2.6256	2.6994	2.7927	0.085228	-0.0057	-0.0047	-0.0038	0.00095394
1e+12	2.6886	2.7327	2.7638	0.033294	2.6736	2.7211	2.7539	0.035773	-0.015	-0.01155	-0.0094	0.002541
5e+12	2.6598	2.6914	2.7203	0.031491	2.6121	2.6468	2.6761	0.031697	-0.0477	-0.044625	-0.0411	0.0027585
1e+13	2.7139	2.7305	2.7509	0.01879	2.6165	2.6412	2.6586	0.017703	-0.0974	-0.0905	-0.0818	0.0079542

Device Test: 14.1 THRESHOLD|RISE/PVIN/4.5////@UVLO_RISE_PVIN


NDD vs Result Stats



Test Results (Lower Limit = 3.2, Upper Limit = 3.6 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.4502	3.4451	-0.0051
266	1e+12	NDD	3.4578	3.4565	-0.0013
267	1e+12	NDD	3.4392	3.433	-0.0062
288	1e+12	NDD	3.4466	3.4449	-0.0017
348	5e+12	NDD	3.4541	3.4454	-0.0087
353	5e+12	NDD	3.4509	3.4428	-0.0081
370	5e+12	NDD	3.4412	3.4327	-0.0085
377	5e+12	NDD	3.443	3.4348	-0.0082
389	1e+13	NDD	3.4346	3.4178	-0.0168
394	1e+13	NDD	3.4396	3.4273	-0.0123
395	1e+13	NDD		3.4268	
396	0	CORRELATION	3.4438		
571	1e+13	NDD	3.4518	3.4384	-0.0134
632	0	CORRELATION	3.4476	3.448	0.0004
649	0	CORRELATION	3.438	3.4383	0.0003
662	0	CORRELATION	3.4607	3.46	-0.0007

NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.438	3.4475	3.4607	0.0096296	3.4383	3.4488	3.46	0.01087	-0.0007	-1.4803e-16	0.0004	0.00060828
1e+12	3.4392	3.4485	3.4578	0.0077346	3.433	3.4449	3.4565	0.0095953	-0.0062	-0.003575	-0.0013	0.0024432
5e+12	3.4412	3.4473	3.4541	0.0061887	3.4327	3.4389	3.4454	0.0061294	-0.0087	-0.008375	-0.0081	0.00027538
1e+13	3.4346	3.442	3.4518	0.0088476	3.4178	3.4276	3.4384	0.0084342	-0.0168	-0.014167	-0.0123	0.0023459

Device Test: 14.10 THRESHOLD|RISE/VIN/5////@UVLO_RISE_VIN


NDD vs Result Stats



Test Results (Lower Limit = 3.4, Upper Limit = 3.8 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.5955	3.593	-0.0025
266	1e+12	NDD	3.6158	3.6121	-0.0037
267	1e+12	NDD	3.6089	3.6071	-0.0018
288	1e+12	NDD	3.6278	3.6278	0
348	5e+12	NDD	3.6161	3.6077	-0.0084
353	5e+12	NDD	3.6136	3.6068	-0.0068
370	5e+12	NDD	3.6251	3.6174	-0.0077
377	5e+12	NDD	3.5972	3.5879	-0.0093
389	1e+13	NDD	3.613	3.5967	-0.0163
394	1e+13	NDD	3.6161	3.6037	-0.0124
395	1e+13	NDD		3.5989	
396	0	CORRELATION	3.6155		
571	1e+13	NDD	3.6266	3.6122	-0.0144
632	0	CORRELATION	3.6255	3.6248	-0.0007
649	0	CORRELATION	3.6317	3.6302	-0.0015
662	0	CORRELATION	3.617	3.6155	-0.0015

NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.6155	3.6224	3.6317	0.0075909	3.6155	3.6235	3.6302	0.0074357	-0.0015	-0.0012333	-0.0007	0.00046188
1e+12	3.5955	3.612	3.6278	0.01349	3.593	3.61	3.6278	0.01436	-0.0037	-0.002	0	0.001547
5e+12	3.5972	3.613	3.6251	0.011634	3.5879	3.6049	3.6174	0.012338	-0.0093	-0.00805	-0.0068	0.0010599
1e+13	3.613	3.6186	3.6266	0.0071276	3.5967	3.6029	3.6122	0.0068694	-0.0163	-0.014367	-0.0124	0.0019502

Device Test: 14.12 THRESHOLD|HYST/VIN/5////@UVLO_HYST_VIN


NDD vs Result Stats



Test Results (Lower Limit = 140.0, Upper Limit = 170.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	152.92	151.78	-1.1465
266	1e+12	NDD	153.36	151.82	-1.539
267	1e+12	NDD	151.14	152.38	1.2494
288	1e+12	NDD	153.3	155.2	1.9048
348	5e+12	NDD	151.99	152.71	0.7262
353	5e+12	NDD	152.42	153.07	0.6473
370	5e+12	NDD	153.32	153.63	0.3125
377	5e+12	NDD	151.73	151.77	0.0341
389	1e+13	NDD	152.92	152.71	-0.2098
394	1e+13	NDD	153.05	154.95	1.8974
395	1e+13	NDD		152.39	
396	0	CORRELATION	153.01		
571	1e+13	NDD	152.36	153.33	0.9696
632	0	CORRELATION	152.92	152.4	-0.5219
649	0	CORRELATION	153.05	153.07	0.0224
662	0	CORRELATION	153.32	152.7	-0.624

NDD vs Post - Pre Exposure Delta




Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	152.92	153.08	153.32	0.17215	152.4	152.72	153.07	0.33635	-0.624	-0.3745	0.0224	0.3475
1e+12	151.14	152.68	153.36	1.0473	151.78	152.8	155.2	1.6275	-1.539	0.11718	1.9048	1.7144
5e+12	151.73	152.37	153.32	0.6978	151.77	152.8	153.63	0.78396	0.0341	0.43002	0.7262	0.31911
1e+13	152.36	152.78	153.05	0.36755	152.39	153.34	154.95	1.1382	-0.2098	0.88573	1.8974	1.0561

Device Test: 14.13 THRESHOLD|RISE/PVIN/12////@UVLO_RISE_PVIN


NDD vs Result Stats



Test Results (Lower Limit = 3.2, Upper Limit = 3.6 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.4512	3.4461	-0.0051
266	1e+12	NDD	3.4594	3.4578	-0.0016
267	1e+12	NDD	3.4405	3.4346	-0.0059
288	1e+12	NDD	3.4472	3.4455	-0.0017
348	5e+12	NDD	3.4541	3.4474	-0.0067
353	5e+12	NDD	3.4506	3.4448	-0.0058
370	5e+12	NDD	3.4425	3.433	-0.0095
377	5e+12	NDD	3.4443	3.4377	-0.0066
389	1e+13	NDD	3.4359	3.4191	-0.0168
394	1e+13	NDD	3.4402	3.4289	-0.0113
395	1e+13	NDD		3.4262	
396	0	CORRELATION	3.4444		
571	1e+13	NDD	3.4531	3.438	-0.0151
632	0	CORRELATION	3.4493	3.4496	0.0003
649	0	CORRELATION	3.438	3.4389	0.0009
662	0	CORRELATION	3.461	3.4609	-0.0001

NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.438	3.4482	3.461	0.0097216	3.4389	3.4498	3.4609	0.011001	-0.0001	0.00036667	0.0009	0.00050332
1e+12	3.4405	3.4496	3.4594	0.0078987	3.4346	3.446	3.4578	0.0094773	-0.0059	-0.003575	-0.0016	0.002247
5e+12	3.4425	3.4479	3.4541	0.0054113	3.433	3.4407	3.4474	0.0065825	-0.0095	-0.00715	-0.0058	0.0016176
1e+13	3.4359	3.4431	3.4531	0.0089512	3.4191	3.428	3.438	0.0078156	-0.0168	-0.0144	-0.0113	0.002816

Device Test: 14.15 THRESHOLD|HYST/PVIN/12////@UVLO_HYST_PVIN


NDD vs Result Stats



Test Results (Lower Limit = 425.0, Upper Limit = 500.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	451.03	448.05	-2.9773
266	1e+12	NDD	449.11	448.68	-0.4391
267	1e+12	NDD	447.39	445.4	-1.9983
288	1e+12	NDD	448.47	448.64	0.1647
348	5e+12	NDD	449.41	449.68	0.2695
353	5e+12	NDD	449.44	449.97	0.5347
370	5e+12	NDD	448.37	446.69	-1.674
377	5e+12	NDD	446.85	446.69	-0.1593
389	1e+13	NDD	446.81	445.13	-1.6782
394	1e+13	NDD	446.52	446.08	-0.4382
395	1e+13	NDD		444.75	
396	0	CORRELATION	446.74		
571	1e+13	NDD	449.45	447.34	-2.1082
632	0	CORRELATION	449.41	449.35	-0.0553
649	0	CORRELATION	445.22	446.08	0.8606
662	0	CORRELATION	449.34	449.62	0.2736

NDD vs Post - Pre Exposure Delta




Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	445.22	447.68	449.41	2.0561	446.08	448.35	449.62	1.9705	-0.0553	0.35963	0.8606	0.46397
1e+12	447.39	449	451.03	1.5272	445.4	447.69	448.68	1.556	-2.9773	-1.3125	0.1647	1.4361
5e+12	446.85	448.52	449.44	1.2182	446.69	448.26	449.97	1.8136	-1.674	-0.25728	0.5347	0.98682
1e+13	446.52	447.59	449.45	1.6133	444.75	445.82	447.34	1.1543	-2.1082	-1.4082	-0.4382	0.86712

Device Test: 14.16 THRESHOLD|RISE/VIN/12////@UVLO_RISE_VIN


NDD vs Result Stats



Test Results (Lower Limit = 3.4, Upper Limit = 3.8 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.5952	3.593	-0.0022
266	1e+12	NDD	3.6148	3.6115	-0.0033
267	1e+12	NDD	3.6098	3.6092	-0.0006
288	1e+12	NDD	3.6272	3.6278	0.0006
348	5e+12	NDD	3.6158	3.6077	-0.0081
353	5e+12	NDD	3.6136	3.6062	-0.0074
370	5e+12	NDD	3.6248	3.6167	-0.0081
377	5e+12	NDD	3.5969	3.5894	-0.0075
389	1e+13	NDD	3.6124	3.5955	-0.0169
394	1e+13	NDD	3.6161	3.6021	-0.014
395	1e+13	NDD		3.5983	
396	0	CORRELATION	3.6148		
571	1e+13	NDD	3.6266	3.6131	-0.0135
632	0	CORRELATION	3.6249	3.6264	0.0015
649	0	CORRELATION	3.6314	3.6296	-0.0018
662	0	CORRELATION	3.6173	3.6152	-0.0021

NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.6148	3.6221	3.6314	0.0075423	3.6152	3.6237	3.6296	0.0075613	-0.0021	-0.0008	0.0015	0.0019975
1e+12	3.5952	3.6117	3.6272	0.013238	3.593	3.6104	3.6278	0.014238	-0.0033	-0.001375	0.0006	0.0017212
5e+12	3.5969	3.6128	3.6248	0.01164	3.5894	3.605	3.6167	0.011387	-0.0081	-0.007775	-0.0074	0.00037749
1e+13	3.6124	3.6184	3.6266	0.0073664	3.5955	3.6023	3.6131	0.0077225	-0.0169	-0.0148	-0.0135	0.0018358

Device Test: 14.18 THRESHOLD|HYST/VIN/12////@UVLO_HYST_VIN


NDD vs Result Stats



Test Results (Lower Limit = 140.0, Upper Limit = 170.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	152.3	151.78	-0.5226
266	1e+12	NDD	152.11	151.51	-0.6018
267	1e+12	NDD	152.7	154.26	1.5619
288	1e+12	NDD	152.36	154.89	2.5308
348	5e+12	NDD	151.67	153.03	1.3507
353	5e+12	NDD	152.11	153.7	1.5848
370	5e+12	NDD	153.63	153.01	-0.6239
377	5e+12	NDD	153.3	153.02	-0.2815
389	1e+13	NDD	152.61	151.78	-0.8347
394	1e+13	NDD	153.36	153.07	-0.2895
395	1e+13	NDD		152.07	
396	0	CORRELATION	152.07		
571	1e+13	NDD	153.3	154.27	0.9678
632	0	CORRELATION	151.99	153.96	1.9758
649	0	CORRELATION	152.74	151.82	-0.9148
662	0	CORRELATION	154.88	152.7	-2.1851

NDD vs Post - Pre Exposure Delta




Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	151.99	152.92	154.88	1.3509	151.82	152.83	153.96	1.076	-2.1851	-0.3747	1.9758	2.1324
1e+12	152.11	152.37	152.7	0.24394	151.51	153.11	154.89	1.7152	-0.6018	0.74208	2.5308	1.5575
5e+12	151.67	152.68	153.63	0.93527	153.01	153.19	153.7	0.33999	-0.6239	0.50753	1.5848	1.1216
1e+13	152.61	153.09	153.36	0.41618	151.78	152.8	154.27	1.1252	-0.8347	-0.052133	0.9678	0.9244

Device Test: 14.19 THRESHOLD|RISE/PVIN/14////@UVLO_RISE_PVIN


NDD vs Result Stats



Test Results (Lower Limit = 3.2, Upper Limit = 3.6 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.4493	3.4467	-0.0026
266	1e+12	NDD	3.4594	3.4575	-0.0019
267	1e+12	NDD	3.4405	3.435	-0.0055
288	1e+12	NDD	3.4479	3.4452	-0.0027
348	5e+12	NDD	3.4535	3.4477	-0.0058
353	5e+12	NDD	3.4503	3.4441	-0.0062
370	5e+12	NDD	3.4415	3.4327	-0.0088
377	5e+12	NDD	3.4446	3.439	-0.0056
389	1e+13	NDD	3.434	3.4191	-0.0149
394	1e+13	NDD	3.4402	3.4286	-0.0116
395	1e+13	NDD		3.4272	
396	0	CORRELATION	3.4438		
571	1e+13	NDD	3.4521	3.4384	-0.0137
632	0	CORRELATION	3.4483	3.4496	0.0013
649	0	CORRELATION	3.438	3.4389	0.0009
662	0	CORRELATION	3.461	3.4609	-0.0001

NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.438	3.4478	3.461	0.0097729	3.4389	3.4498	3.4609	0.011001	-0.0001	0.0007	0.0013	0.00072111
1e+12	3.4405	3.4493	3.4594	0.0077762	3.435	3.4461	3.4575	0.0092076	-0.0055	-0.003175	-0.0019	0.0015903
5e+12	3.4415	3.4475	3.4535	0.0054236	3.4327	3.4409	3.4477	0.0065148	-0.0088	-0.0066	-0.0056	0.0014877
1e+13	3.434	3.4421	3.4521	0.0091984	3.4191	3.4283	3.4384	0.0079151	-0.0149	-0.0134	-0.0116	0.0016703

Device Test: 14.21 THRESHOLD|HYST/PVIN/14////@UVLO_HYST_PVIN


NDD vs Result Stats



Test Results (Lower Limit = 425.0, Upper Limit = 500.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	448.11	449.03	0.9191
266	1e+12	NDD	449.11	448.35	-0.7638
267	1e+12	NDD	447.39	445.72	-1.6736
288	1e+12	NDD	449.45	448.31	-1.1343
348	5e+12	NDD	448.76	450	1.2436
353	5e+12	NDD	449.11	449.32	0.2102
370	5e+12	NDD	447.07	446.04	-1.0246
377	5e+12	NDD	448.47	449.29	0.8139
389	1e+13	NDD	444.86	445.13	0.2701
394	1e+13	NDD	446.52	445.75	-0.763
395	1e+13	NDD		446.37	
396	0	CORRELATION	445.77		
571	1e+13	NDD	448.47	447.34	-1.134
632	0	CORRELATION	448.11	449.68	1.5681
649	0	CORRELATION	444.89	446.08	1.1854
662	0	CORRELATION	449.34	448.97	-0.3756

NDD vs Post - Pre Exposure Delta




Test Statistics (mV)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	444.89	447.03	449.34	2.0544	446.08	448.24	449.68	1.9059	-0.3756	0.79263	1.5681	1.0297
1e+12	447.39	448.52	449.45	0.93959	445.72	447.85	449.03	1.459	-1.6736	-0.66315	0.9191	1.119
5e+12	447.07	448.35	449.11	0.89557	446.04	448.66	450	1.777	-1.0246	0.31077	1.2436	0.98601
1e+13	444.86	446.62	448.47	1.8072	445.13	446.15	447.34	0.94041	-1.134	-0.5423	0.2701	0.7276

Device Test: 14.22 THRESHOLD|RISE/VIN/14////@UVLO_RISE_VIN

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 3.4, Upper Limit = 3.8 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.5952	3.5933	-0.0019
266	1e+12	NDD	3.6155	3.6115	-0.004
267	1e+12	NDD	3.6092	3.6077	-0.0015
288	1e+12	NDD	3.6275	3.6275	0
348	5e+12	NDD	3.6171	3.608	-0.0091
353	5e+12	NDD	3.6133	3.6062	-0.0071
370	5e+12	NDD	3.6248	3.6171	-0.0077
377	5e+12	NDD	3.5962	3.5879	-0.0083
389	1e+13	NDD	3.6124	3.5952	-0.0172
394	1e+13	NDD	3.6167	3.603	-0.0137
395	1e+13	NDD		3.5993	
396	0	CORRELATION	3.6173		
571	1e+13	NDD	3.6266	3.6138	-0.0128
632	0	CORRELATION	3.6252	3.6267	0.0015
649	0	CORRELATION	3.632	3.6293	-0.0027
662	0	CORRELATION	3.6173	3.6174	0.0001

Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.6173	3.623	3.632	0.0070901	3.6174	3.6245	3.6293	0.0062565	-0.0027	-0.00036667	0.0015	0.0021385
1e+12	3.5952	3.6119	3.6275	0.013447	3.5933	3.61	3.6275	0.014056	-0.004	-0.00185	0	0.0016503
5e+12	3.5962	3.6128	3.6248	0.012087	3.5879	3.6048	3.6171	0.012235	-0.0091	-0.00805	-0.0071	0.0008544
1e+13	3.6124	3.6186	3.6266	0.0072817	3.5952	3.6028	3.6138	0.0079801	-0.0172	-0.014567	-0.0128	0.0023245


NDD vs Result Stats



Test Results (Lower Limit = 140.0, Upper Limit = 170.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	152.3	151.46	-0.8347
266	1e+12	NDD	153.05	151.2	-1.8515
267	1e+12	NDD	152.07	152.7	0.6249
288	1e+12	NDD	153.92	154.89	0.9666
348	5e+12	NDD	153.24	153.34	0.1025
353	5e+12	NDD	151.8	152.45	0.6473
370	5e+12	NDD	153.01	153.01	0.0002
377	5e+12	NDD	150.79	151.77	0.9725
389	1e+13	NDD	152.3	151.46	-0.8345
394	1e+13	NDD	153.99	154.01	0.0229
395	1e+13	NDD		153.01	
396	0	CORRELATION	154.57		
571	1e+13	NDD	152.67	155.2	2.5299
632	0	CORRELATION	152.3	154.59	2.2881
649	0	CORRELATION	153.05	151.82	-1.2267
662	0	CORRELATION	153.63	154.88	1.2493


NDD vs Post - Pre Exposure Delta



Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	152.3	153.39	154.57	0.95911	151.82	153.76	154.88	1.6881	-1.2267	0.77023	2.2881	1.8057
1e+12	152.07	152.84	153.92	0.83642	151.2	152.56	154.89	1.6835	-1.8515	-0.27367	0.9666	1.3102
5e+12	150.79	152.21	153.24	1.1345	151.77	152.64	153.34	0.68854	0.0002	0.43062	0.9725	0.45953
1e+13	152.3	152.99	153.99	0.8865	151.46	153.42	155.2	1.5828	-0.8345	0.57277	2.5299	1.7483


NDD vs Result Stats



Test Results (Lower Limit = 425.0, Upper Limit = 500.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	449.08	447.73	-1.354
266	1e+12	NDD	447.49	447.38	-0.1141
267	1e+12	NDD	446.1	444.1	-1.9983
288	1e+12	NDD	447.82	447.99	0.1647
348	5e+12	NDD	448.11	446.75	-1.3539
353	5e+12	NDD	448.46	448.03	-0.4388
370	5e+12	NDD	445.77	446.04	0.2741
377	5e+12	NDD	445.22	443.77	-1.4573
389	1e+13	NDD	445.51	443.83	-1.6779
394	1e+13	NDD	445.22	444.45	-0.7627
395	1e+13	NDD		445.4	
396	0	CORRELATION	446.42		
571	1e+13	NDD	446.52	446.36	-0.1593
632	0	CORRELATION	447.78	447.73	-0.0553
649	0	CORRELATION	444.24	444.13	-0.113
662	0	CORRELATION	449.02	448.64	-0.3754

NDD vs Post - Pre Exposure Delta




Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	444.24	446.87	449.02	2.045	444.13	446.83	448.64	2.3851	-0.3754	-0.18123	-0.0553	0.17061
1e+12	446.1	447.62	449.08	1.2277	444.1	446.8	447.99	1.8176	-1.9983	-0.82543	0.1647	1.0233
5e+12	445.22	446.89	448.46	1.6323	443.77	446.15	448.03	1.7866	-1.4573	-0.74398	0.2741	0.81863
1e+13	445.22	445.75	446.52	0.68492	443.83	445.01	446.36	1.1068	-1.6779	-0.86663	-0.1593	0.76462

Device Test: 14.4 THRESHOLD|RISE/VIN/4.5////@UVLO_RISE_VIN


NDD vs Result Stats



Test Results (Lower Limit = 3.4, Upper Limit = 3.8 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.5952	3.5933	-0.0019
266	1e+12	NDD	3.6155	3.6121	-0.0034
267	1e+12	NDD	3.6102	3.6067	-0.0035
288	1e+12	NDD	3.6278	3.6281	0.0003
348	5e+12	NDD	3.6164	3.6077	-0.0087
353	5e+12	NDD	3.6133	3.6059	-0.0074
370	5e+12	NDD	3.6251	3.6171	-0.008
377	5e+12	NDD	3.5972	3.5888	-0.0084
389	1e+13	NDD	3.6127	3.597	-0.0157
394	1e+13	NDD	3.617	3.6018	-0.0152
395	1e+13	NDD		3.5993	
396	0	CORRELATION	3.6148		
571	1e+13	NDD	3.6272	3.6122	-0.015
632	0	CORRELATION	3.6249	3.6252	0.0003
649	0	CORRELATION	3.6317	3.6296	-0.0021
662	0	CORRELATION	3.6155	3.6155	0

NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.6148	3.6217	3.6317	0.0080888	3.6155	3.6234	3.6296	0.0072141	-0.0021	-0.0006	0.0003	0.0013077
1e+12	3.5952	3.6122	3.6278	0.013506	3.5933	3.6101	3.6281	0.014397	-0.0035	-0.002125	0.0003	0.0017746
5e+12	3.5972	3.613	3.6251	0.011658	3.5888	3.6049	3.6171	0.011788	-0.0087	-0.008125	-0.0074	0.00056199
1e+13	3.6127	3.619	3.6272	0.0074474	3.597	3.6026	3.6122	0.0067094	-0.0157	-0.0153	-0.015	0.00036056

Device Test: 14.6 THRESHOLD|HYST/VIN/4.5////@UVLO_HYST_VIN


NDD vs Result Stats



Test Results (Lower Limit = 140.0, Upper Limit = 170.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	152.61	152.4	-0.2098
266	1e+12	NDD	152.74	152.14	-0.6018
267	1e+12	NDD	153.01	151.76	-1.2486
288	1e+12	NDD	154.55	153.95	-0.5958
348	5e+12	NDD	152.61	152.4	-0.2101
353	5e+12	NDD	152.11	152.13	0.0222
370	5e+12	NDD	153.95	153.32	-0.624
377	5e+12	NDD	152.05	152.39	0.3454
389	1e+13	NDD	152.3	153.03	0.7267
394	1e+13	NDD	154.92	153.07	-1.851
395	1e+13	NDD		152.7	
396	0	CORRELATION	152.38		
571	1e+13	NDD	153.92	153.33	-0.5946
632	0	CORRELATION	151.99	153.03	1.0388
649	0	CORRELATION	153.05	152.45	-0.6023
662	0	CORRELATION	151.76	152.7	0.9372



NDD vs Post - Pre Exposure Delta



Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	151.76	152.3	153.05	0.56524	152.45	152.72	153.03	0.28998	-0.6023	0.4579	1.0388	0.91956
1e+12	152.61	153.23	154.55	0.89709	151.76	152.56	153.95	0.96347	-1.2486	-0.664	-0.2098	0.43073
5e+12	152.05	152.68	153.95	0.88144	152.13	152.56	153.32	0.52117	-0.624	-0.11662	0.3454	0.4078
1e+13	152.3	153.72	154.92	1.3247	152.7	153.03	153.33	0.2592	-1.851	-0.57297	0.7267	1.289

Device Test: 14.7 THRESHOLD|RISE/PVIN/5////@UVLO_RISE_PVIN



Test Results (Lower Limit = 3.2, Upper Limit = 3.6 (V))


Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.4502	3.4451	-0.0051
266	1e+12	NDD	3.4597	3.4578	-0.0019
267	1e+12	NDD	3.4405	3.4346	-0.0059
288	1e+12	NDD	3.4472	3.4452	-0.002
348	5e+12	NDD	3.4545	3.4464	-0.0081
353	5e+12	NDD	3.4506	3.4441	-0.0065
370	5e+12	NDD	3.4409	3.4327	-0.0082
377	5e+12	NDD	3.445	3.4367	-0.0083
389	1e+13	NDD	3.4359	3.4188	-0.0171
394	1e+13	NDD	3.4399	3.4292	-0.0107
395	1e+13	NDD		3.4265	
396	0	CORRELATION	3.4447		
571	1e+13	NDD	3.4528	3.438	-0.0148
632	0	CORRELATION	3.4493	3.4496	0.0003
649	0	CORRELATION	3.4393	3.4389	-0.0004
662	0	CORRELATION	3.4613	3.4606	-0.0007

Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.4393	3.4486	3.4613	0.0093714	3.4389	3.4497	3.4606	0.01085	-0.0007	-0.00026667	0.0003	0.00051316
1e+12	3.4405	3.4494	3.4597	0.0079745	3.4346	3.4457	3.4578	0.0094908	-0.0059	-0.003725	-0.0019	0.0020759
5e+12	3.4409	3.4478	3.4545	0.0060047	3.4327	3.44	3.4464	0.0063757	-0.0083	-0.007775	-0.0065	0.00085391
1e+13	3.4359	3.4429	3.4528	0.0088319	3.4188	3.4281	3.438	0.0079219	-0.0171	-0.0142	-0.0107	0.0032419

Device Test: 14.9 THRESHOLD|HYST/PVIN/5////@UVLO_HYST_PVIN


NDD vs Result Stats



Test Results (Lower Limit = 425.0, Upper Limit = 500.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	449.08	447.08	-2.0032
266	1e+12	NDD	449.44	448.68	-0.7638
267	1e+12	NDD	447.39	445.4	-1.9983
288	1e+12	NDD	448.8	448.31	-0.4848
348	5e+12	NDD	449.73	448.7	-1.0295
353	5e+12	NDD	449.11	449	-0.114
370	5e+12	NDD	445.45	446.37	0.9235
377	5e+12	NDD	448.47	445.39	-3.0816
389	1e+13	NDD	446.81	444.81	-2.0029
394	1e+13	NDD	445.87	446.73	0.8607
395	1e+13	NDD		445.07	
396	0	CORRELATION	447.07		
571	1e+13	NDD	449.12	447.01	-2.1079
632	0	CORRELATION	450.71	449.35	-1.3542
649	0	CORRELATION	446.19	446.4	0.2112
662	0	CORRELATION	449.99	448.97	-1.0248



NDD vs Post - Pre Exposure Delta



Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	446.19	448.49	450.71	2.1959	446.4	448.24	449.35	1.603	-1.3542	-0.7226	0.2112	0.8253
1e+12	447.39	448.68	449.44	0.89563	445.4	447.37	448.68	1.4803	-2.0032	-1.3125	-0.4848	0.80282
5e+12	445.45	448.19	449.73	1.9011	445.39	447.37	449	1.7659	-3.0816	-0.8254	0.9235	1.7026
1e+13	445.87	447.27	449.12	1.6743	444.81	445.9	447.01	1.1265	-2.1079	-1.0834	0.8607	1.6844

Device Test: 15.1 LEAK|UNPOWERED/EN/0////@EN_LKG_CURR




Test Results (Upper Limit = 100.0 (nA))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.8436	1.0587	0.2151
266	1e+12	NDD	0.8111	1.1373	0.3262
267	1e+12	NDD	1.1037	0.497	-0.6067
288	1e+12	NDD	2.4543	1.1874	-1.2669
348	5e+12	NDD	0.8716	1.118	0.2464
353	5e+12	NDD	0.8049	1.1498	0.3449
370	5e+12	NDD	1.1693	0.5438	-0.6255
377	5e+12	NDD	2.4262	1.175	-1.2512
389	1e+13	NDD	0.9122	1.2272	0.315
394	1e+13	NDD	0.808	1.2185	0.4105
395	1e+13	NDD		0.5563	
396	0	CORRELATION	1.0632		
571	1e+13	NDD	2.5291	1.2873	-1.2418
632	0	CORRELATION	0.9371	1.0431	0.106
649	0	CORRELATION	0.7955	1.1747	0.3792
662	0	CORRELATION	1.0756	0.447	-0.6286


Test Statistics (nA)												
Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.7955	0.96785	1.0756	0.13083	0.447	0.88827	1.1747	0.38777	-0.6286	-0.0478	0.3792	0.52121
1e+12	0.8111	1.3032	2.4543	0.77851	0.497	0.9701	1.1874	0.31982	-1.2669	-0.33308	0.3262	0.74879
5e+12	0.8049	1.318	2.4262	0.75559	0.5438	0.99665	1.175	0.3028	-1.2512	-0.32135	0.3449	0.75793
1e+13	0.808	1.4164	2.5291	0.96501	0.5563	1.0723	1.2873	0.34537	-1.2418	-0.1721	0.4105	0.92762

Device Test: 15.10 THRESHOLD|FALL/EN/12////@EN_VTH_FALLING

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta



Test Results (Lower Limit = 0.455, Upper Limit = 0.554 (V))


Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.492	0.4913	-0.0007
266	1e+12	NDD	0.5099	0.5097	-0.0002
267	1e+12	NDD	0.4936	0.4938	0.0002
288	1e+12	NDD	0.505	0.5048	-0.0002
348	5e+12	NDD	0.4942	0.4934	-0.0008
353	5e+12	NDD	0.4687	0.4675	-0.0012
370	5e+12	NDD	0.5042	0.5041	-0.0001
377	5e+12	NDD	0.5141	0.5142	0.0001
389	1e+13	NDD	0.5052	0.5003	-0.0049
394	1e+13	NDD	0.5024	0.4997	-0.0027
395	1e+13	NDD		0.5113	
396	0	CORRELATION	0.5139		
571	1e+13	NDD	0.5035	0.5023	-0.0012
632	0	CORRELATION	0.493	0.4928	-0.0002
649	0	CORRELATION	0.5068	0.506	-0.0008
662	0	CORRELATION	0.4902	0.4901	-0.0001

Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.4902	0.50098	0.5139	0.011265	0.4901	0.4963	0.506	0.0085082	-0.0008	-0.00036667	-0.0001	0.00037859
1e+12	0.492	0.50012	0.5099	0.008716	0.4913	0.4999	0.5097	0.0087791	-0.0007	-0.000225	0.0002	0.00036856
5e+12	0.4687	0.4953	0.5141	0.019506	0.4675	0.4948	0.5142	0.020084	-0.0012	-0.0005	0.0001	0.00060553
1e+13	0.5024	0.5037	0.5052	0.0014107	0.4997	0.5034	0.5113	0.0053827	-0.0049	-0.0029333	-0.0012	0.001861

Device Test: 15.12 THRESHOLD|RISE/EN/14/////@EN_VTH_RISING


NDD vs Result Stats



Test Results (Lower Limit = 0.555, Upper Limit = 0.655 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.595	0.5962	0.0012
266	1e+12	NDD	0.6133	0.6144	0.0011
267	1e+12	NDD	0.5979	0.5994	0.0015
288	1e+12	NDD	0.6092	0.6097	0.0005
348	5e+12	NDD	0.5997	0.5968	-0.0029
353	5e+12	NDD	0.574	0.5731	-0.0009
370	5e+12	NDD	0.6092	0.6094	0.0002
377	5e+12	NDD	0.6192	0.6191	-0.0001
389	1e+13	NDD	0.61	0.6059	-0.0041
394	1e+13	NDD	0.6071	0.6047	-0.0024
395	1e+13	NDD		0.614	
396	0	CORRELATION	0.6188		
571	1e+13	NDD	0.6092	0.606	-0.0032
632	0	CORRELATION	0.5978	0.5971	-0.0007
649	0	CORRELATION	0.6121	0.6119	-0.0002
662	0	CORRELATION	0.5929	0.5947	0.0018

NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5929	0.6054	0.6188	0.012089	0.5947	0.60123	0.6119	0.0093152	-0.0007	0.0003	0.0018	0.0013229
1e+12	0.595	0.60385	0.6133	0.0087873	0.5962	0.60492	0.6144	0.0085484	0.0005	0.001075	0.0015	0.00041932
5e+12	0.574	0.60052	0.6192	0.019393	0.5731	0.5996	0.6191	0.019886	-0.0029	-0.000925	0.0002	0.0013961
1e+13	0.6071	0.60877	0.61	0.0014978	0.6047	0.60765	0.614	0.0042743	-0.0041	-0.0032333	-0.0024	0.00085049

Device Test: 15.13 THRESHOLD|FALL/EN/14////@EN_VTH_FALLING


NDD vs Result Stats



Test Results (Lower Limit = 0.455, Upper Limit = 0.554 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.492	0.4913	-0.0007
266	1e+12	NDD	0.5106	0.5097	-0.0009
267	1e+12	NDD	0.4942	0.4938	-0.0004
288	1e+12	NDD	0.5047	0.5048	0.0001
348	5e+12	NDD	0.4942	0.4922	-0.002
353	5e+12	NDD	0.469	0.4675	-0.0015
370	5e+12	NDD	0.5045	0.5041	-0.0004
377	5e+12	NDD	0.5138	0.5142	0.0004
389	1e+13	NDD	0.5052	0.5006	-0.0046
394	1e+13	NDD	0.5018	0.4994	-0.0024
395	1e+13	NDD		0.5113	
396	0	CORRELATION	0.5136		
571	1e+13	NDD	0.5035	0.5023	-0.0012
632	0	CORRELATION	0.4933	0.4922	-0.0011
649	0	CORRELATION	0.5062	0.5063	0.0001
662	0	CORRELATION	0.4902	0.4901	-0.0001



NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.4902	0.50082	0.5136	0.010979	0.4901	0.4962	0.5063	0.0088097	-0.0011	-0.00036667	0.0001	0.00064291
1e+12	0.492	0.50038	0.5106	0.008785	0.4913	0.4999	0.5097	0.0087791	-0.0009	-0.000475	0.0001	0.00043493
5e+12	0.469	0.49538	0.5138	0.01932	0.4675	0.4945	0.5142	0.020121	-0.002	-0.000875	0.0004	0.0010813
1e+13	0.5018	0.5035	0.5052	0.0017	0.4994	0.5034	0.5113	0.0053994	-0.0046	-0.0027333	-0.0012	0.0017243

Device Test: 15.15 LEAK|POWERED/EN/14////@EN_LKG_CURR




Test Results (Upper Limit = 100.0 (nA))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.1622	0.3996	0.2374
266	1e+12	NDD	0.2842	1.8486	1.5644
267	1e+12	NDD	0.3029	0.3496	0.0467
288	1e+12	NDD	0.9382	0.3215	-0.6167
348	5e+12	NDD	0.1996	0.4058	0.2062
353	5e+12	NDD	0.2873	1.8424	1.5551
370	5e+12	NDD	0.3434	0.3496	0.0062
377	5e+12	NDD	0.7699	0.1935	-0.5764
389	1e+13	NDD	0.2246	0.3746	0.15
394	1e+13	NDD	0.3154	1.9767	1.6613
395	1e+13	NDD		0.3777	
396	0	CORRELATION	0.3185		
571	1e+13	NDD	0.8447	0.2841	-0.5606
632	0	CORRELATION	0.1403	0.4495	0.3092
649	0	CORRELATION	0.3029	1.8393	1.5364
662	0	CORRELATION	0.2279	0.2841	0.0562

Test Statistics (nA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.1403	0.2474	0.3185	0.081621	0.2841	0.85763	1.8393	0.85416	0.0562	0.63393	1.5364	0.79173
1e+12	0.1622	0.42188	0.9382	0.34982	0.3215	0.72982	1.8486	0.74655	-0.6167	0.30795	1.5644	0.91412
5e+12	0.1996	0.40005	0.7699	0.25357	0.1935	0.69783	1.8424	0.76832	-0.5764	0.29777	1.5551	0.90156
1e+13	0.2246	0.46157	0.8447	0.33489	0.2841	0.75328	1.9767	0.81677	-0.5606	0.4169	1.6613	1.1347

Device Test: 15.3 THRESHOLD|RISE/EN/4.5/////@EN_VTH_RISING


NDD vs Result Stats



Test Results (Lower Limit = 0.555, Upper Limit = 0.655 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.5947	0.5956	0.0009
266	1e+12	NDD	0.613	0.6137	0.0007
267	1e+12	NDD	0.5976	0.5987	0.0011
288	1e+12	NDD	0.6104	0.611	0.0006
348	5e+12	NDD	0.5997	0.5987	-0.001
353	5e+12	NDD	0.5755	0.5744	-0.0011
370	5e+12	NDD	0.6088	0.6087	-0.0001
377	5e+12	NDD	0.6179	0.6169	-0.001
389	1e+13	NDD	0.6094	0.6043	-0.0051
394	1e+13	NDD	0.6071	0.6044	-0.0027
395	1e+13	NDD		0.6137	
396	0	CORRELATION	0.6173		
571	1e+13	NDD	0.6076	0.6066	-0.001
632	0	CORRELATION	0.5969	0.5965	-0.0004
649	0	CORRELATION	0.6102	0.6112	0.001
662	0	CORRELATION	0.5951	0.5941	-0.001

NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5951	0.60487	0.6173	0.010675	0.5941	0.6006	0.6112	0.009258	-0.001	-0.00013333	0.001	0.0010263
1e+12	0.5947	0.60393	0.613	0.0091175	0.5956	0.60475	0.6137	0.0089348	0.0006	0.000825	0.0011	0.00022174
5e+12	0.5755	0.60047	0.6179	0.018233	0.5744	0.59967	0.6169	0.01842	-0.0011	-0.0008	-0.0001	0.00046904
1e+13	0.6071	0.60803	0.6094	0.0012097	0.6043	0.60725	0.6137	0.0044291	-0.0051	-0.0029333	-0.001	0.0020599

Device Test: 15.4 THRESHOLD|FALL/EN/4.5////@EN_VTH_FALLING


NDD vs Result Stats



Test Results (Lower Limit = 0.455, Upper Limit = 0.554 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.492	0.4913	-0.0007
266	1e+12	NDD	0.5106	0.5081	-0.0025
267	1e+12	NDD	0.4942	0.4941	-0.0001
288	1e+12	NDD	0.506	0.5061	0.0001
348	5e+12	NDD	0.4955	0.4941	-0.0014
353	5e+12	NDD	0.4715	0.4694	-0.0021
370	5e+12	NDD	0.5048	0.5044	-0.0004
377	5e+12	NDD	0.5128	0.5129	0.0001
389	1e+13	NDD	0.5045	0.5003	-0.0042
394	1e+13	NDD	0.5028	0.4997	-0.0031
395	1e+13	NDD		0.511	
396	0	CORRELATION	0.5139		
571	1e+13	NDD	0.5031	0.5017	-0.0014
632	0	CORRELATION	0.4936	0.4928	-0.0008
649	0	CORRELATION	0.5068	0.506	-0.0008
662	0	CORRELATION	0.4911	0.491	-0.0001

NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.4911	0.50135	0.5139	0.010837	0.491	0.4966	0.506	0.0081902	-0.0008	-0.00056667	-0.0001	0.00040415
1e+12	0.492	0.5007	0.5106	0.0090192	0.4913	0.4999	0.5081	0.0084317	-0.0025	-0.0008	0.0001	0.0011832
5e+12	0.4715	0.49615	0.5128	0.017889	0.4694	0.4952	0.5129	0.018839	-0.0021	-0.00095	0.0001	0.00098826
1e+13	0.5028	0.50347	0.5045	0.00090738	0.4997	0.50317	0.511	0.0052835	-0.0042	-0.0029	-0.0014	0.0014107

Device Test: 15.6 THRESHOLD|RISE/EN/5/////@EN_VTH_RISING


NDD vs Result Stats



Test Results (Lower Limit = 0.555, Upper Limit = 0.655 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.5947	0.5962	0.0015
266	1e+12	NDD	0.6133	0.6147	0.0014
267	1e+12	NDD	0.5979	0.599	0.0011
288	1e+12	NDD	0.6104	0.6107	0.0003
348	5e+12	NDD	0.6	0.5981	-0.0019
353	5e+12	NDD	0.574	0.5734	-0.0006
370	5e+12	NDD	0.6092	0.609	-0.0002
377	5e+12	NDD	0.6192	0.6188	-0.0004
389	1e+13	NDD	0.6097	0.6056	-0.0041
394	1e+13	NDD	0.6074	0.6044	-0.003
395	1e+13	NDD		0.6159	
396	0	CORRELATION	0.6179		
571	1e+13	NDD	0.6079	0.6069	-0.001
632	0	CORRELATION	0.5978	0.5968	-0.001
649	0	CORRELATION	0.6118	0.6119	0.0001
662	0	CORRELATION	0.5954	0.5947	-0.0007

NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5954	0.60573	0.6179	0.010871	0.5947	0.60113	0.6119	0.0093831	-0.001	-0.00053333	0.0001	0.00056862
1e+12	0.5947	0.60408	0.6133	0.0091493	0.5962	0.60515	0.6147	0.008943	0.0003	0.001075	0.0015	0.00054391
5e+12	0.574	0.6006	0.6192	0.019389	0.5734	0.59983	0.6188	0.01954	-0.0019	-0.000775	-0.0002	0.00076757
1e+13	0.6074	0.60833	0.6097	0.0012097	0.6044	0.6082	0.6159	0.0052339	-0.0041	-0.0027	-0.001	0.0015716

Device Test: 15.7 THRESHOLD|FALL/EN/5/////@EN_VTH_FALLING


NDD vs Result Stats



Test Results (Lower Limit = 0.455, Upper Limit = 0.554 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.4924	0.4909	-0.0015
266	1e+12	NDD	0.5106	0.5094	-0.0012
267	1e+12	NDD	0.4942	0.4935	-0.0007
288	1e+12	NDD	0.5047	0.5051	0.0004
348	5e+12	NDD	0.4945	0.4934	-0.0011
353	5e+12	NDD	0.469	0.4678	-0.0012
370	5e+12	NDD	0.5045	0.5038	-0.0007
377	5e+12	NDD	0.5141	0.5142	0.0001
389	1e+13	NDD	0.5055	0.5009	-0.0046
394	1e+13	NDD	0.5021	0.5	-0.0021
395	1e+13	NDD		0.511	
396	0	CORRELATION	0.5139		
571	1e+13	NDD	0.5035	0.502	-0.0015
632	0	CORRELATION	0.493	0.4931	0.0001
649	0	CORRELATION	0.5065	0.5066	0.0001
662	0	CORRELATION	0.4899	0.4898	-0.0001

NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.4899	0.50082	0.5139	0.01131	0.4898	0.4965	0.5066	0.0089011	-0.0001	3.3333e-05	0.0001	0.00011547
1e+12	0.4924	0.50048	0.5106	0.0086592	0.4909	0.49972	0.5094	0.008928	-0.0015	-0.00075	0.0004	0.00083467
5e+12	0.469	0.49552	0.5141	0.01941	0.4678	0.4948	0.5142	0.019902	-0.0012	-0.000725	0.0001	0.0005909
1e+13	0.5021	0.5037	0.5055	0.0017088	0.5	0.50348	0.511	0.0050829	-0.0046	-0.0027333	-0.0015	0.0016442

Device Test: 15.9 THRESHOLD|RISE/EN/12////@EN_VTH_RISING


NDD vs Result Stats



Test Results (Lower Limit = 0.555, Upper Limit = 0.655 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.595	0.5971	0.0021
266	1e+12	NDD	0.6133	0.6144	0.0011
267	1e+12	NDD	0.5992	0.5987	-0.0005
288	1e+12	NDD	0.6107	0.6107	0
348	5e+12	NDD	0.6	0.5968	-0.0032
353	5e+12	NDD	0.5737	0.5734	-0.0003
370	5e+12	NDD	0.6088	0.6094	0.0006
377	5e+12	NDD	0.6195	0.6191	-0.0004
389	1e+13	NDD	0.61	0.6056	-0.0044
394	1e+13	NDD	0.6074	0.605	-0.0024
395	1e+13	NDD		0.6156	
396	0	CORRELATION	0.6179		
571	1e+13	NDD	0.6092	0.6069	-0.0023
632	0	CORRELATION	0.5975	0.5971	-0.0004
649	0	CORRELATION	0.6102	0.6115	0.0013
662	0	CORRELATION	0.5932	0.5944	0.0012


NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5932	0.6047	0.6179	0.011381	0.5944	0.601	0.6115	0.0091929	-0.0004	0.0007	0.0013	0.00095394
1e+12	0.595	0.60455	0.6133	0.0088357	0.5971	0.60523	0.6144	0.0086168	-0.0005	0.000675	0.0021	0.0011615
5e+12	0.5737	0.6005	0.6195	0.019565	0.5734	0.59967	0.6191	0.019753	-0.0032	-0.000825	0.0006	0.001646
1e+13	0.6074	0.60887	0.61	0.0013317	0.605	0.60828	0.6156	0.0049473	-0.0044	-0.0030333	-0.0023	0.0011846


NDD vs Result Stats



Test Results (Lower Limit = 0.593, Upper Limit = 0.606 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.6005	0.6003	-0.0002
266	1e+12	NDD	0.5978	0.5974	-0.0004
267	1e+12	NDD	0.5999	0.6	0.0001
288	1e+12	NDD	0.6009	0.6007	-0.0002
348	5e+12	NDD	0.5994	0.5981	-0.0013
353	5e+12	NDD	0.599	0.5974	-0.0016
370	5e+12	NDD	0.6003	0.5995	-0.0008
377	5e+12	NDD	0.5986	0.5973	-0.0013
389	1e+13	NDD	0.6006	0.5981	-0.0025
394	1e+13	NDD	0.5999	0.5976	-0.0023
395	1e+13	NDD		0.5964	
396	0	CORRELATION	0.599		
571	1e+13	NDD	0.5991	0.5963	-0.0028
632	0	CORRELATION	0.5983	0.5982	-0.0001
649	0	CORRELATION	0.599	0.5989	-0.0001
662	0	CORRELATION	0.5974	0.5977	0.0003


NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5974	0.59842	0.599	0.00075884	0.5977	0.59827	0.5989	0.00060277	-0.0001	3.3333e-05	0.0003	0.00023094
1e+12	0.5978	0.59977	0.6009	0.0013793	0.5974	0.5996	0.6007	0.0014944	-0.0004	-0.000175	0.0001	0.00020616
5e+12	0.5986	0.59932	0.6003	0.00072744	0.5973	0.59808	0.5995	0.0010145	-0.0016	-0.00125	-0.0008	0.00033166
1e+13	0.5991	0.59987	0.6006	0.00075056	0.5963	0.5971	0.5981	0.00089069	-0.0028	-0.0025333	-0.0023	0.00025166


NDD vs Result Stats



Test Results (Upper Limit = 2.9 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	-1.6122	-1.5822	0.03
266	1e+12	NDD	0.7871	0.8385	0.0514
267	1e+12	NDD	0.0657	0.0878	0.0221
288	1e+12	NDD	-1.0253	-1.0035	0.0218
348	5e+12	NDD	0.0475	0.0932	0.0457
353	5e+12	NDD	-0.1988	-0.1873	0.0115
370	5e+12	NDD	-0.8135	-0.8314	-0.0179
377	5e+12	NDD	0.5697	0.5801	0.0104
389	1e+13	NDD	-0.705	-0.6636	0.0414
394	1e+13	NDD	-0.1627	-0.1207	0.042
395	1e+13	NDD		0.0859	
396	0	CORRELATION	0.0446		
571	1e+13	NDD	0.0348	0.0606	0.0258
632	0	CORRELATION	1.3126	1.3397	0.0271
649	0	CORRELATION	0.0056	0.0136	0.008
662	0	CORRELATION	1.0339	1.0605	0.0266

NDD vs Post - Pre Exposure Delta




Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.0056	0.59918	1.3126	0.67277	0.0136	0.8046	1.3397	0.69911	0.008	0.020567	0.0271	0.010886
1e+12	-1.6122	-0.44618	0.7871	1.0767	-1.5822	-0.41485	0.8385	1.0852	0.0218	0.031325	0.0514	0.013911
5e+12	-0.8135	-0.098775	0.5697	0.57419	-0.8314	-0.08635	0.5801	0.58926	-0.0179	0.012425	0.0457	0.026024
1e+13	-0.705	-0.27763	0.0348	0.38306	-0.6636	-0.15945	0.0859	0.34847	0.0258	0.0364	0.042	0.0091848

Device Test: 17.16 LEVEL|STATIC/SS_TR/5////@VREF_25C


NDD vs Result Stats



Test Results (Lower Limit = 0.596, Upper Limit = 0.603 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.599	0.5987	-0.0003
266	1e+12	NDD	0.5986	0.5983	-0.0003
267	1e+12	NDD	0.6	0.6001	0.0001
288	1e+12	NDD	0.5999	0.5997	-0.0002
348	5e+12	NDD	0.5994	0.5982	-0.0012
353	5e+12	NDD	0.5987	0.5972	-0.0015
370	5e+12	NDD	0.5995	0.5987	-0.0008
377	5e+12	NDD	0.5992	0.5979	-0.0013
389	1e+13	NDD	0.5999	0.5974	-0.0025
394	1e+13	NDD	0.5997	0.5975	-0.0022
395	1e+13	NDD		0.5965	
396	0	CORRELATION	0.599		
571	1e+13	NDD	0.5992	0.5963	-0.0029
632	0	CORRELATION	0.5996	0.5995	-0.0001
649	0	CORRELATION	0.599	0.599	0
662	0	CORRELATION	0.5984	0.5988	0.0004


NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5984	0.599	0.5996	0.0004899	0.5988	0.5991	0.5995	0.00036056	-0.0001	0.0001	0.0004	0.00026458
1e+12	0.5986	0.59937	0.6	0.00068496	0.5983	0.5992	0.6001	0.00084063	-0.0003	-0.000175	0.0001	0.0001893
5e+12	0.5987	0.5992	0.5995	0.0003559	0.5972	0.598	0.5987	0.00062716	-0.0015	-0.0012	-0.0008	0.00029439
1e+13	0.5992	0.5996	0.5999	0.00036056	0.5963	0.59693	0.5975	0.00061305	-0.0029	-0.0025333	-0.0022	0.00035119


NDD vs Result Stats



Test Results (Upper Limit = 30.0 (nA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.0716	-0.3198	-0.3914
266	1e+12	NDD	0.1794	-0.0668	-0.2462
267	1e+12	NDD	0.108	-0.1747	-0.2827
288	1e+12	NDD	0.096	-0.2535	-0.3495
348	5e+12	NDD	0.0279	-0.2043	-0.2322
353	5e+12	NDD	0.0857	-0.0231	-0.1088
370	5e+12	NDD	0.0924	-0.0936	-0.186
377	5e+12	NDD	0.0648	-0.0506	-0.1154
389	1e+13	NDD	0.0342	-0.2199	-0.2541
394	1e+13	NDD	0.1482	-0.0762	-0.2244
395	1e+13	NDD		0.0313	
396	0	CORRELATION	0.1205		
571	1e+13	NDD	0.043	-0.113	-0.156
632	0	CORRELATION	0.0778	-0.2667	-0.3445
649	0	CORRELATION	0.0732	-0.0419	-0.1151
662	0	CORRELATION	0.0455	-0.0468	-0.0923

NDD vs Post - Pre Exposure Delta




Test Statistics (nA)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.0455	0.07925	0.1205	0.03098	-0.2667	-0.11847	-0.0419	0.1284	-0.3445	-0.18397	-0.0923	0.13949
1e+12	0.0716	0.11375	0.1794	0.046313	-0.3198	-0.2037	-0.0668	0.10885	-0.3914	-0.31745	-0.2462	0.065268
5e+12	0.0279	0.0677	0.0924	0.02902	-0.2043	-0.0929	-0.0231	0.079732	-0.2322	-0.1606	-0.1088	0.059155
1e+13	0.0342	0.075133	0.1482	0.06343	-0.2199	-0.09445	0.0313	0.10365	-0.2541	-0.2115	-0.156	0.050306

Device Test: 17.2 LEVEL|STATIC/VSNSP/4.5////@VREF_INTERNAL

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 0.593, Upper Limit = 0.606 (V))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.6007	0.6004	-0.0003
266	1e+12	NDD	0.5979	0.5975	-0.0004
267	1e+12	NDD	0.6001	0.6001	0
288	1e+12	NDD	0.601	0.6008	-0.0002
348	5e+12	NDD	0.5994	0.5982	-0.0012
353	5e+12	NDD	0.599	0.5975	-0.0015
370	5e+12	NDD	0.6004	0.5996	-0.0008
377	5e+12	NDD	0.5987	0.5974	-0.0013
389	1e+13	NDD	0.6007	0.5982	-0.0025
394	1e+13	NDD	0.5999	0.5977	-0.0022
395	1e+13	NDD		0.5965	
396	0	CORRELATION	0.5991		
571	1e+13	NDD	0.5992	0.5964	-0.0028
632	0	CORRELATION	0.5984	0.5983	-0.0001
649	0	CORRELATION	0.5991	0.599	-0.0001
662	0	CORRELATION	0.5975	0.5978	0.0003

Test Statistics (V)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5975	0.59852	0.5991	0.00075884	0.5978	0.59837	0.599	0.00060277	-0.0001	3.3333e-05	0.0003	0.00023094
1e+12	0.5979	0.59993	0.601	0.0014009	0.5975	0.5997	0.6008	0.0014944	-0.0004	-0.000225	0	0.00017078
5e+12	0.5987	0.59937	0.6004	0.00074106	0.5974	0.59818	0.5996	0.0010145	-0.0015	-0.0012	-0.0008	0.00029439
1e+13	0.5992	0.59993	0.6007	0.00075056	0.5964	0.5972	0.5982	0.00089069	-0.0028	-0.0025	-0.0022	0.0003


NDD vs Result Stats



Test Results (Lower Limit = 0.593, Upper Limit = 0.606 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.6006	0.6003	-0.0003
266	1e+12	NDD	0.5978	0.5975	-0.0003
267	1e+12	NDD	0.6	0.6001	0.0001
288	1e+12	NDD	0.6009	0.6007	-0.0002
348	5e+12	NDD	0.5994	0.5982	-0.0012
353	5e+12	NDD	0.599	0.5975	-0.0015
370	5e+12	NDD	0.6003	0.5995	-0.0008
377	5e+12	NDD	0.5986	0.5974	-0.0012
389	1e+13	NDD	0.6007	0.5981	-0.0026
394	1e+13	NDD	0.5999	0.5977	-0.0022
395	1e+13	NDD		0.5965	
396	0	CORRELATION	0.599		
571	1e+13	NDD	0.5992	0.5963	-0.0029
632	0	CORRELATION	0.5983	0.5982	-0.0001
649	0	CORRELATION	0.599	0.599	0
662	0	CORRELATION	0.5974	0.5977	0.0003


NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5974	0.59842	0.599	0.00075884	0.5977	0.5983	0.599	0.00065574	-0.0001	6.6667e-05	0.0003	0.00020817
1e+12	0.5978	0.59983	0.6009	0.0014009	0.5975	0.59965	0.6007	0.0014549	-0.0003	-0.000175	0.0001	0.0001893
5e+12	0.5986	0.59932	0.6003	0.00072744	0.5974	0.59815	0.5995	0.00096782	-0.0015	-0.001175	-0.0008	0.00028723
1e+13	0.5992	0.59993	0.6007	0.00075056	0.5963	0.59715	0.5981	0.00088506	-0.0029	-0.0025667	-0.0022	0.00035119


NDD vs Result Stats



Test Results (Upper Limit = 2.9 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	-1.5795	-1.5654	0.0141
266	1e+12	NDD	0.7975	0.8342	0.0367
267	1e+12	NDD	0.0652	0.0562	-0.009
288	1e+12	NDD	-1.0355	-1.0222	0.0133
348	5e+12	NDD	0.0629	0.0828	0.0199
353	5e+12	NDD	-0.1973	-0.2263	-0.029
370	5e+12	NDD	-0.7865	-0.8216	-0.0351
377	5e+12	NDD	0.5856	0.5978	0.0122
389	1e+13	NDD	-0.7226	-0.6702	0.0524
394	1e+13	NDD	-0.152	-0.1161	0.0359
395	1e+13	NDD		0.0995	
396	0	CORRELATION	0.0504		
571	1e+13	NDD	0.0331	0.0722	0.0391
632	0	CORRELATION	1.3151	1.3264	0.0113
649	0	CORRELATION	-0.0027	-0.0041	-0.0014
662	0	CORRELATION	1.0465	1.059	0.0125


NDD vs Post - Pre Exposure Delta



Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	-0.0027	0.60232	1.3151	0.67725	-0.0041	0.79377	1.3264	0.70379	-0.0014	0.0074667	0.0125	0.0077022
1e+12	-1.5795	-0.43807	0.7975	1.0708	-1.5654	-0.4243	0.8342	1.0761	-0.009	0.013775	0.0367	0.01866
5e+12	-0.7865	-0.083825	0.5856	0.57046	-0.8216	-0.091825	0.5978	0.5935	-0.0351	-0.008	0.0199	0.028059
1e+13	-0.7226	-0.2805	0.0331	0.3939	-0.6702	-0.15365	0.0995	0.35746	0.0359	0.042467	0.0524	0.00875


NDD vs Result Stats



Test Results (Lower Limit = 0.596, Upper Limit = 0.603 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.599	0.5987	-0.0003
266	1e+12	NDD	0.5987	0.5983	-0.0004
267	1e+12	NDD	0.6	0.6001	0.0001
288	1e+12	NDD	0.5999	0.5997	-0.0002
348	5e+12	NDD	0.5994	0.5983	-0.0011
353	5e+12	NDD	0.5988	0.5973	-0.0015
370	5e+12	NDD	0.5995	0.5987	-0.0008
377	5e+12	NDD	0.5992	0.598	-0.0012
389	1e+13	NDD	0.6	0.5974	-0.0026
394	1e+13	NDD	0.5998	0.5975	-0.0023
395	1e+13	NDD		0.5966	
396	0	CORRELATION	0.5991		
571	1e+13	NDD	0.5992	0.5964	-0.0028
632	0	CORRELATION	0.5996	0.5996	0
649	0	CORRELATION	0.599	0.599	0
662	0	CORRELATION	0.5985	0.5988	0.0003


NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5985	0.59905	0.5996	0.00045092	0.5988	0.59913	0.5996	0.00041633	0	0.0001	0.0003	0.00017321
1e+12	0.5987	0.5994	0.6	0.00064807	0.5983	0.5992	0.6001	0.00084063	-0.0004	-0.0002	0.0001	0.00021602
5e+12	0.5988	0.59923	0.5995	0.00030957	0.5973	0.59808	0.5987	0.0005909	-0.0015	-0.00115	-0.0008	0.00028868
1e+13	0.5992	0.59967	0.6	0.00041633	0.5964	0.59698	0.5975	0.00055603	-0.0028	-0.0025667	-0.0023	0.00025166


NDD vs Result Stats



Test Results (Upper Limit = 30.0 (nA))



Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.0217	-0.2542	-0.2759
266	1e+12	NDD	0.0608	-0.1885	-0.2493
267	1e+12	NDD	0.0893	-0.1747	-0.264
288	1e+12	NDD	0.0711	-0.2316	-0.3027
348	5e+12	NDD	0.0155	-0.2262	-0.2417
353	5e+12	NDD	0.1107	-0.1199	-0.2306
370	5e+12	NDD	0.0955	-0.1092	-0.2047
377	5e+12	NDD	0.0648	-0.1255	-0.1903
389	1e+13	NDD	0.0186	-0.2979	-0.3165
394	1e+13	NDD	0.1232	-0.1417	-0.2649
395	1e+13	NDD		-0.0686	
396	0	CORRELATION	0.1049		
571	1e+13	NDD	0.2113	-0.113	-0.3243
632	0	CORRELATION	0.0716	-0.2418	-0.3134
649	0	CORRELATION	0.0451	-0.0856	-0.1307
662	0	CORRELATION	0.1174	-0.1279	-0.2453

NDD vs Post - Pre Exposure Delta



Test Statistics (nA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.0451	0.08475	0.1174	0.032747	-0.2418	-0.15177	-0.0856	0.080789	-0.3134	-0.2298	-0.1307	0.092331
1e+12	0.0217	0.060725	0.0893	0.028561	-0.2542	-0.21225	-0.1747	0.037006	-0.3027	-0.27297	-0.2493	0.022607
5e+12	0.0155	0.071625	0.1107	0.042006	-0.2262	-0.1452	-0.1092	0.054422	-0.2417	-0.21683	-0.1903	0.023517
1e+13	0.0186	0.1177	0.2113	0.096468	-0.2979	-0.1553	-0.0686	0.099709	-0.3243	-0.3019	-0.2649	0.032279




Test Results (Upper Limit = 2.9 (mV))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	-1.6083	-1.5452	0.0631
266	1e+12	NDD	0.7846	0.8264	0.0418
267	1e+12	NDD	0.0439	0.0314	-0.0125
288	1e+12	NDD	-1.0421	-1.0367	0.0054
348	5e+12	NDD	0.046	0.0779	0.0319
353	5e+12	NDD	-0.2271	-0.2195	0.0076
370	5e+12	NDD	-0.8187	-0.8369	-0.0182
377	5e+12	NDD	0.5501	0.5598	0.0097
389	1e+13	NDD	-0.7559	-0.6629	0.093
394	1e+13	NDD	-0.1725	-0.1333	0.0392
395	1e+13	NDD		0.0807	
396	0	CORRELATION	0.0434		
571	1e+13	NDD	0.0127	0.0345	0.0218
632	0	CORRELATION	1.309	1.3163	0.0073
649	0	CORRELATION	-0.0036	0.0015	0.0051
662	0	CORRELATION	1.0477	1.0639	0.0162

Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	-0.0036	0.59913	1.309	0.67756	0.0015	0.7939	1.3163	0.69775	0.0051	0.0095333	0.0162	0.0058774
1e+12	-1.6083	-0.45548	0.7846	1.074	-1.5452	-0.43102	0.8264	1.0651	-0.0125	0.02445	0.0631	0.034269
5e+12	-0.8187	-0.11242	0.5501	0.57038	-0.8369	-0.10467	0.5598	0.58429	-0.0182	0.00775	0.0319	0.020498
1e+13	-0.7559	-0.30523	0.0127	0.40112	-0.6629	-0.17025	0.0807	0.34106	0.0218	0.051333	0.093	0.037118


NDD vs Result Stats



Test Results (Lower Limit = 0.593, Upper Limit = 0.606 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.6006	0.6003	-0.0003
266	1e+12	NDD	0.5978	0.5975	-0.0003
267	1e+12	NDD	0.6	0.6001	0.0001
288	1e+12	NDD	0.601	0.6008	-0.0002
348	5e+12	NDD	0.5994	0.5982	-0.0012
353	5e+12	NDD	0.599	0.5975	-0.0015
370	5e+12	NDD	0.6004	0.5995	-0.0009
377	5e+12	NDD	0.5987	0.5974	-0.0013
389	1e+13	NDD	0.6007	0.5981	-0.0026
394	1e+13	NDD	0.5999	0.5977	-0.0022
395	1e+13	NDD		0.5965	
396	0	CORRELATION	0.599		
571	1e+13	NDD	0.5992	0.5964	-0.0028
632	0	CORRELATION	0.5983	0.5982	-0.0001
649	0	CORRELATION	0.5991	0.599	-0.0001
662	0	CORRELATION	0.5974	0.5978	0.0004


NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5974	0.59845	0.5991	0.00078528	0.5978	0.59833	0.599	0.00061101	-0.0001	6.6667e-05	0.0004	0.00028868
1e+12	0.5978	0.59985	0.601	0.0014271	0.5975	0.59967	0.6008	0.0014796	-0.0003	-0.000175	0.0001	0.0001893
5e+12	0.5987	0.59937	0.6004	0.00074106	0.5974	0.59815	0.5995	0.00096782	-0.0015	-0.001225	-0.0009	0.00025
1e+13	0.5992	0.59993	0.6007	0.00075056	0.5964	0.59718	0.5981	0.00085391	-0.0028	-0.0025333	-0.0022	0.00030551


NDD vs Result Stats



Test Results (Upper Limit = 2.9 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	-1.5803	-1.5556	0.0247
266	1e+12	NDD	0.7999	0.829	0.0291
267	1e+12	NDD	0.0579	0.0455	-0.0124
288	1e+12	NDD	-1.0417	-1.0164	0.0253
348	5e+12	NDD	0.0672	0.0762	0.009
353	5e+12	NDD	-0.2261	-0.1767	0.0494
370	5e+12	NDD	-0.7877	-0.7737	0.014
377	5e+12	NDD	0.5932	0.6005	0.0073
389	1e+13	NDD	-0.7104	-0.6751	0.0353
394	1e+13	NDD	-0.1561	-0.1246	0.0315
395	1e+13	NDD		0.1014	
396	0	CORRELATION	0.0747		
571	1e+13	NDD	0.0275	0.0508	0.0233
632	0	CORRELATION	1.2924	1.34	0.0476
649	0	CORRELATION	-0.0002	0.0334	0.0336
662	0	CORRELATION	1.0533	1.0785	0.0252

NDD vs Post - Pre Exposure Delta




Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	-0.0002	0.60505	1.2924	0.66357	0.0334	0.8173	1.34	0.69135	0.0252	0.035467	0.0476	0.011316
1e+12	-1.5803	-0.44105	0.7999	1.072	-1.5556	-0.42438	0.829	1.068	-0.0124	0.016675	0.0291	0.019481
5e+12	-0.7877	-0.08835	0.5932	0.57642	-0.7737	-0.068425	0.6005	0.57082	0.0073	0.019925	0.0494	0.019855
1e+13	-0.7104	-0.27967	0.0275	0.38416	-0.6751	-0.16188	0.1014	0.35559	0.0233	0.030033	0.0353	0.006133

Device Test: 17.4 LEVEL|STATIC/SS_TR/4.5////@VREF_25C


NDD vs Result Stats



Test Results (Lower Limit = 0.596, Upper Limit = 0.603 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.5991	0.5988	-0.0003
266	1e+12	NDD	0.5987	0.5983	-0.0004
267	1e+12	NDD	0.6001	0.6002	0.0001
288	1e+12	NDD	0.6	0.5998	-0.0002
348	5e+12	NDD	0.5995	0.5983	-0.0012
353	5e+12	NDD	0.5988	0.5973	-0.0015
370	5e+12	NDD	0.5996	0.5988	-0.0008
377	5e+12	NDD	0.5993	0.598	-0.0013
389	1e+13	NDD	0.6	0.5975	-0.0025
394	1e+13	NDD	0.5998	0.5976	-0.0022
395	1e+13	NDD		0.5966	
396	0	CORRELATION	0.5991		
571	1e+13	NDD	0.5993	0.5964	-0.0029
632	0	CORRELATION	0.5997	0.5996	-0.0001
649	0	CORRELATION	0.5991	0.599	-0.0001
662	0	CORRELATION	0.5985	0.5989	0.0004


NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5985	0.5991	0.5997	0.0004899	0.5989	0.59917	0.5996	0.00037859	-0.0001	6.6667e-05	0.0004	0.00028868
1e+12	0.5987	0.59947	0.6001	0.00068496	0.5983	0.59928	0.6002	0.00087702	-0.0004	-0.0002	0.0001	0.00021602
5e+12	0.5988	0.5993	0.5996	0.0003559	0.5973	0.5981	0.5988	0.00062716	-0.0015	-0.0012	-0.0008	0.00029439
1e+13	0.5993	0.5997	0.6	0.00036056	0.5964	0.59703	0.5976	0.00061305	-0.0029	-0.0025333	-0.0022	0.00035119


NDD vs Result Stats



Test Results (Lower Limit = 0.596, Upper Limit = 0.603 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.5991	0.5988	-0.0003
266	1e+12	NDD	0.5987	0.5983	-0.0004
267	1e+12	NDD	0.6	0.6001	0.0001
288	1e+12	NDD	0.5999	0.5997	-0.0002
348	5e+12	NDD	0.5995	0.5983	-0.0012
353	5e+12	NDD	0.5988	0.5973	-0.0015
370	5e+12	NDD	0.5996	0.5988	-0.0008
377	5e+12	NDD	0.5993	0.598	-0.0013
389	1e+13	NDD	0.6	0.5975	-0.0025
394	1e+13	NDD	0.5998	0.5976	-0.0022
395	1e+13	NDD		0.5966	
396	0	CORRELATION	0.5991		
571	1e+13	NDD	0.5992	0.5964	-0.0028
632	0	CORRELATION	0.5996	0.5996	0
649	0	CORRELATION	0.5991	0.599	-0.0001
662	0	CORRELATION	0.5985	0.5988	0.0003


NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.5985	0.59908	0.5996	0.00045	0.5988	0.59913	0.5996	0.00041633	-0.0001	6.6667e-05	0.0003	0.00020817
1e+12	0.5987	0.59942	0.6	0.00062915	0.5983	0.59923	0.6001	0.00082209	-0.0004	-0.0002	0.0001	0.00021602
5e+12	0.5988	0.5993	0.5996	0.0003559	0.5973	0.5981	0.5988	0.00062716	-0.0015	-0.0012	-0.0008	0.00029439
1e+13	0.5992	0.59967	0.6	0.00041633	0.5964	0.59703	0.5976	0.00061305	-0.0028	-0.0025	-0.0022	0.0003

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 30.0 (nA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.0373	-0.2542	-0.2915
266	1e+12	NDD	0.1107	-0.1012	-0.2119
267	1e+12	NDD	0.1017	-0.0998	-0.2015
288	1e+12	NDD	0.0773	-0.2098	-0.2871
348	5e+12	NDD	0.0155	-0.2605	-0.276
353	5e+12	NDD	0.0295	-0.1417	-0.1712
370	5e+12	NDD	0.0768	-0.1685	-0.2453
377	5e+12	NDD	0.015	-0.0288	-0.0438
389	1e+13	NDD	0.0155	-0.2792	-0.2947
394	1e+13	NDD	0.0639	-0.1605	-0.2244
395	1e+13	NDD		-0.1404	
396	0	CORRELATION	0.1142		
571	1e+13	NDD	0.1178	-0.1879	-0.3057
632	0	CORRELATION	0.0529	-0.3073	-0.3602
649	0	CORRELATION	0.0826	-0.1386	-0.2212
662	0	CORRELATION	0.0799	-0.1591	-0.239

Test Statistics (nA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.0529	0.0824	0.1142	0.025085	-0.3073	-0.20167	-0.1386	0.092054	-0.3602	-0.27347	-0.2212	0.075639
1e+12	0.0373	0.08175	0.1107	0.032821	-0.2542	-0.16625	-0.0998	0.078057	-0.2915	-0.248	-0.2015	0.047911
5e+12	0.015	0.0342	0.0768	0.029184	-0.2605	-0.14988	-0.0288	0.095413	-0.276	-0.18408	-0.0438	0.10335
1e+13	0.0155	0.065733	0.1178	0.051175	-0.2792	-0.192	-0.1404	0.061306	-0.3057	-0.27493	-0.2244	0.044107


NDD vs Result Stats



Test Results (Upper Limit = 30.0 (nA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.0467	-0.3978	-0.4445
266	1e+12	NDD	0.0857	-0.2385	-0.3242
267	1e+12	NDD	0.0674	-0.2028	-0.2702
288	1e+12	NDD	-0.0069	-0.319	-0.3121
348	5e+12	NDD	-0.1312	-0.4322	-0.301
353	5e+12	NDD	-0.0142	-0.2291	-0.2149
370	5e+12	NDD	-0.1293	-0.2684	-0.1391
377	5e+12	NDD	0.0274	-0.3845	-0.4119
389	1e+13	NDD	-0.0875	-0.4571	-0.3696
394	1e+13	NDD	-0.0392	-0.2572	-0.218
395	1e+13	NDD		-0.3495	
396	0	CORRELATION	-0.0918		
571	1e+13	NDD	0.1646	-0.4064	-0.571
632	0	CORRELATION	-0.0189	-0.2574	-0.2385
649	0	CORRELATION	-0.0298	-0.1324	-0.1026
662	0	CORRELATION	-0.07	-0.0936	-0.0236

NDD vs Post - Pre Exposure Delta




Test Statistics (nA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	-0.0918	-0.052625	-0.0189	0.034132	-0.2574	-0.16113	-0.0936	0.085597	-0.2385	-0.12157	-0.0236	0.1087
1e+12	-0.0069	0.048225	0.0857	0.040055	-0.3978	-0.28953	-0.2028	0.087019	-0.4445	-0.33775	-0.2702	0.074833
5e+12	-0.1312	-0.061825	0.0274	0.080819	-0.4322	-0.32855	-0.2291	0.095537	-0.4119	-0.26672	-0.1391	0.11722
1e+13	-0.0875	0.012633	0.1646	0.1338	-0.4571	-0.36755	-0.2572	0.085696	-0.571	-0.3862	-0.218	0.17708

Device Test: 18.10 ERROR_AMP|STATIC/COMP/5/////@EA_SINK


NDD vs Result Stats



Test Results (Lower Limit = 90.0, Upper Limit = 200.0 (µA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	121.34	121.59	0.2558
266	1e+12	NDD	123.52	123.69	0.1659
267	1e+12	NDD	129.35	129.24	-0.1092
288	1e+12	NDD	134.89	134.74	-0.1517
348	5e+12	NDD	135.49	133.72	-1.7684
353	5e+12	NDD	134.06	132.84	-1.2198
370	5e+12	NDD	119.85	118.41	-1.4436
377	5e+12	NDD	141.5	140.35	-1.146
389	1e+13	NDD	139.97	136.34	-3.6323
394	1e+13	NDD	122.25	119.84	-2.4119
395	1e+13	NDD		129.94	
396	0	CORRELATION	133.42		
571	1e+13	NDD	135.61	131.15	-4.4572
632	0	CORRELATION	128.38	128.67	0.2879
649	0	CORRELATION	137.09	137.41	0.3278
662	0	CORRELATION	124.94	125.44	0.4974



NDD vs Post - Pre Exposure Delta



Test Statistics (µA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	124.94	130.96	137.09	5.3689	125.44	130.51	137.41	6.196	0.2879	0.37103	0.4974	0.11124
1e+12	121.34	127.27	134.89	6.0991	121.59	127.31	134.74	5.9068	-0.1517	0.0402	0.2558	0.20119
5e+12	119.85	132.72	141.5	9.1659	118.41	131.33	140.35	9.243	-1.7684	-1.3945	-1.146	0.27957
1e+13	122.25	132.61	139.97	9.2287	119.84	129.32	136.34	6.8983	-4.4572	-3.5005	-2.4119	1.029

Device Test: 18.14 EA|STATIC/COMP/12////@EA_GM_25C




Test Results (Lower Limit = 1200.0, Upper Limit = 2100.0 (µS))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1482.9	1486.7	3.791
266	1e+12	NDD	1509.8	1516	6.2209
267	1e+12	NDD	1596.6	1587.9	-8.7421
288	1e+12	NDD	1651.6	1657.3	5.6286
348	5e+12	NDD	1658.1	1619.5	-38.62
353	5e+12	NDD	1628.2	1613.3	-14.859
370	5e+12	NDD	1478.1	1445.8	-32.297
377	5e+12	NDD	1718.6	1701.3	-17.279
389	1e+13	NDD	1697.2	1655.6	-41.604
394	1e+13	NDD	1517.7	1465.3	-52.444
395	1e+13	NDD		1578.3	
396	0	CORRELATION	1618.8		
571	1e+13	NDD	1669.2	1596.8	-72.363
632	0	CORRELATION	1581.1	1599.9	18.78
649	0	CORRELATION	1667.1	1672.2	5.0846
662	0	CORRELATION	1534.5	1546.2	11.724

Test Statistics (µS)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1534.5	1600.4	1667.1	56.29	1546.2	1606.1	1672.2	63.225	5.0846	11.863	18.78	6.8486
1e+12	1482.9	1560.2	1651.6	77.904	1486.7	1562	1657.3	76.451	-8.7421	1.7246	6.2209	7.0541
5e+12	1478.1	1620.7	1718.6	102.25	1445.8	1595	1701.3	107.22	-38.62	-25.764	-14.859	11.531
1e+13	1517.7	1628	1697.2	96.569	1465.3	1574	1655.6	79.634	-72.363	-55.47	-41.604	15.601


NDD vs Result Stats



Test Results (Lower Limit = 90.0, Upper Limit = 200.0 (µA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	117.51	117.31	-0.192
266	1e+12	NDD	123.31	122.42	-0.8898
267	1e+12	NDD	129.97	129.7	-0.2702
288	1e+12	NDD	133.4	133.13	-0.2649
348	5e+12	NDD	133.81	130.44	-3.374
353	5e+12	NDD	132.02	128.36	-3.6664
370	5e+12	NDD	118.8	115.66	-3.1371
377	5e+12	NDD	141.3	137.73	-3.5694
389	1e+13	NDD	139.6	132.07	-7.5315
394	1e+13	NDD	122.31	116.2	-6.1072
395	1e+13	NDD		125.12	
396	0	CORRELATION	132.7		
571	1e+13	NDD	135.07	125.85	-9.2191
632	0	CORRELATION	129.25	129.78	0.5316
649	0	CORRELATION	135.71	135.99	0.2869
662	0	CORRELATION	124.19	124.43	0.2417

NDD vs Post - Pre Exposure Delta




Test Statistics (µA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	124.19	130.46	135.71	4.9447	124.43	130.07	135.99	5.7876	0.2417	0.3534	0.5316	0.15597
1e+12	117.51	126.04	133.4	7.067	117.31	125.64	133.13	7.1245	-0.8898	-0.40423	-0.192	0.32568
5e+12	118.8	131.48	141.3	9.3628	115.66	128.05	137.73	9.1832	-3.6664	-3.4367	-3.1371	0.23385
1e+13	122.31	132.33	139.6	8.9664	116.2	124.81	132.07	6.5316	-9.2191	-7.6193	-6.1072	1.5578

Device Test: 18.16 ERROR_AMP|STATIC/COMP/12////@EA_SINK


NDD vs Result Stats



Test Results (Lower Limit = 90.0, Upper Limit = 200.0 (µA))



Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	121.62	121.48	-0.1344
266	1e+12	NDD	123.8	123.59	-0.2089
267	1e+12	NDD	129.19	129.38	0.1876
288	1e+12	NDD	134.48	134.94	0.4571
348	5e+12	NDD	135.17	133.59	-1.5807
353	5e+12	NDD	133.78	132.78	-1.0013
370	5e+12	NDD	119.94	118.36	-1.5842
377	5e+12	NDD	141.78	140.29	-1.4896
389	1e+13	NDD	140.11	136.57	-3.539
394	1e+13	NDD	122.55	119.76	-2.7866
395	1e+13	NDD		129.77	
396	0	CORRELATION	133.25		
571	1e+13	NDD	135.59	130.91	-4.6754
632	0	CORRELATION	128.57	128.64	0.0693
649	0	CORRELATION	137.34	137.59	0.2498
662	0	CORRELATION	125.41	125.39	-0.018

NDD vs Post - Pre Exposure Delta



Test Statistics (µA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	125.41	131.14	137.34	5.2377	125.39	130.54	137.59	6.3157	-0.018	0.10037	0.2498	0.13658
1e+12	121.62	127.27	134.48	5.7638	121.48	127.35	134.94	6.0616	-0.2089	0.07535	0.4571	0.30721
5e+12	119.94	132.67	141.78	9.1713	118.36	131.25	140.29	9.2305	-1.5842	-1.4139	-1.0013	0.27856
1e+13	122.55	132.75	140.11	9.1164	119.76	129.25	136.57	6.9899	-4.6754	-3.667	-2.7866	0.95088





Test Results (Lower Limit = 1200.0, Upper Limit = 2100.0 (µS))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1479.5	1481.8	2.2803
266	1e+12	NDD	1509.2	1507.4	-1.7154
267	1e+12	NDD	1582.3	1583.6	1.3367
288	1e+12	NDD	1629.9	1648.2	18.262
348	5e+12	NDD	1660.4	1614.8	-45.619
353	5e+12	NDD	1625.7	1598.7	-27.024
370	5e+12	NDD	1476.6	1436.4	-40.178
377	5e+12	NDD	1713.6	1710.5	-3.1271
389	1e+13	NDD	1685.8	1644.3	-41.522
394	1e+13	NDD	1504.8	1465.4	-39.326
395	1e+13	NDD		1568.9	
396	0	CORRELATION	1619.7		
571	1e+13	NDD	1667	1586.7	-80.35
632	0	CORRELATION	1585.4	1590.2	4.7709
649	0	CORRELATION	1663.6	1672.9	9.3556
662	0	CORRELATION	1527.1	1543.6	16.438

Test Statistics (µS)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1527.1	1598.9	1663.6	57.584	1543.6	1602.2	1672.9	65.518	4.7709	10.188	16.438	5.8782
1e+12	1479.5	1550.2	1629.9	68.473	1481.8	1555.3	1648.2	75.549	-1.7154	5.0409	18.262	8.9776
5e+12	1476.6	1619.1	1713.6	101.62	1436.4	1590.1	1710.5	113.69	-45.619	-28.987	-3.1271	18.925
1e+13	1504.8	1619.2	1685.8	99.561	1465.4	1566.3	1644.3	74.57	-80.35	-53.733	-39.326	23.078

Device Test: 18.20 EA|STATIC/COMP/14/////@EA_GM_25C




Test Results (Lower Limit = 1200.0, Upper Limit = 2100.0 (µS))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1475.3	1489.1	13.86
266	1e+12	NDD	1515.2	1514.2	-0.9641
267	1e+12	NDD	1585.5	1587.9	2.4309
288	1e+12	NDD	1656.7	1663.8	7.0813
348	5e+12	NDD	1656.7	1622.1	-34.535
353	5e+12	NDD	1624.8	1608.7	-16.086
370	5e+12	NDD	1476.1	1440.7	-35.395
377	5e+12	NDD	1732	1702.8	-29.171
389	1e+13	NDD	1691.2	1654	-37.138
394	1e+13	NDD	1521.4	1469.6	-51.79
395	1e+13	NDD		1580.4	
396	0	CORRELATION	1631.8		
571	1e+13	NDD	1666.1	1592.3	-73.829
632	0	CORRELATION	1585.4	1585.9	0.517
649	0	CORRELATION	1673.5	1678.2	4.6869
662	0	CORRELATION	1537.3	1546.4	9.1252

Test Statistics (µS)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1537.3	1607	1673.5	58.768	1546.4	1603.5	1678.2	67.613	0.517	4.7764	9.1252	4.3048
1e+12	1475.3	1558.2	1656.7	79.954	1489.1	1563.8	1663.8	78.772	-0.9641	5.6021	13.86	6.4176
5e+12	1476.1	1622.4	1732	107.39	1440.7	1593.6	1702.8	110.08	-35.395	-28.797	-16.086	8.91
1e+13	1521.4	1626.2	1691.2	91.62	1469.6	1574.1	1654	76.745	-73.829	-54.252	-37.138	18.469


NDD vs Result Stats



Test Results (Lower Limit = 90.0, Upper Limit = 200.0 (µA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	117.38	117.36	-0.0204
266	1e+12	NDD	123.25	122.42	-0.8273
267	1e+12	NDD	129.86	129.82	-0.0358
288	1e+12	NDD	133.55	133.46	-0.0936
348	5e+12	NDD	133.92	130.58	-3.343
353	5e+12	NDD	132.29	128.42	-3.8694
370	5e+12	NDD	118.71	115.57	-3.1371
377	5e+12	NDD	141.12	137.83	-3.2884
389	1e+13	NDD	139.59	132.13	-7.4535
394	1e+13	NDD	122.25	116.05	-6.201
395	1e+13	NDD		124.99	
396	0	CORRELATION	132.87		
571	1e+13	NDD	135.02	126.04	-8.9851
632	0	CORRELATION	129.09	129.67	0.5786
649	0	CORRELATION	135.52	135.96	0.4431
662	0	CORRELATION	124.02	124.4	0.3823

NDD vs Post - Pre Exposure Delta




Test Statistics (µA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	124.02	130.37	135.52	4.9925	124.4	130.01	135.96	5.7897	0.3823	0.468	0.5786	0.10049
1e+12	117.38	126.01	133.55	7.1599	117.36	125.77	133.46	7.2453	-0.8273	-0.24428	-0.0204	0.38996
5e+12	118.71	131.51	141.12	9.356	115.57	128.1	137.83	9.2712	-3.8694	-3.4095	-3.1371	0.31875
1e+13	122.25	132.29	139.59	8.9878	116.05	124.8	132.13	6.6325	-8.9851	-7.5465	-6.201	1.3944

Device Test: 18.22 ERROR_AMP|STATIC/COMP/14////@EA_SINK


NDD vs Result Stats



Test Results (Lower Limit = 90.0, Upper Limit = 200.0 (µA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	121.66	121.53	-0.1345
266	1e+12	NDD	123.69	123.64	-0.0527
267	1e+12	NDD	129.27	129.17	-0.0936
288	1e+12	NDD	134.62	134.59	-0.0266
348	5e+12	NDD	135.14	133.65	-1.4872
353	5e+12	NDD	133.68	132.95	-0.7357
370	5e+12	NDD	119.85	118.33	-1.5218
377	5e+12	NDD	141.51	140.21	-1.302
389	1e+13	NDD	139.73	136.41	-3.3201
394	1e+13	NDD	122.24	119.67	-2.5681
395	1e+13	NDD		129.96	
396	0	CORRELATION	133.47		
571	1e+13	NDD	135.81	130.9	-4.9098
632	0	CORRELATION	128.52	128.68	0.163
649	0	CORRELATION	137.1	137.38	0.281
662	0	CORRELATION	124.99	125.3	0.3099

NDD vs Post - Pre Exposure Delta




Test Statistics (µA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	124.99	131.02	137.1	5.3422	125.3	130.46	137.38	6.2342	0.163	0.2513	0.3099	0.077823
1e+12	121.66	127.31	134.62	5.8382	121.53	127.23	134.59	5.871	-0.1345	-0.07685	-0.0266	0.047302
5e+12	119.85	132.55	141.51	9.1206	118.33	131.29	140.21	9.235	-1.5218	-1.2617	-0.7357	0.36369
1e+13	122.24	132.59	139.73	9.1795	119.67	129.23	136.41	6.9829	-4.9098	-3.5993	-2.5681	1.1956

Device Test: 18.3 ERROR_AMP|STATIC/COMP/4.5////@EA_SOURCE


NDD vs Result Stats



Test Results (Lower Limit = 90.0, Upper Limit = 200.0 (µA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	117.18	116.99	-0.1914
266	1e+12	NDD	123.06	122.08	-0.9835
267	1e+12	NDD	129.12	129.16	0.0418
288	1e+12	NDD	132.82	133.04	0.2197
348	5e+12	NDD	133.45	130.05	-3.4044
353	5e+12	NDD	131.74	127.92	-3.8227
370	5e+12	NDD	117.97	115.18	-2.7938
377	5e+12	NDD	140.4	137.33	-3.0687
389	1e+13	NDD	138.9	131.57	-7.3274
394	1e+13	NDD	121.48	115.58	-5.9045
395	1e+13	NDD		124.65	
396	0	CORRELATION	132.37		
571	1e+13	NDD	134.4	125.26	-9.1399
632	0	CORRELATION	128.69	129.45	0.7665
649	0	CORRELATION	135.24	135.76	0.521
662	0	CORRELATION	123.7	124.26	0.554

NDD vs Post - Pre Exposure Delta




Test Statistics (µA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	123.7	130	135.24	4.981	124.26	129.82	135.76	5.76	0.521	0.61383	0.7665	0.13324
1e+12	117.18	125.55	132.82	6.8774	116.99	125.32	133.04	7.1723	-0.9835	-0.22835	0.2197	0.53083
5e+12	117.97	130.89	140.4	9.3901	115.18	127.62	137.33	9.2197	-3.8227	-3.2724	-2.7938	0.44377
1e+13	121.48	131.59	138.9	9.041	115.58	124.26	131.57	6.5827	-9.1399	-7.4573	-5.9045	1.6216

Device Test: 18.4 ERROR_AMP|STATIC/COMP/4.5////@EA_SINK


NDD vs Result Stats



Test Results (Lower Limit = 90.0, Upper Limit = 200.0 (µA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	121.26	121.37	0.1157
266	1e+12	NDD	123.36	123.2	-0.1622
267	1e+12	NDD	128.64	128.81	0.1717
288	1e+12	NDD	134.03	134.08	0.0525
348	5e+12	NDD	134.78	133.17	-1.6111
353	5e+12	NDD	133.4	132.29	-1.1108
370	5e+12	NDD	119.43	117.86	-1.5689
377	5e+12	NDD	141.23	139.9	-1.3326
389	1e+13	NDD	139.44	135.99	-3.4441
394	1e+13	NDD	121.74	119.23	-2.5058
395	1e+13	NDD		129.42	
396	0	CORRELATION	132.81		
571	1e+13	NDD	135.09	130.43	-4.6589
632	0	CORRELATION	128.01	128.09	0.0861
649	0	CORRELATION	136.82	136.99	0.1715
662	0	CORRELATION	124.9	124.97	0.0754

NDD vs Post - Pre Exposure Delta





Test Statistics (µA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	124.9	130.63	136.82	5.2561	124.97	130.02	136.99	6.2387	0.0754	0.111	0.1715	0.052667
1e+12	121.26	126.82	134.03	5.7199	121.37	126.87	134.08	5.7571	-0.1622	0.044425	0.1717	0.1461
5e+12	119.43	132.21	141.23	9.1784	117.86	130.81	139.9	9.2741	-1.6111	-1.4058	-1.1108	0.23176
1e+13	121.74	132.09	139.44	9.2224	119.23	128.77	135.99	6.9831	-4.6589	-3.5363	-2.5058	1.0795

Device Test: 18.8 EA|STATIC/COMP/5////@EA_GM_25C

NDD vs Result Stats




Test Results (Lower Limit = 1200.0, Upper Limit = 2100.0 (µS))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1486.1	1481.8	-4.2461
266	1e+12	NDD	1513.2	1523	9.8015
267	1e+12	NDD	1589.5	1599.8	10.231
288	1e+12	NDD	1644	1641.5	-2.5013
348	5e+12	NDD	1646.7	1624.6	-22.133
353	5e+12	NDD	1634.9	1608.3	-26.652
370	5e+12	NDD	1472.6	1444.4	-28.176
377	5e+12	NDD	1717.8	1701.5	-16.272
389	1e+13	NDD	1708.8	1634.7	-74.061
394	1e+13	NDD	1508.6	1463.6	-44.977
395	1e+13	NDD		1579.8	
396	0	CORRELATION	1632		
571	1e+13	NDD	1665.2	1594.6	-70.525
632	0	CORRELATION	1584.5	1605.6	21.04
649	0	CORRELATION	1671.1	1660.9	-10.232
662	0	CORRELATION	1533.1	1549.3	16.181

Test Statistics (µS)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1533.1	1605.2	1671.1	59.703	1549.3	1605.2	1660.9	55.812	-10.232	8.9963	21.04	16.829
1e+12	1486.1	1558.2	1644	72.052	1481.8	1561.5	1641.5	72.338	-4.2461	3.3213	10.231	7.7654
5e+12	1472.6	1618	1717.8	103.65	1444.4	1594.7	1701.5	108.15	-28.176	-23.308	-16.272	5.3467
1e+13	1508.6	1627.5	1708.8	105.28	1463.6	1568.2	1634.7	73.483	-74.061	-63.187	-44.977	15.87


NDD vs Result Stats



Test Results (Lower Limit = 90.0, Upper Limit = 200.0 (µA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	117.35	117.47	0.12
266	1e+12	NDD	123.23	122.59	-0.6399
267	1e+12	NDD	129.73	129.43	-0.3016
288	1e+12	NDD	133.4	132.99	-0.4052
348	5e+12	NDD	133.56	130.54	-3.0151
353	5e+12	NDD	132.15	128.32	-3.8225
370	5e+12	NDD	118.64	115.49	-3.1528
377	5e+12	NDD	140.88	137.8	-3.0852
389	1e+13	NDD	139.37	132.13	-7.2349
394	1e+13	NDD	122.2	116.06	-6.1385
395	1e+13	NDD		125.01	
396	0	CORRELATION	132.76		
571	1e+13	NDD	134.74	126.01	-8.7351
632	0	CORRELATION	129.28	129.81	0.5314
649	0	CORRELATION	135.85	135.9	0.0527
662	0	CORRELATION	123.92	124.43	0.5072


NDD vs Post - Pre Exposure Delta




Test Statistics (µA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	123.92	130.45	135.85	5.1138	124.43	130.05	135.9	5.7391	0.0527	0.36377	0.5314	0.26966
1e+12	117.35	125.93	133.4	7.0973	117.47	125.62	132.99	6.9393	-0.6399	-0.30668	0.12	0.31771
5e+12	118.64	131.31	140.88	9.27	115.49	128.04	137.8	9.2917	-3.8225	-3.2689	-3.0151	0.37332
1e+13	122.2	132.1	139.37	8.8826	116.06	124.8	132.13	6.6239	-8.7351	-7.3695	-6.1385	1.3035

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (No Limits Specified (A))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.9549	1.9455	-0.0094
266	1e+12	NDD	1.8291	1.8388	0.0097
267	1e+12	NDD	2.0405	2.0402	-0.0003
288	1e+12	NDD	2.1035	2.106	0.0025
348	5e+12	NDD	2.1046	2.062	-0.0426
353	5e+12	NDD	1.9994	1.8807	-0.1187
370	5e+12	NDD	1.9448	1.9028	-0.042
377	5e+12	NDD	1.9742	1.8939	-0.0803
389	1e+13	NDD	2.0718	1.9988	-0.073
394	1e+13	NDD	1.988	1.923	-0.065
395	1e+13	NDD		1.9345	
396	0	CORRELATION	2.0195		
571	1e+13	NDD	1.9963	1.9041	-0.0922
632	0	CORRELATION	1.9976	1.9988	0.0012
649	0	CORRELATION	2.1373	2.1458	0.0085
662	0	CORRELATION	1.9974	1.976	-0.0214


Test Statistics (A)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.9974	2.0379	2.1373	0.06704	1.976	2.0402	2.1458	0.09216	-0.0214	-0.0039	0.0085	0.015589
1e+12	1.8291	1.982	2.1035	0.11874	1.8388	1.9826	2.106	0.11633	-0.0094	0.000625	0.0097	0.0078999
5e+12	1.9448	2.0057	2.1046	0.069575	1.8807	1.9348	2.062	0.085251	-0.1187	-0.0709	-0.042	0.036557
1e+13	1.988	2.0187	2.0718	0.046173	1.9041	1.9401	1.9988	0.041091	-0.0922	-0.076733	-0.065	0.013979

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta



Test Results (No Limits Specified (A))


Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.9028	1.9036	0.0008
266	1e+12	NDD	1.7861	1.7843	-0.0018
267	1e+12	NDD	1.9978	1.976	-0.0218
288	1e+12	NDD	2.06	2.0519	-0.0081
348	5e+12	NDD	2.0402	1.9988	-0.0414
353	5e+12	NDD	1.9552	1.9222	-0.033
370	5e+12	NDD	1.8923	1.8597	-0.0326
377	5e+12	NDD	1.9327	1.8397	-0.093
389	1e+13	NDD	2.0197	1.9451	-0.0746
394	1e+13	NDD	1.9346	1.8799	-0.0547
395	1e+13	NDD		1.8802	
396	0	CORRELATION	1.9658		
571	1e+13	NDD	1.9433	1.8508	-0.0925
632	0	CORRELATION	1.9446	1.9664	0.0218
649	0	CORRELATION	2.0405	2.0921	0.0516
662	0	CORRELATION	1.9551	1.9543	-0.0008

Test Statistics (A)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.9446	1.9765	2.0405	0.043536	1.9543	2.0043	2.0921	0.076306	-0.0008	0.0242	0.0516	0.026282
1e+12	1.7861	1.9367	2.06	0.1194	1.7843	1.9289	2.0519	0.11387	-0.0218	-0.007725	0.0008	0.0101
5e+12	1.8923	1.9551	2.0402	0.062417	1.8397	1.9051	1.9988	0.071672	-0.093	-0.05	-0.0326	0.028952
1e+13	1.9346	1.9659	2.0197	0.046824	1.8508	1.889	1.9451	0.039861	-0.0925	-0.073933	-0.0547	0.018909

Device Test: 19.20 LEVEL|SINK/SW/12////@LS_CURR_LIM_SINKING_25C

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (No Limits Specified (A))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.9031	1.9036	0.0005
266	1e+12	NDD	1.7864	1.7839	-0.0025
267	1e+12	NDD	1.9871	1.9863	-0.0008
288	1e+12	NDD	2.06	2.0519	-0.0081
348	5e+12	NDD	2.0402	1.9988	-0.0414
353	5e+12	NDD	1.9552	1.9222	-0.033
370	5e+12	NDD	1.8927	1.8597	-0.033
377	5e+12	NDD	1.9228	1.8512	-0.0716
389	1e+13	NDD	2.0292	1.9455	-0.0837
394	1e+13	NDD	1.9346	1.8799	-0.0547
395	1e+13	NDD		1.8806	
396	0	CORRELATION	1.9769		
571	1e+13	NDD	1.9429	1.8615	-0.0814
632	0	CORRELATION	1.9446	1.9558	0.0112
649	0	CORRELATION	2.0836	2.0917	0.0081
662	0	CORRELATION	1.9448	1.9543	0.0095


Test Statistics (A)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.9446	1.9875	2.0836	0.065857	1.9543	2.0006	2.0917	0.078898	0.0081	0.0096	0.0112	0.0015524
1e+12	1.7864	1.9342	2.06	0.11752	1.7839	1.9314	2.0519	0.11556	-0.0081	-0.002725	0.0005	0.003788
5e+12	1.8927	1.9527	2.0402	0.063657	1.8512	1.908	1.9988	0.068326	-0.0716	-0.04475	-0.033	0.018333
1e+13	1.9346	1.9689	2.0292	0.052386	1.8615	1.8919	1.9455	0.036828	-0.0837	-0.073267	-0.0547	0.01612

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta





Test Results (No Limits Specified (A))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.9028	1.893	-0.0098
266	1e+12	NDD	1.7857	1.7839	-0.0018
267	1e+12	NDD	1.9978	1.9867	-0.0111
288	1e+12	NDD	2.0497	2.0519	0.0022
348	5e+12	NDD	2.0402	2.0095	-0.0307
353	5e+12	NDD	1.9556	1.9222	-0.0334
370	5e+12	NDD	1.8923	1.8597	-0.0326
377	5e+12	NDD	1.922	1.8405	-0.0815
389	1e+13	NDD	2.03	1.9558	-0.0742
394	1e+13	NDD	1.9346	1.8799	-0.0547
395	1e+13	NDD		1.8806	
396	0	CORRELATION	1.9769		
571	1e+13	NDD	1.9429	1.8615	-0.0814
632	0	CORRELATION	1.9446	1.9455	0.0009
649	0	CORRELATION	2.0409	2.0921	0.0512
662	0	CORRELATION	1.9448	1.9543	0.0095

Test Statistics (A)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.9446	1.9768	2.0409	0.045349	1.9455	1.9973	2.0921	0.082217	0.0009	0.020533	0.0512	0.026904
1e+12	1.7857	1.934	2.0497	0.11608	1.7839	1.9289	2.0519	0.1166	-0.0111	-0.005125	0.0022	0.006384
5e+12	1.8923	1.9525	2.0402	0.063914	1.8405	1.908	2.0095	0.076142	-0.0815	-0.04455	-0.0307	0.024659
1e+13	1.9346	1.9692	2.03	0.052846	1.8615	1.8944	1.9558	0.041845	-0.0814	-0.0701	-0.0547	0.013814




Test Results (Upper Limit = 46.0 (mΩ))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	31.092	30.926	-0.166
266	1e+12	NDD	31.055	30.951	-0.1049
267	1e+12	NDD	31.032	30.905	-0.1271
288	1e+12	NDD	30.641	30.504	-0.1372
348	5e+12	NDD	30.729	30.539	-0.1897
353	5e+12	NDD	31.22	31.126	-0.0939
370	5e+12	NDD	30.253	30.274	0.0202
377	5e+12	NDD	31.396	31.33	-0.0659
389	1e+13	NDD	31.088	30.98	-0.1075
394	1e+13	NDD	31.107	31.074	-0.0338
395	1e+13	NDD		30.763	
396	0	CORRELATION	30.857		
571	1e+13	NDD	30.861	30.828	-0.0329
632	0	CORRELATION	31.528	31.3	-0.228
649	0	CORRELATION	31.023	30.847	-0.1767
662	0	CORRELATION	31.202	31.063	-0.1392


Test Statistics (mΩ)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	30.857	31.153	31.528	0.28719	30.847	31.07	31.3	0.22688	-0.228	-0.1813	-0.1392	0.044578
1e+12	30.641	30.955	31.092	0.21068	30.504	30.821	30.951	0.21232	-0.166	-0.1338	-0.1049	0.025354
5e+12	30.253	30.9	31.396	0.51507	30.274	30.817	31.33	0.49376	-0.1897	-0.082325	0.0202	0.086496
1e+13	30.861	31.019	31.107	0.1368	30.763	30.911	31.074	0.1415	-0.1075	-0.058067	-0.0329	0.042813

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 12.2 (A))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	9.4059	9.443	0.0371
266	1e+12	NDD	9.2554	9.2663	0.0109
267	1e+12	NDD	9.4523	9.4586	0.0063
288	1e+12	NDD	8.4334	8.455	0.0216
348	5e+12	NDD	9.8017	9.7704	-0.0313
353	5e+12	NDD	9.1911	9.2814	0.0903
370	5e+12	NDD	9.0225	9.047	0.0245
377	5e+12	NDD	9.1218	9.117	-0.0048
389	1e+13	NDD	8.4394	8.529	0.0896
394	1e+13	NDD	9.4655	9.6266	0.1611
395	1e+13	NDD		9.509	
396	0	CORRELATION	9.4371		
571	1e+13	NDD	9.4034	9.4773	0.0739
632	0	CORRELATION	9.3194	9.3832	0.0638
649	0	CORRELATION	8.9392	8.9955	0.0563
662	0	CORRELATION	9.5494	9.5659	0.0165

Test Statistics (A)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	8.9392	9.3113	9.5494	0.26523	8.9955	9.3149	9.5659	0.29127	0.0165	0.045533	0.0638	0.025422
1e+12	8.4334	9.1367	9.4523	0.47637	8.455	9.1557	9.4586	0.47522	0.0063	0.018975	0.0371	0.013678
5e+12	9.0225	9.2843	9.8017	0.35182	9.047	9.304	9.7704	0.32612	-0.0313	0.019675	0.0903	0.052309
1e+13	8.4394	9.1028	9.4655	0.57533	8.529	9.2855	9.6266	0.50839	0.0739	0.1082	0.1611	0.04648


NDD vs Result Stats



Test Results (No Limits Specified (A))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	11.491	11.457	-0.0333
266	1e+12	NDD	11.016	11.21	0.1946
267	1e+12	NDD	10.74	10.986	0.2468
288	1e+12	NDD	10.462	10.829	0.3664
348	5e+12	NDD	12.323	12.389	0.0661
353	5e+12	NDD	11.176	11.204	0.0282
370	5e+12	NDD	10.499	10.515	0.0163
377	5e+12	NDD	10.137	10.213	0.0753
389	1e+13	NDD	11.011	11.023	0.0118
394	1e+13	NDD	11.73	11.697	-0.0337
395	1e+13	NDD		10.967	
396	0	CORRELATION	11.054		
571	1e+13	NDD	11.188	11.164	-0.0237
632	0	CORRELATION	11.367	11.452	0.0852
649	0	CORRELATION	10.457	10.446	-0.0107
662	0	CORRELATION	11.061	11.155	0.0936


NDD vs Post - Pre Exposure Delta




Test Statistics (A)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	10.457	10.984	11.367	0.38087	10.446	11.017	11.452	0.51672	-0.0107	0.056033	0.0936	0.057945
1e+12	10.462	10.927	11.491	0.43843	10.829	11.121	11.457	0.27367	-0.0333	0.19362	0.3664	0.16751
5e+12	10.137	11.034	12.323	0.96111	10.213	11.08	12.389	0.96604	0.0163	0.046475	0.0753	0.028639
1e+13	11.011	11.31	11.73	0.37496	10.967	11.213	11.697	0.33328	-0.0337	-0.0152	0.0118	0.023911

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 8.0, Upper Limit = 14.5 (S))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	10.043	10.004	-0.0392
266	1e+12	NDD	10.051	9.8247	-0.2261
267	1e+12	NDD	10.907	10.897	-0.0107
288	1e+12	NDD	10.066	10.352	0.2864
348	5e+12	NDD	10.807	10.697	-0.1101
353	5e+12	NDD	9.8999	9.9868	0.0869
370	5e+12	NDD	10.168	10.166	-0.0024
377	5e+12	NDD	9.8744	9.7409	-0.1335
389	1e+13	NDD	9.8393	10.024	0.1848
394	1e+13	NDD	10.083	9.8085	-0.2747
395	1e+13	NDD		10.469	
396	0	CORRELATION	10.79		
571	1e+13	NDD	10.572	10.66	0.0881
632	0	CORRELATION	10.385	10.339	-0.0468
649	0	CORRELATION	10.574	10.794	0.2196
662	0	CORRELATION	10.757	10.671	-0.086

Test Statistics (S)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	10.385	10.626	10.79	0.18657	10.339	10.601	10.794	0.23545	-0.086	0.028933	0.2196	0.16628
1e+12	10.043	10.267	10.907	0.4272	9.8247	10.269	10.897	0.47209	-0.2261	0.0026	0.2864	0.21195
5e+12	9.8744	10.187	10.807	0.43389	9.7409	10.148	10.697	0.40547	-0.1335	-0.039775	0.0869	0.10194
1e+13	9.8393	10.165	10.572	0.37316	9.8085	10.24	10.66	0.39237	-0.2747	-0.0006	0.1848	0.24225


NDD vs Result Stats



Test Results (Upper Limit = 46.0 (mΩ))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	31.116	30.962	-0.1536
266	1e+12	NDD	31.078	30.971	-0.1065
267	1e+12	NDD	31.061	30.942	-0.119
288	1e+12	NDD	30.662	30.536	-0.1255
348	5e+12	NDD	30.75	30.567	-0.183
353	5e+12	NDD	31.241	31.149	-0.0916
370	5e+12	NDD	30.282	30.291	0.0084
377	5e+12	NDD	31.419	31.358	-0.061
389	1e+13	NDD	31.103	31.005	-0.0978
394	1e+13	NDD	31.132	31.108	-0.0242
395	1e+13	NDD		30.787	
396	0	CORRELATION	30.872		
571	1e+13	NDD	30.88	30.852	-0.0281
632	0	CORRELATION	31.549	31.321	-0.2287
649	0	CORRELATION	31.038	30.867	-0.1708
662	0	CORRELATION	31.226	31.082	-0.1445


NDD vs Post - Pre Exposure Delta



Test Statistics (mΩ)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	30.872	31.171	31.549	0.2905	30.867	31.09	31.321	0.22701	-0.2287	-0.18133	-0.1445	0.043077
1e+12	30.662	30.979	31.116	0.21278	30.536	30.853	30.971	0.21147	-0.1536	-0.12615	-0.1065	0.019926
5e+12	30.282	30.923	31.419	0.51246	30.291	30.841	31.358	0.49687	-0.183	-0.0818	0.0084	0.079385
1e+13	30.88	31.038	31.132	0.13751	30.787	30.938	31.108	0.1454	-0.0978	-0.050033	-0.0242	0.041413


NDD vs Result Stats



Test Results (Upper Limit = 12.2 (A))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	9.4886	9.5217	0.0331
266	1e+12	NDD	9.3341	9.3513	0.0172
267	1e+12	NDD	9.5298	9.5361	0.0063
288	1e+12	NDD	8.507	8.5261	0.0191
348	5e+12	NDD	9.8882	9.8578	-0.0304
353	5e+12	NDD	9.2763	9.3605	0.0842
370	5e+12	NDD	9.0973	9.1289	0.0316
377	5e+12	NDD	9.1965	9.194	-0.0025
389	1e+13	NDD	8.515	8.6007	0.0857
394	1e+13	NDD	9.5445	9.6267	0.0822
395	1e+13	NDD		9.5937	
396	0	CORRELATION	9.5228		
571	1e+13	NDD	9.4129	9.5601	0.1472
632	0	CORRELATION	9.4779	9.4671	-0.0108
649	0	CORRELATION	9.0166	9.0751	0.0585
662	0	CORRELATION	9.6313	9.6443	0.013


NDD vs Post - Pre Exposure Delta




Test Statistics (A)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	9.0166	9.4122	9.6313	0.27145	9.0751	9.3955	9.6443	0.29128	-0.0108	0.020233	0.0585	0.035212
1e+12	8.507	9.2149	9.5298	0.47938	8.5261	9.2338	9.5361	0.47921	0.0063	0.018925	0.0331	0.011005
5e+12	9.0973	9.3646	9.8882	0.35668	9.1289	9.3853	9.8578	0.32975	-0.0304	0.020725	0.0842	0.049331
1e+13	8.515	9.1575	9.5445	0.56027	8.6007	9.3453	9.6267	0.49714	0.0822	0.10503	0.1472	0.036559

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (No Limits Specified (A))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	11.672	11.633	-0.0387
266	1e+12	NDD	11.349	11.22	-0.1291
267	1e+12	NDD	10.909	11.073	0.1639
288	1e+12	NDD	10.645	10.921	0.2756
348	5e+12	NDD	12.517	12.581	0.0644
353	5e+12	NDD	11.357	11.379	0.0225
370	5e+12	NDD	10.667	10.456	-0.2115
377	5e+12	NDD	10.135	10.296	0.1607
389	1e+13	NDD	11.184	11.201	0.0175
394	1e+13	NDD	11.655	11.873	0.2181
395	1e+13	NDD		11.143	
396	0	CORRELATION	10.998		
571	1e+13	NDD	11.045	11.259	0.2144
632	0	CORRELATION	11.459	11.551	0.092
649	0	CORRELATION	10.634	10.457	-0.1771
662	0	CORRELATION	11.243	11.251	0.0072

Test Statistics (A)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	10.634	11.084	11.459	0.35395	10.457	11.086	11.551	0.56523	-0.1771	-0.025967	0.092	0.13758
1e+12	10.645	11.144	11.672	0.45614	10.921	11.212	11.633	0.30622	-0.1291	0.067925	0.2756	0.18487
5e+12	10.135	11.169	12.517	1.0284	10.296	11.178	12.581	1.0503	-0.2115	0.009025	0.1607	0.15799
1e+13	11.045	11.294	11.655	0.31978	11.143	11.369	11.873	0.33911	0.0175	0.15	0.2181	0.11476


NDD vs Result Stats



Test Results (Lower Limit = 8.0, Upper Limit = 14.5 (S))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	10.244	10.251	0.0065
266	1e+12	NDD	9.7615	9.9684	0.2069
267	1e+12	NDD	11.012	11.051	0.0391
288	1e+12	NDD	9.7915	10.176	0.3843
348	5e+12	NDD	10.949	10.78	-0.1691
353	5e+12	NDD	10.066	10.091	0.0259
370	5e+12	NDD	10.228	10.128	-0.1003
377	5e+12	NDD	10.102	10.023	-0.0798
389	1e+13	NDD	10.058	9.8842	-0.1742
394	1e+13	NDD	10.216	10.051	-0.1646
395	1e+13	NDD		10.516	
396	0	CORRELATION	10.345		
571	1e+13	NDD	10.429	10.845	0.4157
632	0	CORRELATION	10.276	10.409	0.1321
649	0	CORRELATION	10.473	10.766	0.2931
662	0	CORRELATION	10.952	11.078	0.1259


NDD vs Post - Pre Exposure Delta




Test Statistics (S)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	10.276	10.511	10.952	0.30449	10.409	10.751	11.078	0.33476	0.1259	0.1837	0.2931	0.094794
1e+12	9.7615	10.202	11.012	0.58326	9.9684	10.361	11.051	0.47505	0.0065	0.1592	0.3843	0.17386
5e+12	10.066	10.336	10.949	0.41439	10.023	10.255	10.78	0.35236	-0.1691	-0.080825	0.0259	0.080753
1e+13	10.058	10.234	10.429	0.18617	9.8842	10.324	10.845	0.43834	-0.1742	0.025633	0.4157	0.33784

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 48.0 (mΩ))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	37.204	36.934	-0.2707
266	1e+12	NDD	36.778	36.611	-0.1662
267	1e+12	NDD	36.96	36.778	-0.1823
288	1e+12	NDD	37.143	36.905	-0.2383
348	5e+12	NDD	36.641	36.354	-0.2872
353	5e+12	NDD	36.805	36.623	-0.1817
370	5e+12	NDD	37.16	37.038	-0.1221
377	5e+12	NDD	37.023	36.845	-0.1784
389	1e+13	NDD	37.231	36.93	-0.3013
394	1e+13	NDD	37.164	37.023	-0.1419
395	1e+13	NDD		36.826	
396	0	CORRELATION	36.959		
571	1e+13	NDD	36.487	36.322	-0.1657
632	0	CORRELATION	36.704	36.429	-0.2758
649	0	CORRELATION	36.849	36.607	-0.2419
662	0	CORRELATION	36.821	36.622	-0.1995

Test Statistics (mΩ)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	36.704	36.833	36.959	0.10456	36.429	36.553	36.622	0.10756	-0.2758	-0.23907	-0.1995	0.038229
1e+12	36.778	37.021	37.204	0.19283	36.611	36.807	36.934	0.14693	-0.2707	-0.21437	-0.1662	0.04863
5e+12	36.641	36.907	37.16	0.2297	36.354	36.715	37.038	0.2941	-0.2872	-0.19235	-0.1221	0.068895
1e+13	36.487	36.961	37.231	0.41147	36.322	36.775	37.023	0.31268	-0.3013	-0.20297	-0.1419	0.085987


NDD vs Result Stats



Test Results (Upper Limit = 12.2 (A))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	9.8743	9.8688	-0.0055
266	1e+12	NDD	9.8757	9.8557	-0.02
267	1e+12	NDD	10.153	10.184	0.0313
288	1e+12	NDD	9.0271	9.0039	-0.0232
348	5e+12	NDD	10.309	10.319	0.0099
353	5e+12	NDD	9.6092	9.658	0.0488
370	5e+12	NDD	9.5987	9.656	0.0573
377	5e+12	NDD	9.6775	9.6423	-0.0352
389	1e+13	NDD	9.0054	9.0665	0.0611
394	1e+13	NDD	10.061	10.094	0.0334
395	1e+13	NDD		9.9736	
396	0	CORRELATION	9.9018		
571	1e+13	NDD	10.027	10.064	0.0364
632	0	CORRELATION	9.7875	9.7831	-0.0044
649	0	CORRELATION	9.4736	9.4719	-0.0017
662	0	CORRELATION	10.136	10.1	-0.0362

NDD vs Post - Pre Exposure Delta




Test Statistics (A)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	9.4736	9.8247	10.136	0.27527	9.4719	9.7848	10.1	0.3138	-0.0362	-0.0141	-0.0017	0.019187
1e+12	9.0271	9.7325	10.153	0.48817	9.0039	9.7281	10.184	0.50615	-0.0232	-0.00435	0.0313	0.024983
5e+12	9.5987	9.7985	10.309	0.34191	9.6423	9.8187	10.319	0.33332	-0.0352	0.0202	0.0573	0.042307
1e+13	9.0054	9.6978	10.061	0.59987	9.0665	9.7995	10.094	0.49132	0.0334	0.043633	0.0611	0.015201

Device Test: 20.55 LEVEL|HIGH|SIDE/SW/5/6///@R_HS_6A_25C_HTSSOP

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 46.0 (mΩ))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	34.581	34.345	-0.2357
266	1e+12	NDD	34.215	34.068	-0.1479
267	1e+12	NDD	34.356	34.199	-0.1571
288	1e+12	NDD	34.504	34.298	-0.2055
348	5e+12	NDD	34.091	33.837	-0.2538
353	5e+12	NDD	34.255	34.099	-0.1557
370	5e+12	NDD	34.506	34.407	-0.0993
377	5e+12	NDD	34.463	34.371	-0.0922
389	1e+13	NDD	34.579	34.385	-0.1944
394	1e+13	NDD	34.53	34.477	-0.0522
395	1e+13	NDD		34.311	
396	0	CORRELATION	34.353		
571	1e+13	NDD	33.997	33.925	-0.0718
632	0	CORRELATION	34.186	33.946	-0.2406
649	0	CORRELATION	34.274	34.061	-0.2126
662	0	CORRELATION	34.245	34.074	-0.1711

Test Statistics (mΩ)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	34.186	34.264	34.353	0.069468	33.946	34.027	34.074	0.070512	-0.2406	-0.2081	-0.1711	0.034968
1e+12	34.215	34.414	34.581	0.16206	34.068	34.227	34.345	0.12292	-0.2357	-0.18655	-0.1479	0.041376
5e+12	34.091	34.329	34.506	0.19289	33.837	34.178	34.407	0.26591	-0.2538	-0.15025	-0.0922	0.07465
1e+13	33.997	34.369	34.579	0.32276	33.925	34.274	34.477	0.24268	-0.1944	-0.10613	-0.0522	0.077067


NDD vs Result Stats



Test Results (Upper Limit = 12.2 (A))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	9.6315	9.6212	-0.0103
266	1e+12	NDD	9.5345	9.5692	0.0347
267	1e+12	NDD	9.8021	9.8077	0.0056
288	1e+12	NDD	8.7533	8.7135	-0.0398
348	5e+12	NDD	10.011	10.012	0.0005
353	5e+12	NDD	9.3854	9.347	-0.0384
370	5e+12	NDD	9.3259	9.3273	0.0014
377	5e+12	NDD	9.312	9.338	0.026
389	1e+13	NDD	8.7364	8.7055	-0.0309
394	1e+13	NDD	9.7693	9.7765	0.0072
395	1e+13	NDD		9.7036	
396	0	CORRELATION	9.6614		
571	1e+13	NDD	9.6803	9.6831	0.0028
632	0	CORRELATION	9.4888	9.4742	-0.0146
649	0	CORRELATION	9.1754	9.1615	-0.0139
662	0	CORRELATION	9.7713	9.7866	0.0153


NDD vs Post - Pre Exposure Delta



Test Statistics (A)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	9.1754	9.5242	9.7713	0.26	9.1615	9.4741	9.7866	0.31255	-0.0146	-0.0044	0.0153	0.017064
1e+12	8.7533	9.4304	9.8021	0.46472	8.7135	9.4279	9.8077	0.48715	-0.0398	-0.00245	0.0347	0.0311
5e+12	9.312	9.5086	10.011	0.33651	9.3273	9.506	10.012	0.33718	-0.0384	-0.002625	0.026	0.026616
1e+13	8.7364	9.3953	9.7693	0.57239	8.7055	9.4672	9.7765	0.50936	-0.0309	-0.0069667	0.0072	0.020843


NDD vs Result Stats



Test Results (No Limits Specified (A))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	11.72	11.81	0.09
266	1e+12	NDD	11.543	11.449	-0.0944
267	1e+12	NDD	11.166	11.261	0.0948
288	1e+12	NDD	10.807	11.004	0.1974
348	5e+12	NDD	12.637	12.657	0.0197
353	5e+12	NDD	11.453	11.438	-0.014
370	5e+12	NDD	10.761	10.833	0.0714
377	5e+12	NDD	10.286	10.369	0.0838
389	1e+13	NDD	11.267	11.185	-0.0817
394	1e+13	NDD	12.083	11.959	-0.1236
395	1e+13	NDD		11.284	
396	0	CORRELATION	11.167		
571	1e+13	NDD	11.345	11.35	0.0046
632	0	CORRELATION	11.555	11.559	0.004
649	0	CORRELATION	10.762	10.682	-0.0793
662	0	CORRELATION	11.282	11.244	-0.0381

NDD vs Post - Pre Exposure Delta




Test Statistics (A)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	10.762	11.192	11.555	0.32964	10.682	11.162	11.559	0.44424	-0.0793	-0.0378	0.004	0.041651
1e+12	10.807	11.309	11.72	0.40678	11.004	11.381	11.81	0.3392	-0.0944	0.07195	0.1974	0.12146
5e+12	10.286	11.284	12.637	1.0214	10.369	11.324	12.657	0.99038	-0.014	0.040225	0.0838	0.045579
1e+13	11.267	11.565	12.083	0.45033	11.185	11.444	11.959	0.34991	-0.1236	-0.0669	0.0046	0.065369

Device Test: 20.58 GMPS|STATIC/SW/5////@EA_GMPS_9A_HTSSOP


NDD vs Result Stats



Test Results (Lower Limit = 8.0, Upper Limit = 14.5 (S))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	9.9576	9.9691	0.0115
266	1e+12	NDD	10.053	9.9377	-0.1152
267	1e+12	NDD	11.06	10.909	-0.1506
288	1e+12	NDD	10.051	10.023	-0.028
348	5e+12	NDD	10.712	10.55	-0.162
353	5e+12	NDD	9.9706	9.9949	0.0243
370	5e+12	NDD	10.117	10.018	-0.0993
377	5e+12	NDD	9.8459	9.8541	0.0082
389	1e+13	NDD	9.9268	10.002	0.0752
394	1e+13	NDD	10.064	9.8605	-0.2038
395	1e+13	NDD		10.284	
396	0	CORRELATION	10.257		
571	1e+13	NDD	10.667	10.803	0.1366
632	0	CORRELATION	10.382	10.478	0.0957
649	0	CORRELATION	10.381	10.316	-0.0652
662	0	CORRELATION	10.908	10.909	0.0011


NDD vs Post - Pre Exposure Delta



Test Statistics (S)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	10.257	10.482	10.908	0.29002	10.316	10.568	10.909	0.30669	-0.0652	0.010533	0.0957	0.080864
1e+12	9.9576	10.28	11.06	0.52173	9.9377	10.21	10.909	0.4678	-0.1506	-0.070575	0.0115	0.075154
5e+12	9.8459	10.162	10.712	0.38352	9.8541	10.104	10.55	0.30596	-0.162	-0.0572	0.0243	0.088835
1e+13	9.9268	10.219	10.667	0.39348	9.8605	10.237	10.803	0.41625	-0.2038	0.0026667	0.1366	0.18142


NDD vs Result Stats



Test Results (No Limits Specified (A))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	12.05	12.056	0.005
266	1e+12	NDD	11.893	11.809	-0.0831
267	1e+12	NDD	11.597	11.557	-0.04
288	1e+12	NDD	11.183	11.378	0.1948
348	5e+12	NDD	13.021	13.054	0.0326
353	5e+12	NDD	11.941	11.801	-0.1406
370	5e+12	NDD	11.02	11.148	0.1273
377	5e+12	NDD	10.565	10.672	0.1065
389	1e+13	NDD	11.603	11.627	0.0238
394	1e+13	NDD	12.483	12.339	-0.1444
395	1e+13	NDD		11.536	
396	0	CORRELATION	11.661		
571	1e+13	NDD	11.803	11.714	-0.0881
632	0	CORRELATION	11.91	11.939	0.0286
649	0	CORRELATION	11.035	10.979	-0.0567
662	0	CORRELATION	11.524	11.607	0.0831


NDD vs Post - Pre Exposure Delta



Test Statistics (A)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	11.035	11.532	11.91	0.36801	10.979	11.508	11.939	0.48762	-0.0567	0.018333	0.0831	0.070463
1e+12	11.183	11.681	12.05	0.38127	11.378	11.7	12.056	0.29582	-0.0831	0.019175	0.1948	0.12248
5e+12	10.565	11.637	13.021	1.086	10.672	11.669	13.054	1.0331	-0.1406	0.03145	0.1273	0.12169
1e+13	11.603	11.963	12.483	0.46179	11.536	11.804	12.339	0.36402	-0.1444	-0.069567	0.0238	0.085618


NDD vs Result Stats



Test Results (Lower Limit = 8.0, Upper Limit = 14.5 (S))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	10.094	9.9042	-0.1894
266	1e+12	NDD	10.186	9.9496	-0.2362
267	1e+12	NDD	11.248	11.258	0.0103
288	1e+12	NDD	10.276	10.275	-0.0015
348	5e+12	NDD	10.905	10.794	-0.1114
353	5e+12	NDD	10.141	10.156	0.0147
370	5e+12	NDD	10.308	10.318	0.0101
377	5e+12	NDD	10.036	10.185	0.1483
389	1e+13	NDD	9.9199	10.063	0.1427
394	1e+13	NDD	10.316	10.169	-0.1471
395	1e+13	NDD		10.669	
396	0	CORRELATION	10.503		
571	1e+13	NDD	10.984	10.957	-0.0266
632	0	CORRELATION	10.512	10.554	0.0418
649	0	CORRELATION	10.611	10.706	0.0951
662	0	CORRELATION	11.055	10.947	-0.1079


NDD vs Post - Pre Exposure Delta



Test Statistics (S)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	10.503	10.67	11.055	0.26125	10.554	10.736	10.947	0.1983	-0.1079	0.0096667	0.0951	0.10525
1e+12	10.094	10.451	11.248	0.53658	9.9042	10.347	11.258	0.62973	-0.2362	-0.1042	0.0103	0.12694
5e+12	10.036	10.348	10.905	0.38808	10.156	10.363	10.794	0.29565	-0.1114	0.015425	0.1483	0.1061
1e+13	9.9199	10.407	10.984	0.53788	10.063	10.464	10.957	0.42189	-0.1471	-0.010333	0.1427	0.14558


NDD vs Result Stats



Test Results (Upper Limit = 39.0 (mΩ))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	28.276	28.081	-0.1949
266	1e+12	NDD	28.336	28.157	-0.1792
267	1e+12	NDD	28.233	28.034	-0.1991
288	1e+12	NDD	28.331	28.159	-0.1722
348	5e+12	NDD	28.311	28.088	-0.2226
353	5e+12	NDD	28.027	27.821	-0.2059
370	5e+12	NDD	28.249	27.994	-0.2541
377	5e+12	NDD	28.609	28.41	-0.199
389	1e+13	NDD	28.165	27.937	-0.2275
394	1e+13	NDD	28.349	28.129	-0.2201
395	1e+13	NDD		27.953	
396	0	CORRELATION	28.211		
571	1e+13	NDD	28.295	28.075	-0.2197
632	0	CORRELATION	28.43	28.19	-0.2401
649	0	CORRELATION	28.351	28.125	-0.2268
662	0	CORRELATION	28.398	28.149	-0.2486


NDD vs Post - Pre Exposure Delta




Test Statistics (mΩ)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	28.211	28.347	28.43	0.096471	28.125	28.154	28.19	0.032942	-0.2486	-0.2385	-0.2268	0.010988
1e+12	28.233	28.294	28.336	0.048862	28.034	28.108	28.159	0.061004	-0.1991	-0.18635	-0.1722	0.012741
5e+12	28.027	28.299	28.609	0.24014	27.821	28.078	28.41	0.24736	-0.2541	-0.2204	-0.199	0.024554
1e+13	28.165	28.269	28.349	0.094553	27.937	28.024	28.129	0.093191	-0.2275	-0.22243	-0.2197	0.0043924

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 37.0 (mΩ))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	27.237	27.053	-0.1839
266	1e+12	NDD	27.311	27.134	-0.1774
267	1e+12	NDD	27.212	27.02	-0.1924
288	1e+12	NDD	27.315	27.142	-0.1728
348	5e+12	NDD	27.235	27.023	-0.2124
353	5e+12	NDD	27.051	26.854	-0.1973
370	5e+12	NDD	27.243	27.003	-0.2405
377	5e+12	NDD	27.561	27.369	-0.1916
389	1e+13	NDD	27.138	26.915	-0.2227
394	1e+13	NDD	27.281	27.07	-0.211
395	1e+13	NDD		26.924	
396	0	CORRELATION	27.169		
571	1e+13	NDD	27.246	27.032	-0.2141
632	0	CORRELATION	27.373	27.146	-0.2264
649	0	CORRELATION	27.271	27.05	-0.2208
662	0	CORRELATION	27.339	27.098	-0.241

Test Statistics (mΩ)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	27.169	27.288	27.373	0.089969	27.05	27.098	27.146	0.0479	-0.241	-0.2294	-0.2208	0.010429
1e+12	27.212	27.269	27.315	0.051944	27.02	27.087	27.142	0.06011	-0.1924	-0.18162	-0.1728	0.008505
5e+12	27.051	27.272	27.561	0.21164	26.854	27.062	27.369	0.21813	-0.2405	-0.21045	-0.1916	0.021871
1e+13	27.138	27.222	27.281	0.074574	26.915	26.985	27.07	0.077666	-0.2227	-0.21593	-0.211	0.0060616


NDD vs Result Stats



Test Results (Upper Limit = 37.0 (mΩ))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	26.382	26.206	-0.1763
266	1e+12	NDD	26.475	26.282	-0.1928
267	1e+12	NDD	26.345	26.169	-0.1755
288	1e+12	NDD	26.442	26.303	-0.1389
348	5e+12	NDD	26.322	26.127	-0.1955
353	5e+12	NDD	26.246	26.008	-0.2379
370	5e+12	NDD	26.347	26.152	-0.1947
377	5e+12	NDD	26.672	26.521	-0.151
389	1e+13	NDD	26.271	26.09	-0.1811
394	1e+13	NDD	26.411	26.203	-0.2079
395	1e+13	NDD		26.095	
396	0	CORRELATION	26.277		
571	1e+13	NDD	26.323	26.178	-0.1454
632	0	CORRELATION	26.512	26.283	-0.2293
649	0	CORRELATION	26.383	26.135	-0.2478
662	0	CORRELATION	26.461	26.241	-0.2199


NDD vs Post - Pre Exposure Delta



Test Statistics (mΩ)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	26.277	26.408	26.512	0.10246	26.135	26.22	26.283	0.076009	-0.2478	-0.23233	-0.2199	0.014195
1e+12	26.345	26.411	26.475	0.058522	26.169	26.24	26.303	0.063167	-0.1928	-0.17087	-0.1389	0.022759
5e+12	26.246	26.397	26.672	0.18864	26.008	26.202	26.521	0.22195	-0.2379	-0.19477	-0.151	0.03548
1e+13	26.271	26.335	26.411	0.070615	26.09	26.142	26.203	0.05741	-0.2079	-0.17813	-0.1454	0.031355


NDD vs Result Stats



Test Results (Upper Limit = 37.0 (mΩ))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	26.387	26.21	-0.1768
266	1e+12	NDD	26.48	26.285	-0.1944
267	1e+12	NDD	26.349	26.174	-0.1744
288	1e+12	NDD	26.447	26.309	-0.1374
348	5e+12	NDD	26.325	26.13	-0.1946
353	5e+12	NDD	26.251	26.01	-0.241
370	5e+12	NDD	26.352	26.16	-0.1924
377	5e+12	NDD	26.676	26.528	-0.1477
389	1e+13	NDD	26.276	26.097	-0.1781
394	1e+13	NDD	26.415	26.206	-0.2092
395	1e+13	NDD		26.099	
396	0	CORRELATION	26.281		
571	1e+13	NDD	26.328	26.182	-0.1453
632	0	CORRELATION	26.515	26.289	-0.2269
649	0	CORRELATION	26.386	26.137	-0.2488
662	0	CORRELATION	26.465	26.245	-0.2192

NDD vs Post - Pre Exposure Delta




Test Statistics (mΩ)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	26.281	26.412	26.515	0.10219	26.137	26.224	26.289	0.078005	-0.2488	-0.23163	-0.2192	0.015357
1e+12	26.349	26.415	26.48	0.058791	26.174	26.245	26.309	0.063145	-0.1944	-0.17075	-0.1374	0.023955
5e+12	26.251	26.401	26.676	0.1882	26.01	26.207	26.528	0.22369	-0.241	-0.19393	-0.1477	0.038103
1e+13	26.276	26.339	26.415	0.070544	26.097	26.146	26.206	0.056092	-0.2092	-0.17753	-0.1453	0.031954

Device Test: 22.10 LEVEL|SINK/SS_TR/5////@R_SS_DISCHARGE


NDD vs Result Stats



Test Results (Lower Limit = 200.0, Upper Limit = 700.0 (Ω))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	428.52	426.47	-2.0468
266	1e+12	NDD	433.65	431.64	-2.0104
267	1e+12	NDD	427.14	425.45	-1.6892
288	1e+12	NDD	428.28	426.48	-1.7917
348	5e+12	NDD	428.08	425.76	-2.3244
353	5e+12	NDD	426.81	424.55	-2.2538
370	5e+12	NDD	424.2	422.31	-1.8831
377	5e+12	NDD	433.58	431.57	-2.0051
389	1e+13	NDD	426.74	424.11	-2.6343
394	1e+13	NDD	428.45	426.06	-2.3891
395	1e+13	NDD		421.63	
396	0	CORRELATION	423.78		
571	1e+13	NDD	427.19	424.89	-2.2945
632	0	CORRELATION	425.75	423.19	-2.5597
649	0	CORRELATION	424.68	422.04	-2.6404
662	0	CORRELATION	422.87	420.62	-2.2464



NDD vs Post - Pre Exposure Delta



Test Statistics (Ω)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	422.87	424.27	425.75	1.2331	420.62	421.95	423.19	1.2865	-2.6404	-2.4822	-2.2464	0.20813
1e+12	427.14	429.4	433.65	2.9013	425.45	427.51	431.64	2.7966	-2.0468	-1.8845	-1.6892	0.17219
5e+12	424.2	428.17	433.58	3.9548	422.31	426.05	431.57	3.9502	-2.3244	-2.1166	-1.8831	0.20733
1e+13	426.74	427.46	428.45	0.88897	421.63	424.17	426.06	1.876	-2.6343	-2.4393	-2.2945	0.17537

Device Test: 22.11 LEVEL|STATIC/SS_TR/5////@V_SS_START




Test Results (No Limits Specified (mV))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	20.263	20.263	0
266	1e+12	NDD	21.764	21.764	0
267	1e+12	NDD	22.514	22.514	0
288	1e+12	NDD	20.638	20.638	0
348	5e+12	NDD	19.512	19.512	0
353	5e+12	NDD	20.638	20.263	-0.375
370	5e+12	NDD	22.514	22.514	0
377	5e+12	NDD	21.388	21.013	-0.375
389	1e+13	NDD	19.887	19.512	-0.375
394	1e+13	NDD	21.764	21.388	-0.376
395	1e+13	NDD		20.638	
396	0	CORRELATION	20.263		
571	1e+13	NDD	20.638	20.638	0
632	0	CORRELATION	17.636	17.261	-0.375
649	0	CORRELATION	22.139	21.764	-0.375
662	0	CORRELATION	20.263	20.263	0


Test Statistics (mV)												
Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	17.636	20.075	22.139	1.8511	17.261	19.763	21.764	2.2928	-0.375	-0.25	0	0.21651
1e+12	20.263	21.295	22.514	1.0332	20.263	21.295	22.514	1.0332	0	0	0	0
5e+12	19.512	21.013	22.514	1.2632	19.512	20.826	22.514	1.2816	-0.375	-0.1875	0	0.21651
1e+13	19.887	20.763	21.764	0.94472	19.512	20.544	21.388	0.77353	-0.376	-0.25033	0	0.2168

Device Test: 22.12 TIMING|STARTUP/SS_TR/5/////@T_SS_5P6NF

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta



Test Results (No Limits Specified (ms))


Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.4792	1.4792	0
266	1e+12	NDD	1.5192	1.5192	0
267	1e+12	NDD	1.4392	1.4792	0.04
288	1e+12	NDD	1.4392	1.4392	0
348	5e+12	NDD	1.4392	1.4792	0.04
353	5e+12	NDD	1.4792	1.5192	0.04
370	5e+12	NDD	1.4392	1.4392	0
377	5e+12	NDD	1.5192	1.5192	0
389	1e+13	NDD	1.4792	1.5192	0.04
394	1e+13	NDD	1.4792	1.5192	0.04
395	1e+13	NDD		1.4792	
396	0	CORRELATION	1.4392		
571	1e+13	NDD	1.4792	1.5192	0.04
632	0	CORRELATION	1.4792	1.4792	0
649	0	CORRELATION	1.4792	1.5192	0.04
662	0	CORRELATION	1.4792	1.4792	0

Test Statistics (ms)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.4392	1.4692	1.4792	0.02	1.4792	1.4925	1.5192	0.023094	0	0.013333	0.04	0.023094
1e+12	1.4392	1.4692	1.5192	0.038297	1.4392	1.4792	1.5192	0.03266	0	0.01	0.04	0.02
5e+12	1.4392	1.4692	1.5192	0.038297	1.4392	1.4892	1.5192	0.038297	0	0.02	0.04	0.023094
1e+13	1.4792	1.4792	1.4792	0	1.4792	1.5092	1.5192	0.02	0.04	0.04	0.04	0

Device Test: 22.13 TIMING|STARTUP/SS_TR/5////@T_SS_22NF


NDD vs Result Stats



Test Results (Lower Limit = 4.7, Upper Limit = 7.3 (ms))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	5.7673	5.8073	0.04
266	1e+12	NDD	5.9673	5.9673	0
267	1e+12	NDD	5.7673	5.7673	0
288	1e+12	NDD	5.7273	5.7673	0.04
348	5e+12	NDD	5.7673	5.8073	0.04
353	5e+12	NDD	5.8473	5.9273	0.08
370	5e+12	NDD	5.6873	5.6873	0
377	5e+12	NDD	5.9273	6.0073	0.08
389	1e+13	NDD	5.7673	5.8473	0.08
394	1e+13	NDD	5.8073	5.9273	0.12
395	1e+13	NDD		5.8473	
396	0	CORRELATION	5.7273		
571	1e+13	NDD	5.8073	5.9673	0.16
632	0	CORRELATION	5.8873	5.8473	-0.04
649	0	CORRELATION	5.8073	5.8073	0
662	0	CORRELATION	5.8073	5.8073	0



NDD vs Post - Pre Exposure Delta



Test Statistics (ms)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	5.7273	5.8073	5.8873	0.06532	5.8073	5.8206	5.8473	0.023094	-0.04	-0.013333	0	0.023094
1e+12	5.7273	5.8073	5.9673	0.10832	5.7673	5.8273	5.9673	0.095219	0	0.02	0.04	0.023094
5e+12	5.6873	5.8073	5.9273	0.10328	5.6873	5.8573	6.0073	0.14	0	0.05	0.08	0.038297
1e+13	5.7673	5.794	5.8073	0.023094	5.8473	5.8973	5.9673	0.06	0.08	0.12	0.16	0.04

Device Test: 22.14 TIMING|STARTUP/SS_TR/5////@T_SS_100NF




Test Results (No Limits Specified (ms))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	25.283	25.363	0.08
266	1e+12	NDD	25.963	26.083	0.12
267	1e+12	NDD	25.003	25.123	0.12
288	1e+12	NDD	25.003	25.123	0.12
348	5e+12	NDD	25.083	25.363	0.28
353	5e+12	NDD	25.563	25.843	0.28
370	5e+12	NDD	24.723	24.963	0.24
377	5e+12	NDD	26.083	26.363	0.28
389	1e+13	NDD	25.163	25.603	0.44
394	1e+13	NDD	25.283	25.763	0.48
395	1e+13	NDD		25.563	
396	0	CORRELATION	24.923		
571	1e+13	NDD	25.603	26.203	0.6
632	0	CORRELATION	25.683	25.763	0.08
649	0	CORRELATION	25.203	25.203	0
662	0	CORRELATION	25.243	25.243	0

Test Statistics (ms)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	24.923	25.263	25.683	0.31411	25.203	25.403	25.763	0.31241	0	0.026667	0.08	0.046188
1e+12	25.003	25.313	25.963	0.45299	25.123	25.423	26.083	0.45431	0.08	0.11	0.12	0.02
5e+12	24.723	25.363	26.083	0.59059	24.963	25.633	26.363	0.6052	0.24	0.27	0.28	0.02
1e+13	25.163	25.35	25.603	0.22745	25.563	25.783	26.203	0.29303	0.44	0.50667	0.6	0.083267


NDD vs Result Stats



Test Results (Lower Limit = 1.7, Upper Limit = 2.1 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.8922	1.8937	0.0015
266	1e+12	NDD	1.8852	1.8857	0.0005
267	1e+12	NDD	1.9068	1.9073	0.0005
288	1e+12	NDD	1.9023	1.9033	0.001
348	5e+12	NDD	1.8993	1.8972	-0.0021
353	5e+12	NDD	1.8887	1.8857	-0.003
370	5e+12	NDD	1.8937	1.8912	-0.0025
377	5e+12	NDD	1.8842	1.8822	-0.002
389	1e+13	NDD	1.9038	1.8982	-0.0056
394	1e+13	NDD	1.8907	1.8842	-0.0065
395	1e+13	NDD		1.8942	
396	0	CORRELATION	1.9053		
571	1e+13	NDD	1.8902	1.8837	-0.0065
632	0	CORRELATION	1.8922	1.8937	0.0015
649	0	CORRELATION	1.9108	1.9123	0.0015
662	0	CORRELATION	1.8942	1.8942	0



NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.8922	1.9006	1.9108	0.0089003	1.8937	1.9001	1.9123	0.010597	0	0.001	0.0015	0.00086603
1e+12	1.8852	1.8966	1.9068	0.0097613	1.8857	1.8975	1.9073	0.0097187	0.0005	0.000875	0.0015	0.00047871
5e+12	1.8842	1.8915	1.8993	0.0065015	1.8822	1.8891	1.8972	0.0065622	-0.003	-0.0024	-0.002	0.00045461
1e+13	1.8902	1.8949	1.9038	0.0077117	1.8837	1.8901	1.8982	0.0072615	-0.0065	-0.0062	-0.0056	0.00051962

Device Test: 22.17 LEVEL|SINK/SS_TR/12////@R_SS_DISCHARGE





Test Results (Lower Limit = 200.0, Upper Limit = 700.0 (Ω))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	427.71	425.75	-1.9621
266	1e+12	NDD	433	431.1	-1.898
267	1e+12	NDD	426.09	424.61	-1.4803
288	1e+12	NDD	427.28	425.74	-1.5402
348	5e+12	NDD	426.46	424.56	-1.8966
353	5e+12	NDD	426.12	424.26	-1.858
370	5e+12	NDD	422.82	421.26	-1.563
377	5e+12	NDD	432.65	431.08	-1.5694
389	1e+13	NDD	425.51	423.67	-1.8396
394	1e+13	NDD	427.56	425.74	-1.8184
395	1e+13	NDD		421.49	
396	0	CORRELATION	422.93		
571	1e+13	NDD	425.66	424.18	-1.4761
632	0	CORRELATION	424.86	422.39	-2.4732
649	0	CORRELATION	423.71	421.06	-2.6469
662	0	CORRELATION	422.49	420.34	-2.1462

Test Statistics (Ω)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	422.49	423.5	424.86	1.0399	420.34	421.27	422.39	1.0381	-2.6469	-2.4221	-2.1462	0.25423
1e+12	426.09	428.52	433	3.0634	424.61	426.8	431.1	2.9167	-1.9621	-1.7201	-1.4803	0.245
5e+12	422.82	427.01	432.65	4.1001	421.26	425.29	431.08	4.1374	-1.8966	-1.7218	-1.563	0.18032
1e+13	425.51	426.24	427.56	1.1403	421.49	423.77	425.74	1.7574	-1.8396	-1.7114	-1.4761	0.20402




Test Results (No Limits Specified (mV))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	20.263	20.263	0
266	1e+12	NDD	21.764	21.764	0
267	1e+12	NDD	22.514	22.889	0.375
288	1e+12	NDD	21.013	20.638	-0.375
348	5e+12	NDD	19.512	19.512	0
353	5e+12	NDD	20.638	20.263	-0.375
370	5e+12	NDD	22.514	22.514	0
377	5e+12	NDD	21.388	21.013	-0.375
389	1e+13	NDD	19.887	19.512	-0.375
394	1e+13	NDD	21.764	21.388	-0.376
395	1e+13	NDD		20.638	
396	0	CORRELATION	20.263		
571	1e+13	NDD	20.638	20.638	0
632	0	CORRELATION	17.636	17.261	-0.375
649	0	CORRELATION	22.139	21.764	-0.375
662	0	CORRELATION	20.263	20.263	0


Test Statistics (mV)												
Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	17.636	20.075	22.139	1.8511	17.261	19.763	21.764	2.2928	-0.375	-0.25	0	0.21651
1e+12	20.263	21.389	22.514	0.96876	20.263	21.389	22.889	1.1864	-0.375	0	0.375	0.30619
5e+12	19.512	21.013	22.514	1.2632	19.512	20.826	22.514	1.2816	-0.375	-0.1875	0	0.21651
1e+13	19.887	20.763	21.764	0.94472	19.512	20.544	21.388	0.77353	-0.376	-0.25033	0	0.2168

Device Test: 22.19 TIMING|STARTUP/SS_TR/12////@T_SS_5P6NF

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (No Limits Specified (ms))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.4792	1.4792	0
266	1e+12	NDD	1.5192	1.5192	0
267	1e+12	NDD	1.4792	1.4792	0
288	1e+12	NDD	1.4392	1.4392	0
348	5e+12	NDD	1.4792	1.4792	0
353	5e+12	NDD	1.4792	1.5192	0.04
370	5e+12	NDD	1.4392	1.4392	0
377	5e+12	NDD	1.5192	1.5192	0
389	1e+13	NDD	1.4792	1.4792	0
394	1e+13	NDD	1.4792	1.5192	0.04
395	1e+13	NDD		1.4792	
396	0	CORRELATION	1.4392		
571	1e+13	NDD	1.4792	1.5192	0.04
632	0	CORRELATION	1.4792	1.5192	0.04
649	0	CORRELATION	1.4792	1.4792	0
662	0	CORRELATION	1.4792	1.4792	0


Test Statistics (ms)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.4392	1.4692	1.4792	0.02	1.4792	1.4925	1.5192	0.023094	0	0.013333	0.04	0.023094
1e+12	1.4392	1.4792	1.5192	0.03266	1.4392	1.4792	1.5192	0.03266	0	0	0	0
5e+12	1.4392	1.4792	1.5192	0.03266	1.4392	1.4892	1.5192	0.038297	0	0.01	0.04	0.02
1e+13	1.4792	1.4792	1.4792	0	1.4792	1.4992	1.5192	0.023094	0	0.026667	0.04	0.023094

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 1.7, Upper Limit = 2.1 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.8922	1.8937	0.0015
266	1e+12	NDD	1.8847	1.8852	0.0005
267	1e+12	NDD	1.9068	1.9073	0.0005
288	1e+12	NDD	1.9018	1.9033	0.0015
348	5e+12	NDD	1.8987	1.8937	-0.005
353	5e+12	NDD	1.8882	1.8857	-0.0025
370	5e+12	NDD	1.8932	1.8912	-0.002
377	5e+12	NDD	1.8842	1.8822	-0.002
389	1e+13	NDD	1.9038	1.8982	-0.0056
394	1e+13	NDD	1.8907	1.8842	-0.0065
395	1e+13	NDD		1.8942	
396	0	CORRELATION	1.9048		
571	1e+13	NDD	1.8897	1.8837	-0.006
632	0	CORRELATION	1.8922	1.8937	0.0015
649	0	CORRELATION	1.9108	1.9123	0.0015
662	0	CORRELATION	1.8942	1.8942	0

Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.8922	1.9005	1.9108	0.0088159	1.8937	1.9001	1.9123	0.010597	0	0.001	0.0015	0.00086603
1e+12	1.8847	1.8964	1.9068	0.0098632	1.8852	1.8974	1.9073	0.0099222	0.0005	0.001	0.0015	0.00057735
5e+12	1.8842	1.8911	1.8987	0.0062766	1.8822	1.8882	1.8937	0.0052122	-0.005	-0.002875	-0.002	0.0014361
1e+13	1.8897	1.8947	1.9038	0.0078679	1.8837	1.8901	1.8982	0.0072615	-0.0065	-0.0060333	-0.0056	0.00045092


NDD vs Result Stats



Test Results (Lower Limit = 4.7, Upper Limit = 7.3 (ms))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	5.7673	5.8073	0.04
266	1e+12	NDD	5.9673	5.9673	0
267	1e+12	NDD	5.7673	5.7673	0
288	1e+12	NDD	5.7273	5.7273	0
348	5e+12	NDD	5.7673	5.8073	0.04
353	5e+12	NDD	5.8473	5.9273	0.08
370	5e+12	NDD	5.6873	5.7273	0.04
377	5e+12	NDD	5.9273	6.0073	0.08
389	1e+13	NDD	5.7673	5.8473	0.08
394	1e+13	NDD	5.8073	5.9273	0.12
395	1e+13	NDD		5.8073	
396	0	CORRELATION	5.7273		
571	1e+13	NDD	5.8073	5.9673	0.16
632	0	CORRELATION	5.9273	5.8473	-0.08
649	0	CORRELATION	5.8073	5.8073	0
662	0	CORRELATION	5.8073	5.8073	0



NDD vs Post - Pre Exposure Delta



Test Statistics (ms)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	5.7273	5.8173	5.9273	0.082462	5.8073	5.8206	5.8473	0.023094	-0.08	-0.026667	0	0.046188
1e+12	5.7273	5.8073	5.9673	0.10832	5.7273	5.8173	5.9673	0.1052	0	0.01	0.04	0.02
5e+12	5.6873	5.8073	5.9273	0.10328	5.7273	5.8673	6.0073	0.12437	0.04	0.06	0.08	0.023094
1e+13	5.7673	5.794	5.8073	0.023094	5.8073	5.8873	5.9673	0.07303	0.08	0.12	0.16	0.04

Device Test: 22.21 TIMING|STARTUP/SS_TR/12////@T_SS_100NF




Test Results (No Limits Specified (ms))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	25.283	25.323	0.04
266	1e+12	NDD	25.963	26.083	0.12
267	1e+12	NDD	25.043	25.123	0.08
288	1e+12	NDD	25.003	25.123	0.12
348	5e+12	NDD	25.123	25.323	0.2
353	5e+12	NDD	25.403	25.763	0.36
370	5e+12	NDD	24.763	25.003	0.24
377	5e+12	NDD	26.083	26.363	0.28
389	1e+13	NDD	25.163	25.563	0.4
394	1e+13	NDD	25.283	25.763	0.48
395	1e+13	NDD		25.523	
396	0	CORRELATION	24.963		
571	1e+13	NDD	25.603	26.163	0.56
632	0	CORRELATION	25.723	25.723	0
649	0	CORRELATION	25.163	25.163	0
662	0	CORRELATION	25.243	25.283	0.04

Test Statistics (ms)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	24.963	25.273	25.723	0.32228	25.163	25.39	25.723	0.29484	0	0.013333	0.04	0.023094
1e+12	25.003	25.323	25.963	0.44422	25.123	25.413	26.083	0.45651	0.04	0.09	0.12	0.038297
5e+12	24.763	25.343	26.083	0.55857	25.003	25.613	26.363	0.58912	0.2	0.27	0.36	0.068313
1e+13	25.163	25.35	25.603	0.22745	25.523	25.753	26.163	0.2928	0.4	0.48	0.56	0.08


NDD vs Result Stats



Test Results (Lower Limit = 1.7, Upper Limit = 2.1 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.8922	1.8937	0.0015
266	1e+12	NDD	1.8847	1.8852	0.0005
267	1e+12	NDD	1.9063	1.9068	0.0005
288	1e+12	NDD	1.9018	1.9018	0
348	5e+12	NDD	1.8987	1.8942	-0.0045
353	5e+12	NDD	1.8882	1.8857	-0.0025
370	5e+12	NDD	1.8927	1.8912	-0.0015
377	5e+12	NDD	1.8837	1.8817	-0.002
389	1e+13	NDD	1.9023	1.8977	-0.0046
394	1e+13	NDD	1.8907	1.8827	-0.008
395	1e+13	NDD		1.8942	
396	0	CORRELATION	1.9038		
571	1e+13	NDD	1.8897	1.8837	-0.006
632	0	CORRELATION	1.8922	1.8937	0.0015
649	0	CORRELATION	1.9108	1.9123	0.0015
662	0	CORRELATION	1.8937	1.8942	0.0005



NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.8922	1.9001	1.9108	0.0087854	1.8937	1.9001	1.9123	0.010597	0.0005	0.0011667	0.0015	0.00057735
1e+12	1.8847	1.8962	1.9063	0.0096887	1.8852	1.8969	1.9068	0.0094718	0	0.000625	0.0015	0.00062915
5e+12	1.8837	1.8908	1.8987	0.006408	1.8817	1.8882	1.8942	0.0055827	-0.0045	-0.002625	-0.0015	0.001315
1e+13	1.8897	1.8942	1.9023	0.0070038	1.8827	1.8896	1.8977	0.0075097	-0.008	-0.0062	-0.0046	0.0017088

Device Test: 22.24 LEVEL|SINK/SS_TR/14////@R_SS_DISCHARGE





Test Results (Lower Limit = 200.0, Upper Limit = 700.0 (Ω))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	428.4	426.55	-1.8564
266	1e+12	NDD	433.71	431.84	-1.87
267	1e+12	NDD	426.76	425.42	-1.3429
288	1e+12	NDD	428.06	426.52	-1.5438
348	5e+12	NDD	427.14	425.35	-1.7913
353	5e+12	NDD	426.75	424.98	-1.7647
370	5e+12	NDD	423.49	422.02	-1.4698
377	5e+12	NDD	433.25	431.74	-1.5082
389	1e+13	NDD	426.24	424.48	-1.7633
394	1e+13	NDD	428.23	426.49	-1.7436
395	1e+13	NDD		422.31	
396	0	CORRELATION	423.61		
571	1e+13	NDD	426.38	424.89	-1.493
632	0	CORRELATION	425.55	423.13	-2.4268
649	0	CORRELATION	424.43	421.82	-2.6188
662	0	CORRELATION	423.14	421.06	-2.0828

Test Statistics (Ω)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	423.14	424.18	425.55	1.0586	421.06	422	423.13	1.0471	-2.6188	-2.3761	-2.0828	0.27157
1e+12	426.76	429.23	433.71	3.0667	425.42	427.58	431.84	2.8877	-1.87	-1.6533	-1.3429	0.25596
5e+12	423.49	427.66	433.25	4.0705	422.02	426.02	431.74	4.0919	-1.7913	-1.6335	-1.4698	0.16794
1e+13	426.24	426.95	428.23	1.1122	422.31	424.54	426.49	1.7211	-1.7633	-1.6666	-1.493	0.15069




Test Results (No Limits Specified (mV))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	20.638	20.263	-0.375
266	1e+12	NDD	22.139	21.764	-0.375
267	1e+12	NDD	22.514	22.889	0.375
288	1e+12	NDD	21.013	21.013	0
348	5e+12	NDD	19.512	19.512	0
353	5e+12	NDD	20.638	20.263	-0.375
370	5e+12	NDD	22.514	22.889	0.375
377	5e+12	NDD	21.388	21.388	0
389	1e+13	NDD	19.887	19.512	-0.375
394	1e+13	NDD	21.764	21.388	-0.376
395	1e+13	NDD		20.638	
396	0	CORRELATION	20.638		
571	1e+13	NDD	20.638	20.638	0
632	0	CORRELATION	17.636	17.261	-0.375
649	0	CORRELATION	22.139	21.764	-0.375
662	0	CORRELATION	20.263	20.263	0


Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	17.636	20.169	22.139	1.8731	17.261	19.763	21.764	2.2928	-0.375	-0.25	0	0.21651
1e+12	20.638	21.576	22.514	0.89324	20.263	21.482	22.889	1.1203	-0.375	-0.09375	0.375	0.35904
5e+12	19.512	21.013	22.514	1.2632	19.512	21.013	22.889	1.4692	-0.375	0	0.375	0.30619
1e+13	19.887	20.763	21.764	0.94472	19.512	20.544	21.388	0.77353	-0.376	-0.25033	0	0.2168

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (No Limits Specified (ms))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.4792	1.4792	0
266	1e+12	NDD	1.5192	1.5192	0
267	1e+12	NDD	1.4392	1.4392	0
288	1e+12	NDD	1.4392	1.4392	0
348	5e+12	NDD	1.4392	1.4792	0.04
353	5e+12	NDD	1.5192	1.5192	0
370	5e+12	NDD	1.4392	1.4392	0
377	5e+12	NDD	1.5192	1.5192	0
389	1e+13	NDD	1.4792	1.4792	0
394	1e+13	NDD	1.4792	1.5192	0.04
395	1e+13	NDD		1.4792	
396	0	CORRELATION	1.4392		
571	1e+13	NDD	1.4792	1.5192	0.04
632	0	CORRELATION	1.4792	1.5192	0.04
649	0	CORRELATION	1.4792	1.4792	0
662	0	CORRELATION	1.4792	1.4792	0

Test Statistics (ms)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.4392	1.4692	1.4792	0.02	1.4792	1.4925	1.5192	0.023094	0	0.013333	0.04	0.023094
1e+12	1.4392	1.4692	1.5192	0.038297	1.4392	1.4692	1.5192	0.038297	0	0	0	0
5e+12	1.4392	1.4792	1.5192	0.046188	1.4392	1.4892	1.5192	0.038297	0	0.01	0.04	0.02
1e+13	1.4792	1.4792	1.4792	0	1.4792	1.4992	1.5192	0.023094	0	0.026667	0.04	0.023094


NDD vs Result Stats



Test Results (Lower Limit = 4.7, Upper Limit = 7.3 (ms))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	5.7673	5.8073	0.04
266	1e+12	NDD	5.9673	5.9673	0
267	1e+12	NDD	5.7673	5.7673	0
288	1e+12	NDD	5.7273	5.7673	0.04
348	5e+12	NDD	5.7673	5.8073	0.04
353	5e+12	NDD	5.8473	5.9273	0.08
370	5e+12	NDD	5.6873	5.7673	0.08
377	5e+12	NDD	5.9273	6.0073	0.08
389	1e+13	NDD	5.7673	5.8073	0.04
394	1e+13	NDD	5.8073	5.8873	0.08
395	1e+13	NDD		5.8473	
396	0	CORRELATION	5.7273		
571	1e+13	NDD	5.8073	5.9273	0.12
632	0	CORRELATION	5.8873	5.8473	-0.04
649	0	CORRELATION	5.8073	5.8073	0
662	0	CORRELATION	5.7673	5.8073	0.04


NDD vs Post - Pre Exposure Delta




Test Statistics (ms)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	5.7273	5.7973	5.8873	0.068313	5.8073	5.8206	5.8473	0.023094	-0.04	0	0.04	0.04
1e+12	5.7273	5.8073	5.9673	0.10832	5.7673	5.8273	5.9673	0.095219	0	0.02	0.04	0.023094
5e+12	5.6873	5.8073	5.9273	0.10328	5.7673	5.8773	6.0073	0.11015	0.04	0.07	0.08	0.02
1e+13	5.7673	5.794	5.8073	0.023094	5.8073	5.8673	5.9273	0.05164	0.04	0.08	0.12	0.04

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta



Test Results (No Limits Specified (ms))


Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	25.243	25.363	0.12
266	1e+12	NDD	25.963	26.043	0.08
267	1e+12	NDD	25.043	25.123	0.08
288	1e+12	NDD	24.963	25.123	0.16
348	5e+12	NDD	25.163	25.323	0.16
353	5e+12	NDD	25.443	25.803	0.36
370	5e+12	NDD	24.763	24.963	0.2
377	5e+12	NDD	25.963	26.323	0.36
389	1e+13	NDD	25.083	25.523	0.44
394	1e+13	NDD	25.283	25.683	0.4
395	1e+13	NDD		25.523	
396	0	CORRELATION	25.003		
571	1e+13	NDD	25.523	26.123	0.6
632	0	CORRELATION	25.683	25.723	0.04
649	0	CORRELATION	25.123	25.203	0.08
662	0	CORRELATION	25.203	25.243	0.04

Test Statistics (ms)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	25.003	25.253	25.683	0.29822	25.203	25.39	25.723	0.28937	0.04	0.053333	0.08	0.023094
1e+12	24.963	25.303	25.963	0.45549	25.123	25.413	26.043	0.43497	0.08	0.11	0.16	0.038297
5e+12	24.763	25.333	25.963	0.50425	24.963	25.603	26.323	0.59059	0.16	0.27	0.36	0.1052
1e+13	25.083	25.296	25.523	0.2203	25.523	25.713	26.123	0.28355	0.4	0.48	0.6	0.10583

Device Test: 22.3 LEVEL|SINK/SS_TR/4.5////@R_SS_DISCHARGE

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta





Test Results (Lower Limit = 200.0, Upper Limit = 700.0 (Ω))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	444.95	442.65	-2.2973
266	1e+12	NDD	450.08	447.96	-2.1207
267	1e+12	NDD	443.43	441.55	-1.883
288	1e+12	NDD	444.69	442.7	-1.9969
348	5e+12	NDD	444.46	441.9	-2.5602
353	5e+12	NDD	442.94	440.44	-2.5052
370	5e+12	NDD	440.55	438.23	-2.3174
377	5e+12	NDD	449.98	447.71	-2.2715
389	1e+13	NDD	443.01	440.05	-2.9634
394	1e+13	NDD	444.78	442.22	-2.5665
395	1e+13	NDD		437.74	
396	0	CORRELATION	440.15		
571	1e+13	NDD	443.35	440.82	-2.5353
632	0	CORRELATION	441.58	438.8	-2.7815
649	0	CORRELATION	441	438.11	-2.889
662	0	CORRELATION	439.04	436.68	-2.3579

Test Statistics (Ω)


Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	439.04	440.44	441.58	1.1065	436.68	437.86	438.8	1.0821	-2.889	-2.6761	-2.3579	0.28079
1e+12	443.43	445.79	450.08	2.9352	441.55	443.71	447.96	2.8778	-2.2973	-2.0745	-1.883	0.17745
5e+12	440.55	444.48	449.98	4.0022	438.23	442.07	447.71	4.0499	-2.5602	-2.4136	-2.2715	0.14063
1e+13	443.01	443.72	444.78	0.93932	437.74	440.21	442.22	1.873	-2.9634	-2.6884	-2.5353	0.23867




Test Results (No Limits Specified (mV))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	20.263	20.263	0
266	1e+12	NDD	21.764	21.388	-0.376
267	1e+12	NDD	22.514	22.514	0
288	1e+12	NDD	20.638	20.638	0
348	5e+12	NDD	19.512	19.137	-0.375
353	5e+12	NDD	20.638	20.263	-0.375
370	5e+12	NDD	22.139	22.514	0.375
377	5e+12	NDD	21.013	21.013	0
389	1e+13	NDD	19.887	19.137	-0.75
394	1e+13	NDD	21.388	21.388	0
395	1e+13	NDD		20.263	
396	0	CORRELATION	20.263		
571	1e+13	NDD	20.638	20.263	-0.375
632	0	CORRELATION	17.261	17.261	0
649	0	CORRELATION	22.139	21.764	-0.375
662	0	CORRELATION	19.887	19.887	0

Test Statistics (mV)												
Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	17.261	19.887	22.139	2.009	17.261	19.637	21.764	2.2619	-0.375	-0.125	0	0.21651
1e+12	20.263	21.295	22.514	1.0332	20.263	21.201	22.514	0.9926	-0.376	-0.094	0	0.188
5e+12	19.512	20.826	22.139	1.0833	19.137	20.732	22.514	1.4164	-0.375	-0.09375	0.375	0.35904
1e+13	19.887	20.638	21.388	0.7505	19.137	20.263	21.388	0.91897	-0.75	-0.375	0	0.375

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta



Test Results (No Limits Specified (ms))


Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.4792	1.4792	0
266	1e+12	NDD	1.5192	1.5192	0
267	1e+12	NDD	1.4392	1.4392	0
288	1e+12	NDD	1.4792	1.4792	0
348	5e+12	NDD	1.4792	1.4792	0
353	5e+12	NDD	1.4792	1.5192	0.04
370	5e+12	NDD	1.4392	1.4392	0
377	5e+12	NDD	1.5192	1.5192	0
389	1e+13	NDD	1.4392	1.4792	0.04
394	1e+13	NDD	1.4792	1.5192	0.04
395	1e+13	NDD		1.4792	
396	0	CORRELATION	1.4792		
571	1e+13	NDD	1.4792	1.5192	0.04
632	0	CORRELATION	1.4792	1.5192	0.04
649	0	CORRELATION	1.5192	1.5192	0
662	0	CORRELATION	1.4792	1.4792	0

Test Statistics (ms)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.4792	1.4892	1.5192	0.02	1.4792	1.5059	1.5192	0.023094	0	0.013333	0.04	0.023094
1e+12	1.4392	1.4792	1.5192	0.03266	1.4392	1.4792	1.5192	0.03266	0	0	0	0
5e+12	1.4392	1.4792	1.5192	0.03266	1.4392	1.4892	1.5192	0.038297	0	0.01	0.04	0.02
1e+13	1.4392	1.4659	1.4792	0.023094	1.4792	1.4992	1.5192	0.023094	0.04	0.04	0.04	0

Device Test: 22.6 TIMING|STARTUP/SS_TR/4.5/////@T_SS_22NF


NDD vs Result Stats



Test Results (Lower Limit = 4.7, Upper Limit = 7.3 (ms))



Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	5.8073	5.8073	0
266	1e+12	NDD	6.0073	6.0073	0
267	1e+12	NDD	5.7673	5.7673	0
288	1e+12	NDD	5.7273	5.7673	0.04
348	5e+12	NDD	5.7673	5.8073	0.04
353	5e+12	NDD	5.8873	5.9273	0.04
370	5e+12	NDD	5.6873	5.7273	0.04
377	5e+12	NDD	5.9673	6.0073	0.04
389	1e+13	NDD	5.7673	5.8473	0.08
394	1e+13	NDD	5.8473	5.9273	0.08
395	1e+13	NDD		5.8873	
396	0	CORRELATION	5.7273		
571	1e+13	NDD	5.8473	5.9673	0.12
632	0	CORRELATION	5.8873	5.9273	0.04
649	0	CORRELATION	5.8073	5.8073	0
662	0	CORRELATION	5.7673	5.8073	0.04

NDD vs Post - Pre Exposure Delta



Test Statistics (ms)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	5.7273	5.7973	5.8873	0.068313	5.8073	5.8473	5.9273	0.069282	0	0.026667	0.04	0.023094
1e+12	5.7273	5.8273	6.0073	0.12437	5.7673	5.8373	6.0073	0.11489	0	0.01	0.04	0.02
5e+12	5.6873	5.8273	5.9673	0.12437	5.7273	5.8673	6.0073	0.12437	0.04	0.04	0.04	0
1e+13	5.7673	5.8206	5.8473	0.046188	5.8473	5.9073	5.9673	0.05164	0.08	0.093333	0.12	0.023094



Test Results (No Limits Specified (ms))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	25.323	25.363	0.04
266	1e+12	NDD	26.003	26.043	0.04
267	1e+12	NDD	25.083	25.123	0.04
288	1e+12	NDD	25.043	25.163	0.12
348	5e+12	NDD	25.083	25.323	0.24
353	5e+12	NDD	25.563	25.803	0.24
370	5e+12	NDD	24.763	24.923	0.16
377	5e+12	NDD	26.043	26.403	0.36
389	1e+13	NDD	25.083	25.563	0.48
394	1e+13	NDD	25.243	25.723	0.48
395	1e+13	NDD		25.563	
396	0	CORRELATION	24.923		
571	1e+13	NDD	25.563	26.163	0.6
632	0	CORRELATION	25.683	25.763	0.08
649	0	CORRELATION	25.123	25.203	0.08
662	0	CORRELATION	25.123	25.203	0.08

Test Statistics (ms)												
Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	24.923	25.213	25.683	0.32721	25.203	25.39	25.763	0.32332	0.08	0.08	0.08	2.0502e-15
1e+12	25.043	25.363	26.003	0.44422	25.123	25.423	26.043	0.42646	0.04	0.06	0.12	0.04
5e+12	24.763	25.363	26.043	0.56	24.923	25.613	26.403	0.63781	0.16	0.25	0.36	0.082462
1e+13	25.083	25.296	25.563	0.2444	25.563	25.753	26.163	0.28355	0.48	0.52	0.6	0.069282


NDD vs Result Stats



Test Results (Lower Limit = 1.7, Upper Limit = 2.1 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.8922	1.8937	0.0015
266	1e+12	NDD	1.8847	1.8852	0.0005
267	1e+12	NDD	1.9068	1.9073	0.0005
288	1e+12	NDD	1.9023	1.9018	-0.0005
348	5e+12	NDD	1.8993	1.8942	-0.0051
353	5e+12	NDD	1.8882	1.8857	-0.0025
370	5e+12	NDD	1.8932	1.8912	-0.002
377	5e+12	NDD	1.8842	1.8822	-0.002
389	1e+13	NDD	1.9038	1.8982	-0.0056
394	1e+13	NDD	1.8907	1.8842	-0.0065
395	1e+13	NDD		1.8947	
396	0	CORRELATION	1.9048		
571	1e+13	NDD	1.8897	1.8837	-0.006
632	0	CORRELATION	1.8922	1.8937	0.0015
649	0	CORRELATION	1.9108	1.9123	0.0015
662	0	CORRELATION	1.8942	1.8942	0


NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.8922	1.9005	1.9108	0.0088159	1.8937	1.9001	1.9123	0.010597	0	0.001	0.0015	0.00086603
1e+12	1.8847	1.8965	1.9068	0.0099576	1.8852	1.897	1.9073	0.0096481	-0.0005	0.0005	0.0015	0.0008165
5e+12	1.8842	1.8912	1.8993	0.006522	1.8822	1.8883	1.8942	0.005391	-0.0051	-0.0029	-0.002	0.0014855
1e+13	1.8897	1.8947	1.9038	0.0078679	1.8837	1.8902	1.8982	0.0073598	-0.0065	-0.0060333	-0.0056	0.00045092

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 2.0 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.8055	0.7392	-0.0663
266	1e+12	NDD	0.768	0.7142	-0.0538
267	1e+12	NDD	0.7767	0.7242	-0.0525
288	1e+12	NDD	0.788	0.733	-0.055
348	5e+12	NDD	0.7442	0.7167	-0.0275
353	5e+12	NDD	0.7267	0.7167	-0.01
370	5e+12	NDD	0.7267	0.7167	-0.01
377	5e+12	NDD	0.7355	0.7242	-0.0113
389	1e+13	NDD	0.748	0.728	-0.02
394	1e+13	NDD	0.7392	0.7305	-0.0087
395	1e+13	NDD		0.738	
396	0	CORRELATION	0.7455		
571	1e+13	NDD	0.7292	0.7192	-0.01
632	0	CORRELATION	0.7467	0.7567	0.01
649	0	CORRELATION	0.7442	0.753	0.0088
662	0	CORRELATION	0.7405	0.7455	0.005

Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.7405	0.74423	0.7467	0.002685	0.7455	0.75173	0.7567	0.0057064	0.005	0.0079333	0.01	0.0026102
1e+12	0.768	0.78455	0.8055	0.01619	0.7142	0.72765	0.7392	0.010876	-0.0663	-0.0569	-0.0525	0.0063493
5e+12	0.7267	0.73328	0.7442	0.0083819	0.7167	0.71857	0.7242	0.00375	-0.0275	-0.0147	-0.01	0.0085553
1e+13	0.7292	0.7388	0.748	0.0094064	0.7192	0.72893	0.738	0.0077517	-0.02	-0.0129	-0.0087	0.006183


NDD vs Result Stats



Test Results (Lower Limit = 0.89, Upper Limit = 0.95 (Decimal))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.9202	0.9209	0.0007
266	1e+12	NDD	0.9079	0.9078	-0.0001
267	1e+12	NDD	0.9173	0.9169	-0.0004
288	1e+12	NDD	0.9145	0.9144	-0.0001
348	5e+12	NDD	0.9132	0.9133	0.0001
353	5e+12	NDD	0.9121	0.912	-0.0001
370	5e+12	NDD	0.9247	0.9244	-0.0003
377	5e+12	NDD	0.9147	0.9145	-0.0002
389	1e+13	NDD	0.9084	0.908	-0.0004
394	1e+13	NDD	0.9135	0.9136	0.0001
395	1e+13	NDD		0.9121	
396	0	CORRELATION	0.9121		
571	1e+13	NDD	0.9204	0.9212	0.0008
632	0	CORRELATION	0.9256	0.9259	0.0003
649	0	CORRELATION	0.9255	0.9255	0
662	0	CORRELATION	0.9167	0.9162	-0.0005


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.9121	0.91997	0.9256	0.0067059	0.9162	0.92253	0.9259	0.0054885	-0.0005	-6.6667e-05	0.0003	0.00040415
1e+12	0.9079	0.91497	0.9202	0.0052595	0.9078	0.915	0.9209	0.0054961	-0.0004	2.5e-05	0.0007	0.0004717
5e+12	0.9121	0.91617	0.9247	0.0057824	0.912	0.91605	0.9244	0.0056595	-0.0003	-0.000125	0.0001	0.00017078
1e+13	0.9084	0.9141	0.9204	0.0060225	0.908	0.91373	0.9212	0.0055169	-0.0004	0.00016667	0.0008	0.00060277


NDD vs Result Stats



Test Results (Lower Limit = 0.92, Upper Limit = 0.98 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.952	0.9522	0.0002
266	1e+12	NDD	0.939	0.9392	0.0002
267	1e+12	NDD	0.9488	0.9486	-0.0002
288	1e+12	NDD	0.9458	0.9455	-0.0003
348	5e+12	NDD	0.9447	0.9445	-0.0002
353	5e+12	NDD	0.9432	0.9432	0
370	5e+12	NDD	0.9562	0.9555	-0.0007
377	5e+12	NDD	0.9458	0.9459	0.0001
389	1e+13	NDD	0.9397	0.9388	-0.0009
394	1e+13	NDD	0.945	0.9447	-0.0003
395	1e+13	NDD		0.9433	
396	0	CORRELATION	0.9434		
571	1e+13	NDD	0.9519	0.9528	0.0009
632	0	CORRELATION	0.9575	0.9576	0.0001
649	0	CORRELATION	0.9572	0.9571	-0.0001
662	0	CORRELATION	0.9483	0.9479	-0.0004


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.9434	0.9516	0.9575	0.0069354	0.9479	0.9542	0.9576	0.0054617	-0.0004	-0.00013333	0.0001	0.00025166
1e+12	0.939	0.9464	0.952	0.005545	0.9392	0.94637	0.9522	0.0055114	-0.0003	-2.5e-05	0.0002	0.000263
5e+12	0.9432	0.94748	0.9562	0.0059135	0.9432	0.94727	0.9555	0.0055931	-0.0007	-0.0002	0.0001	0.0003559
1e+13	0.9397	0.94553	0.9519	0.0061175	0.9388	0.9449	0.9528	0.0058372	-0.0009	-0.0001	0.0009	0.00091652


NDD vs Result Stats



Test Results (Lower Limit = 1.05, Upper Limit = 1.12 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.0821	1.0822	0.0001
266	1e+12	NDD	1.0704	1.0703	-0.0001
267	1e+12	NDD	1.0795	1.0786	-0.0009
288	1e+12	NDD	1.0759	1.0758	-0.0001
348	5e+12	NDD	1.0747	1.0743	-0.0004
353	5e+12	NDD	1.0736	1.0735	-0.0001
370	5e+12	NDD	1.0891	1.0888	-0.0003
377	5e+12	NDD	1.0767	1.0769	0.0002
389	1e+13	NDD	1.0687	1.0686	-0.0001
394	1e+13	NDD	1.0755	1.0745	-0.001
395	1e+13	NDD		1.0748	
396	0	CORRELATION	1.0751		
571	1e+13	NDD	1.0815	1.0822	0.0007
632	0	CORRELATION	1.0869	1.0869	0
649	0	CORRELATION	1.0885	1.0884	-0.0001
662	0	CORRELATION	1.0775	1.0768	-0.0007


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.0751	1.082	1.0885	0.0066863	1.0768	1.084	1.0884	0.006309	-0.0007	-0.00026667	0	0.00037859
1e+12	1.0704	1.077	1.0821	0.0050671	1.0703	1.0767	1.0822	0.0050209	-0.0009	-0.00025	0.0001	0.00044347
5e+12	1.0736	1.0785	1.0891	0.0071658	1.0735	1.0784	1.0888	0.0070999	-0.0004	-0.00015	0.0002	0.00026458
1e+13	1.0687	1.0752	1.0815	0.0064042	1.0686	1.075	1.0822	0.0055704	-0.001	-0.00013333	0.0007	0.00085049


NDD vs Result Stats



Test Results (Lower Limit = 1.02, Upper Limit = 1.09 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.0505	1.0508	0.0003
266	1e+12	NDD	1.0395	1.0393	-0.0002
267	1e+12	NDD	1.0482	1.0476	-0.0006
288	1e+12	NDD	1.0446	1.0445	-0.0001
348	5e+12	NDD	1.0438	1.0435	-0.0003
353	5e+12	NDD	1.0425	1.0425	0
370	5e+12	NDD	1.0574	1.0571	-0.0003
377	5e+12	NDD	1.0458	1.0461	0.0003
389	1e+13	NDD	1.0377	1.0376	-0.0001
394	1e+13	NDD	1.0443	1.0433	-0.001
395	1e+13	NDD		1.0435	
396	0	CORRELATION	1.0444		
571	1e+13	NDD	1.0502	1.0506	0.0004
632	0	CORRELATION	1.0554	1.0556	0.0002
649	0	CORRELATION	1.057	1.0569	-0.0001
662	0	CORRELATION	1.0461	1.0457	-0.0004

NDD vs Post - Pre Exposure Delta




Test Statistics (Decimal)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.0444	1.0507	1.057	0.0063934	1.0457	1.0527	1.0569	0.0061256	-0.0004	-0.0001	0.0002	0.0003
1e+12	1.0395	1.0457	1.0505	0.0047937	1.0393	1.0455	1.0508	0.0048966	-0.0006	-0.00015	0.0003	0.00036968
5e+12	1.0425	1.0474	1.0574	0.0068198	1.0425	1.0473	1.0571	0.0067072	-0.0003	-7.5e-05	0.0003	0.00028723
1e+13	1.0377	1.0441	1.0502	0.0062533	1.0376	1.0437	1.0506	0.0053232	-0.001	-0.00023333	0.0004	0.00070946

Device Test: 23.14 LEAK|MAX/PWRGD/5////@PWRGD_OUTPUT_HIGH_LEAK

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 500.0 (nA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.2869	0.6674	-0.6195
266	1e+12	NDD	0.9971	0.7785	-0.2186
267	1e+12	NDD	0.7325	0.8314	0.0989
288	1e+12	NDD	0.9	0.7814	-0.1186
348	5e+12	NDD	1.3369	0.8385	-0.4984
353	5e+12	NDD	0.9565	0.8503	-0.1062
370	5e+12	NDD	1.8903	1.9615	0.0712
377	5e+12	NDD	1.0654	0.6784	-0.387
389	1e+13	NDD	1.4961	1.0905	-0.4056
394	1e+13	NDD	0.6632	0.6098	-0.0534
395	1e+13	NDD		0.8751	
396	0	CORRELATION	0.6732		
571	1e+13	NDD	0.8781	0.8189	-0.0592
632	0	CORRELATION	1.1808	0.6332	-0.5476
649	0	CORRELATION	0.9222	0.766	-0.1562
662	0	CORRELATION	0.6482	0.7315	0.0833

Test Statistics (nA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.6482	0.8561	1.1808	0.24932	0.6332	0.71023	0.766	0.068907	-0.5476	-0.20683	0.0833	0.31848
1e+12	0.7325	0.97913	1.2869	0.23247	0.6674	0.76467	0.8314	0.069247	-0.6195	-0.21445	0.0989	0.30081
5e+12	0.9565	1.3123	1.8903	0.41723	0.6784	1.0822	1.9615	0.59144	-0.4984	-0.2301	0.0712	0.25996
1e+13	0.6632	1.0125	1.4961	0.4324	0.6098	0.84857	1.0905	0.19759	-0.4056	-0.17273	-0.0534	0.20169


NDD vs Result Stats



Test Results (Upper Limit = 300.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	248.52	248.38	-0.1378
266	1e+12	NDD	250.28	250.07	-0.2118
267	1e+12	NDD	244.64	244.8	0.1588
288	1e+12	NDD	244.68	244.7	0.0265
348	5e+12	NDD	245.16	245.06	-0.1072
353	5e+12	NDD	247.47	247.37	-0.1036
370	5e+12	NDD	242.65	242.6	-0.0444
377	5e+12	NDD	250.81	250.67	-0.1451
389	1e+13	NDD	245.91	245.9	-0.0134
394	1e+13	NDD	246.04	245.89	-0.1509
395	1e+13	NDD		243.32	
396	0	CORRELATION	243.32		
571	1e+13	NDD	246.85	246.73	-0.114
632	0	CORRELATION	248.32	248.06	-0.2628
649	0	CORRELATION	244.52	244.2	-0.3232
662	0	CORRELATION	242.85	242.71	-0.1381


NDD vs Post - Pre Exposure Delta



Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	242.85	244.75	248.32	2.4803	242.71	244.99	248.06	2.7587	-0.3232	-0.24137	-0.1381	0.094393
1e+12	244.64	247.03	250.28	2.831	244.7	246.99	250.07	2.6743	-0.2118	-0.041075	0.1588	0.16635
5e+12	242.65	246.52	250.81	3.473	242.6	246.42	250.67	3.4344	-0.1451	-0.10007	-0.0444	0.041594
1e+13	245.91	246.27	246.85	0.5064	243.32	245.46	246.73	1.4805	-0.1509	-0.092767	-0.0134	0.071167


NDD vs Result Stats



Test Results (Lower Limit = 0.89, Upper Limit = 0.95 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.9202	0.9209	0.0007
266	1e+12	NDD	0.9081	0.9078	-0.0003
267	1e+12	NDD	0.9175	0.9169	-0.0006
288	1e+12	NDD	0.9145	0.9144	-0.0001
348	5e+12	NDD	0.9132	0.9133	0.0001
353	5e+12	NDD	0.9121	0.912	-0.0001
370	5e+12	NDD	0.9247	0.9244	-0.0003
377	5e+12	NDD	0.9147	0.9145	-0.0002
389	1e+13	NDD	0.9084	0.908	-0.0004
394	1e+13	NDD	0.9135	0.9136	0.0001
395	1e+13	NDD		0.9121	
396	0	CORRELATION	0.9121		
571	1e+13	NDD	0.9204	0.9214	0.001
632	0	CORRELATION	0.9258	0.9259	0.0001
649	0	CORRELATION	0.9255	0.9253	-0.0002
662	0	CORRELATION	0.9167	0.9162	-0.0005


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.9121	0.92002	0.9258	0.0067623	0.9162	0.92247	0.9259	0.0054354	-0.0005	-0.0002	0.0001	0.0003
1e+12	0.9081	0.91507	0.9202	0.0052002	0.9078	0.915	0.9209	0.0054961	-0.0006	-7.5e-05	0.0007	0.00055603
5e+12	0.9121	0.91617	0.9247	0.0057824	0.912	0.91605	0.9244	0.0056595	-0.0003	-0.000125	0.0001	0.00017078
1e+13	0.9084	0.9141	0.9204	0.0060225	0.908	0.91378	0.9214	0.0056074	-0.0004	0.00023333	0.001	0.00070946


NDD vs Result Stats



Test Results (Lower Limit = 0.92, Upper Limit = 0.98 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.952	0.9522	0.0002
266	1e+12	NDD	0.9392	0.9392	0
267	1e+12	NDD	0.9488	0.9486	-0.0002
288	1e+12	NDD	0.9458	0.9457	-0.0001
348	5e+12	NDD	0.9447	0.9442	-0.0005
353	5e+12	NDD	0.9432	0.9432	0
370	5e+12	NDD	0.9562	0.9555	-0.0007
377	5e+12	NDD	0.9458	0.9459	0.0001
389	1e+13	NDD	0.9397	0.9388	-0.0009
394	1e+13	NDD	0.9448	0.9447	-0.0001
395	1e+13	NDD		0.9433	
396	0	CORRELATION	0.9434		
571	1e+13	NDD	0.9519	0.9528	0.0009
632	0	CORRELATION	0.9575	0.9576	0.0001
649	0	CORRELATION	0.9572	0.9571	-0.0001
662	0	CORRELATION	0.9483	0.9479	-0.0004


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.9434	0.9516	0.9575	0.0069354	0.9479	0.9542	0.9576	0.0054617	-0.0004	-0.00013333	0.0001	0.00025166
1e+12	0.9392	0.94645	0.952	0.0054562	0.9392	0.94643	0.9522	0.0055017	-0.0002	-2.5e-05	0.0002	0.00017078
5e+12	0.9432	0.94748	0.9562	0.0059135	0.9432	0.9472	0.9555	0.0056445	-0.0007	-0.000275	0.0001	0.00038622
1e+13	0.9397	0.94547	0.9519	0.0061273	0.9388	0.9449	0.9528	0.0058372	-0.0009	-3.3333e-05	0.0009	0.00090185


NDD vs Result Stats



Test Results (Lower Limit = 1.05, Upper Limit = 1.12 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.0821	1.0822	0.0001
266	1e+12	NDD	1.0704	1.0703	-0.0001
267	1e+12	NDD	1.0793	1.0786	-0.0007
288	1e+12	NDD	1.0759	1.0758	-0.0001
348	5e+12	NDD	1.0747	1.0743	-0.0004
353	5e+12	NDD	1.0736	1.0735	-0.0001
370	5e+12	NDD	1.0891	1.0888	-0.0003
377	5e+12	NDD	1.0769	1.0771	0.0002
389	1e+13	NDD	1.0687	1.0686	-0.0001
394	1e+13	NDD	1.0755	1.0743	-0.0012
395	1e+13	NDD		1.0748	
396	0	CORRELATION	1.0751		
571	1e+13	NDD	1.0815	1.0822	0.0007
632	0	CORRELATION	1.0869	1.0869	0
649	0	CORRELATION	1.0885	1.0884	-0.0001
662	0	CORRELATION	1.0777	1.0768	-0.0009


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.0751	1.082	1.0885	0.006642	1.0768	1.084	1.0884	0.006309	-0.0009	-0.00033333	0	0.00049329
1e+12	1.0704	1.0769	1.0821	0.0050348	1.0703	1.0767	1.0822	0.0050209	-0.0007	-0.0002	0.0001	0.00034641
5e+12	1.0736	1.0786	1.0891	0.0071495	1.0735	1.0784	1.0888	0.0070868	-0.0004	-0.00015	0.0002	0.00026458
1e+13	1.0687	1.0752	1.0815	0.0064042	1.0686	1.075	1.0822	0.0055776	-0.0012	-0.0002	0.0007	0.00095394


NDD vs Result Stats



Test Results (Lower Limit = 0.89, Upper Limit = 0.95 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.9205	0.9211	0.0006
266	1e+12	NDD	0.9081	0.9082	0.0001
267	1e+12	NDD	0.9175	0.9173	-0.0002
288	1e+12	NDD	0.9145	0.9148	0.0003
348	5e+12	NDD	0.9134	0.9135	0.0001
353	5e+12	NDD	0.9123	0.912	-0.0003
370	5e+12	NDD	0.9247	0.9246	-0.0001
377	5e+12	NDD	0.9147	0.915	0.0003
389	1e+13	NDD	0.9086	0.9082	-0.0004
394	1e+13	NDD	0.9135	0.9138	0.0003
395	1e+13	NDD		0.9121	
396	0	CORRELATION	0.9123		
571	1e+13	NDD	0.9208	0.9214	0.0006
632	0	CORRELATION	0.9258	0.9263	0.0005
649	0	CORRELATION	0.9255	0.9255	0
662	0	CORRELATION	0.917	0.9166	-0.0004


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.9123	0.92015	0.9258	0.0066355	0.9166	0.9228	0.9263	0.0053842	-0.0004	3.3333e-05	0.0005	0.00045092
1e+12	0.9081	0.91515	0.9205	0.0053	0.9082	0.91535	0.9211	0.0054249	-0.0002	0.0002	0.0006	0.00033665
5e+12	0.9123	0.91627	0.9247	0.0057017	0.912	0.91627	0.9246	0.0056835	-0.0003	2.7756e-17	0.0003	0.0002582
1e+13	0.9086	0.9143	0.9208	0.0061392	0.9082	0.91387	0.9214	0.0055374	-0.0004	0.00016667	0.0006	0.00051316


NDD vs Result Stats



Test Results (Lower Limit = 1.02, Upper Limit = 1.09 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.0505	1.0508	0.0003
266	1e+12	NDD	1.0395	1.0395	0
267	1e+12	NDD	1.0482	1.0476	-0.0006
288	1e+12	NDD	1.0446	1.0448	0.0002
348	5e+12	NDD	1.0436	1.0435	-0.0001
353	5e+12	NDD	1.0425	1.0425	0
370	5e+12	NDD	1.0574	1.0571	-0.0003
377	5e+12	NDD	1.0458	1.0461	0.0003
389	1e+13	NDD	1.0377	1.0376	-0.0001
394	1e+13	NDD	1.0441	1.0433	-0.0008
395	1e+13	NDD		1.0437	
396	0	CORRELATION	1.0444		
571	1e+13	NDD	1.05	1.0506	0.0006
632	0	CORRELATION	1.0556	1.0556	0
649	0	CORRELATION	1.057	1.0569	-0.0001
662	0	CORRELATION	1.0461	1.0457	-0.0004


NDD vs Post - Pre Exposure Delta




Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.0444	1.0508	1.057	0.0064428	1.0457	1.0527	1.0569	0.0061256	-0.0004	-0.00016667	0	0.00020817
1e+12	1.0395	1.0457	1.0505	0.0047937	1.0395	1.0457	1.0508	0.0047912	-0.0006	-2.5e-05	0.0003	0.00040311
5e+12	1.0425	1.0473	1.0574	0.0068554	1.0425	1.0473	1.0571	0.0067072	-0.0003	-2.5e-05	0.0003	0.00025
1e+13	1.0377	1.0439	1.05	0.0061517	1.0376	1.0438	1.0506	0.005321	-0.0008	-0.0001	0.0006	0.0007

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 500.0 (nA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.3493	0.683	-0.6663
266	1e+12	NDD	0.8817	0.716	-0.1657
267	1e+12	NDD	0.6669	0.7908	0.1239
288	1e+12	NDD	0.9561	0.7409	-0.2152
348	5e+12	NDD	1.3306	0.9007	-0.4299
353	5e+12	NDD	0.9409	0.7879	-0.153
370	5e+12	NDD	1.8653	2.0083	0.143
377	5e+12	NDD	1.003	0.6659	-0.3371
389	1e+13	NDD	1.4836	1.0905	-0.3931
394	1e+13	NDD	0.6851	0.7035	0.0184
395	1e+13	NDD		0.9688	
396	0	CORRELATION	0.7481		
571	1e+13	NDD	0.9749	0.8657	-0.1092
632	0	CORRELATION	1.2026	0.6643	-0.5383
649	0	CORRELATION	0.9253	0.766	-0.1593
662	0	CORRELATION	0.6326	0.7128	0.0802


Test Statistics (nA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.6326	0.87715	1.2026	0.24812	0.6643	0.71437	0.766	0.050868	-0.5383	-0.2058	0.0802	0.31186
1e+12	0.6669	0.9635	1.3493	0.28493	0.683	0.73267	0.7908	0.045431	-0.6663	-0.23083	0.1239	0.32658
5e+12	0.9409	1.285	1.8653	0.42299	0.6659	1.0907	2.0083	0.6192	-0.4299	-0.19425	0.143	0.25257
1e+13	0.6851	1.0479	1.4836	0.40422	0.7035	0.90712	1.0905	0.16392	-0.3931	-0.1613	0.0184	0.21064

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 300.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	248.32	248.12	-0.2004
266	1e+12	NDD	250.08	249.87	-0.2119
267	1e+12	NDD	244.58	244.68	0.0963
288	1e+12	NDD	244.53	244.39	-0.1452
348	5e+12	NDD	244.99	244.93	-0.0604
353	5e+12	NDD	247.43	247.26	-0.1661
370	5e+12	NDD	242.43	242.43	0.0025
377	5e+12	NDD	250.63	250.57	-0.0514
389	1e+13	NDD	245.85	245.74	-0.1071
394	1e+13	NDD	245.88	245.71	-0.1666
395	1e+13	NDD		243.21	
396	0	CORRELATION	243.21		
571	1e+13	NDD	246.67	246.62	-0.0515
632	0	CORRELATION	248.27	247.96	-0.3097
649	0	CORRELATION	244.48	244.01	-0.4638
662	0	CORRELATION	242.58	242.55	-0.0288

Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	242.58	244.63	248.27	2.5495	242.55	244.84	247.96	2.798	-0.4638	-0.26743	-0.0288	0.22056
1e+12	244.53	246.88	250.08	2.7745	244.39	246.76	249.87	2.6746	-0.2119	-0.1153	0.0963	0.14404
5e+12	242.43	246.37	250.63	3.4961	242.43	246.3	250.57	3.4661	-0.1661	-0.06885	0.0025	0.070532
1e+13	245.85	246.14	246.67	0.46679	243.21	245.32	246.62	1.4702	-0.1666	-0.1084	-0.0515	0.057561


NDD vs Result Stats



Test Results (Lower Limit = 0.89, Upper Limit = 0.95 (Decimal))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.9202	0.9209	0.0007
266	1e+12	NDD	0.9081	0.9078	-0.0003
267	1e+12	NDD	0.9173	0.9169	-0.0004
288	1e+12	NDD	0.9145	0.9144	-0.0001
348	5e+12	NDD	0.9132	0.9133	0.0001
353	5e+12	NDD	0.9121	0.912	-0.0001
370	5e+12	NDD	0.9247	0.9244	-0.0003
377	5e+12	NDD	0.9147	0.9145	-0.0002
389	1e+13	NDD	0.9084	0.908	-0.0004
394	1e+13	NDD	0.9135	0.9136	0.0001
395	1e+13	NDD		0.9121	
396	0	CORRELATION	0.9121		
571	1e+13	NDD	0.9204	0.9212	0.0008
632	0	CORRELATION	0.9258	0.9259	0.0001
649	0	CORRELATION	0.9255	0.9253	-0.0002
662	0	CORRELATION	0.9167	0.9162	-0.0005


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.9121	0.92002	0.9258	0.0067623	0.9162	0.92247	0.9259	0.0054354	-0.0005	-0.0002	0.0001	0.0003
1e+12	0.9081	0.91502	0.9202	0.00517	0.9078	0.915	0.9209	0.0054961	-0.0004	-2.5e-05	0.0007	0.00049917
5e+12	0.9121	0.91617	0.9247	0.0057824	0.912	0.91605	0.9244	0.0056595	-0.0003	-0.000125	0.0001	0.00017078
1e+13	0.9084	0.9141	0.9204	0.0060225	0.908	0.91373	0.9212	0.0055169	-0.0004	0.00016667	0.0008	0.00060277


NDD vs Result Stats



Test Results (Lower Limit = 0.92, Upper Limit = 0.98 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.952	0.9522	0.0002
266	1e+12	NDD	0.939	0.9392	0.0002
267	1e+12	NDD	0.9488	0.9486	-0.0002
288	1e+12	NDD	0.9458	0.9457	-0.0001
348	5e+12	NDD	0.9445	0.9445	0
353	5e+12	NDD	0.9432	0.9432	0
370	5e+12	NDD	0.9562	0.9558	-0.0004
377	5e+12	NDD	0.9458	0.9461	0.0003
389	1e+13	NDD	0.9397	0.939	-0.0007
394	1e+13	NDD	0.9448	0.945	0.0002
395	1e+13	NDD		0.9433	
396	0	CORRELATION	0.9434		
571	1e+13	NDD	0.9519	0.9528	0.0009
632	0	CORRELATION	0.9575	0.9576	0.0001
649	0	CORRELATION	0.9572	0.9571	-0.0001
662	0	CORRELATION	0.9483	0.9479	-0.0004


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.9434	0.9516	0.9575	0.0069354	0.9479	0.9542	0.9576	0.0054617	-0.0004	-0.00013333	0.0001	0.00025166
1e+12	0.939	0.9464	0.952	0.005545	0.9392	0.94643	0.9522	0.0055017	-0.0002	2.5e-05	0.0002	0.00020616
5e+12	0.9432	0.94742	0.9562	0.0059455	0.9432	0.9474	0.9558	0.0057242	-0.0004	-2.5e-05	0.0003	0.00028723
1e+13	0.9397	0.94547	0.9519	0.0061273	0.939	0.94503	0.9528	0.0057656	-0.0007	0.00013333	0.0009	0.00080208


NDD vs Result Stats



Test Results (Lower Limit = 1.05, Upper Limit = 1.12 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.0821	1.0822	0.0001
266	1e+12	NDD	1.0706	1.0703	-0.0003
267	1e+12	NDD	1.0795	1.0786	-0.0009
288	1e+12	NDD	1.0759	1.0758	-0.0001
348	5e+12	NDD	1.0747	1.0745	-0.0002
353	5e+12	NDD	1.0736	1.0735	-0.0001
370	5e+12	NDD	1.0891	1.0888	-0.0003
377	5e+12	NDD	1.0767	1.0771	0.0004
389	1e+13	NDD	1.0689	1.0686	-0.0003
394	1e+13	NDD	1.0755	1.0745	-0.001
395	1e+13	NDD		1.0748	
396	0	CORRELATION	1.0753		
571	1e+13	NDD	1.0815	1.0822	0.0007
632	0	CORRELATION	1.0869	1.0869	0
649	0	CORRELATION	1.0885	1.0884	-0.0001
662	0	CORRELATION	1.0777	1.077	-0.0007


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.0753	1.0821	1.0885	0.0065727	1.077	1.0841	1.0884	0.0061944	-0.0007	-0.00026667	0	0.00037859
1e+12	1.0706	1.077	1.0821	0.0049809	1.0703	1.0767	1.0822	0.0050209	-0.0009	-0.0003	0.0001	0.00043205
5e+12	1.0736	1.0785	1.0891	0.0071658	1.0735	1.0785	1.0888	0.0070486	-0.0003	-5e-05	0.0004	0.00031091
1e+13	1.0689	1.0753	1.0815	0.0063024	1.0686	1.075	1.0822	0.0055704	-0.001	-0.0002	0.0007	0.0008544


NDD vs Result Stats



Test Results (Lower Limit = 1.02, Upper Limit = 1.09 (Decimal))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.0505	1.0508	0.0003
266	1e+12	NDD	1.0395	1.0395	0
267	1e+12	NDD	1.0482	1.0476	-0.0006
288	1e+12	NDD	1.0446	1.0448	0.0002
348	5e+12	NDD	1.0438	1.0435	-0.0003
353	5e+12	NDD	1.0425	1.0425	0
370	5e+12	NDD	1.0572	1.0571	-0.0001
377	5e+12	NDD	1.0458	1.0461	0.0003
389	1e+13	NDD	1.0377	1.0376	-0.0001
394	1e+13	NDD	1.0443	1.0433	-0.001
395	1e+13	NDD		1.0437	
396	0	CORRELATION	1.0444		
571	1e+13	NDD	1.0502	1.0506	0.0004
632	0	CORRELATION	1.0556	1.0556	0
649	0	CORRELATION	1.0572	1.0569	-0.0003
662	0	CORRELATION	1.0461	1.0457	-0.0004


NDD vs Post - Pre Exposure Delta




Test Statistics (Decimal)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.0444	1.0508	1.0572	0.0065076	1.0457	1.0527	1.0569	0.0061256	-0.0004	-0.00023333	0	0.00020817
1e+12	1.0395	1.0457	1.0505	0.0047937	1.0395	1.0457	1.0508	0.0047912	-0.0006	-2.5e-05	0.0003	0.00040311
5e+12	1.0425	1.0473	1.0572	0.0067218	1.0425	1.0473	1.0571	0.0067072	-0.0003	-2.5e-05	0.0003	0.00025
1e+13	1.0377	1.0441	1.0502	0.0062533	1.0376	1.0438	1.0506	0.005321	-0.001	-0.00023333	0.0004	0.00070946

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 500.0 (nA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.2963	0.6177	-0.6786
266	1e+12	NDD	0.7725	0.8534	0.0809
267	1e+12	NDD	0.7293	0.872	0.1427
288	1e+12	NDD	0.9686	0.7627	-0.2059
348	5e+12	NDD	1.4649	0.7608	-0.7041
353	5e+12	NDD	0.9597	0.7473	-0.2124
370	5e+12	NDD	1.9309	1.9459	0.015
377	5e+12	NDD	1.0498	0.6534	-0.3964
389	1e+13	NDD	1.4461	1.0252	-0.4209
394	1e+13	NDD	0.6882	0.7035	0.0153
395	1e+13	NDD		0.9126	
396	0	CORRELATION	0.7075		
571	1e+13	NDD	0.9936	0.8376	-0.156
632	0	CORRELATION	1.2963	0.6643	-0.632
649	0	CORRELATION	0.9253	0.7785	-0.1468
662	0	CORRELATION	0.6763	0.7627	0.0864


Test Statistics (nA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.6763	0.90135	1.2963	0.28565	0.6643	0.73517	0.7785	0.061879	-0.632	-0.2308	0.0864	0.36649
1e+12	0.7293	0.94168	1.2963	0.25833	0.6177	0.77645	0.872	0.11611	-0.6786	-0.16522	0.1427	0.37443
5e+12	0.9597	1.3513	1.9309	0.44463	0.6534	1.0269	1.9459	0.61456	-0.7041	-0.32448	0.015	0.30391
1e+13	0.6882	1.0426	1.4461	0.38132	0.7035	0.86972	1.0252	0.135	-0.4209	-0.1872	0.0153	0.21977

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 300.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	248.32	248.16	-0.1535
266	1e+12	NDD	249.97	249.95	-0.0246
267	1e+12	NDD	244.64	244.66	0.0183
288	1e+12	NDD	244.61	244.51	-0.0984
348	5e+12	NDD	244.95	244.93	-0.0135
353	5e+12	NDD	247.27	247.26	-0.0099
370	5e+12	NDD	242.54	242.52	-0.0132
377	5e+12	NDD	250.69	250.59	-0.0983
389	1e+13	NDD	245.9	245.84	-0.0603
394	1e+13	NDD	246.08	245.89	-0.1978
395	1e+13	NDD		243.29	
396	0	CORRELATION	243.08		
571	1e+13	NDD	246.64	246.73	0.089
632	0	CORRELATION	248.32	247.99	-0.3253
649	0	CORRELATION	244.46	244.15	-0.3077
662	0	CORRELATION	242.6	242.73	0.1273

Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	242.6	244.61	248.32	2.5919	242.73	244.96	247.99	2.7243	-0.3253	-0.16857	0.1273	0.25638
1e+12	244.61	246.89	249.97	2.6933	244.51	246.82	249.95	2.6804	-0.1535	-0.06455	0.0183	0.076416
5e+12	242.54	246.36	250.69	3.4728	242.52	246.33	250.59	3.4378	-0.0983	-0.033725	-0.0099	0.043081
1e+13	245.9	246.21	246.64	0.38769	243.29	245.44	246.73	1.4896	-0.1978	-0.056367	0.089	0.14344


NDD vs Result Stats



Test Results (Lower Limit = 0.92, Upper Limit = 0.98 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.9522	0.9522	0
266	1e+12	NDD	0.9392	0.9392	0
267	1e+12	NDD	0.949	0.9486	-0.0004
288	1e+12	NDD	0.9458	0.9459	0.0001
348	5e+12	NDD	0.9447	0.9449	0.0002
353	5e+12	NDD	0.9434	0.9432	-0.0002
370	5e+12	NDD	0.9562	0.9564	0.0002
377	5e+12	NDD	0.946	0.9461	0.0001
389	1e+13	NDD	0.9399	0.9392	-0.0007
394	1e+13	NDD	0.945	0.945	0
395	1e+13	NDD		0.9433	
396	0	CORRELATION	0.9434		
571	1e+13	NDD	0.9521	0.9528	0.0007
632	0	CORRELATION	0.9575	0.9576	0.0001
649	0	CORRELATION	0.9574	0.9573	-0.0001
662	0	CORRELATION	0.9483	0.9479	-0.0004


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.9434	0.95165	0.9575	0.0069898	0.9479	0.95427	0.9576	0.0055157	-0.0004	-0.00013333	0.0001	0.00025166
1e+12	0.9392	0.94655	0.9522	0.0055531	0.9392	0.94647	0.9522	0.0054939	-0.0004	-7.5e-05	0.0001	0.00022174
5e+12	0.9434	0.94758	0.9562	0.0058472	0.9432	0.94765	0.9564	0.0059534	-0.0002	7.5e-05	0.0002	0.0001893
1e+13	0.9399	0.94567	0.9521	0.0061273	0.9392	0.94507	0.9528	0.0056964	-0.0007	3.7007e-17	0.0007	0.0007


NDD vs Result Stats



Test Results (Lower Limit = 1.05, Upper Limit = 1.12 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.0821	1.0826	0.0005
266	1e+12	NDD	1.0708	1.0705	-0.0003
267	1e+12	NDD	1.0795	1.0789	-0.0006
288	1e+12	NDD	1.0761	1.076	-0.0001
348	5e+12	NDD	1.0749	1.0747	-0.0002
353	5e+12	NDD	1.0736	1.0735	-0.0001
370	5e+12	NDD	1.0893	1.089	-0.0003
377	5e+12	NDD	1.0771	1.0773	0.0002
389	1e+13	NDD	1.0691	1.069	-0.0001
394	1e+13	NDD	1.0755	1.0745	-0.001
395	1e+13	NDD		1.0748	
396	0	CORRELATION	1.0755		
571	1e+13	NDD	1.0817	1.0822	0.0005
632	0	CORRELATION	1.0871	1.0871	0
649	0	CORRELATION	1.0888	1.0884	-0.0004
662	0	CORRELATION	1.0777	1.0772	-0.0005


NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.0755	1.0823	1.0888	0.0066505	1.0772	1.0842	1.0884	0.0061256	-0.0005	-0.0003	0	0.00026458
1e+12	1.0708	1.0771	1.0821	0.0048801	1.0705	1.077	1.0826	0.0051062	-0.0006	-0.000125	0.0005	0.00046458
5e+12	1.0736	1.0787	1.0893	0.0071965	1.0735	1.0786	1.089	0.0070962	-0.0003	-0.0001	0.0002	0.00021602
1e+13	1.0691	1.0754	1.0817	0.0063003	1.069	1.0751	1.0822	0.0054181	-0.001	-0.0002	0.0005	0.00075498


NDD vs Result Stats



Test Results (Lower Limit = 1.02, Upper Limit = 1.09 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.0507	1.051	0.0003
266	1e+12	NDD	1.0395	1.0395	0
267	1e+12	NDD	1.0484	1.0476	-0.0008
288	1e+12	NDD	1.0446	1.045	0.0004
348	5e+12	NDD	1.0438	1.0435	-0.0003
353	5e+12	NDD	1.0427	1.0425	-0.0002
370	5e+12	NDD	1.0574	1.0573	-0.0001
377	5e+12	NDD	1.046	1.0461	0.0001
389	1e+13	NDD	1.0381	1.0378	-0.0003
394	1e+13	NDD	1.0445	1.0433	-0.0012
395	1e+13	NDD		1.0437	
396	0	CORRELATION	1.0444		
571	1e+13	NDD	1.0504	1.051	0.0006
632	0	CORRELATION	1.0556	1.0556	0
649	0	CORRELATION	1.0574	1.0571	-0.0003
662	0	CORRELATION	1.0463	1.0457	-0.0006


NDD vs Post - Pre Exposure Delta




Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.0444	1.0509	1.0574	0.0065255	1.0457	1.0528	1.0571	0.0061944	-0.0006	-0.0003	0	0.0003
1e+12	1.0395	1.0458	1.0507	0.0048956	1.0395	1.0458	1.051	0.0048514	-0.0008	-2.5e-05	0.0004	0.00054391
5e+12	1.0427	1.0475	1.0574	0.0067574	1.0425	1.0474	1.0573	0.0068047	-0.0003	-0.000125	0.0001	0.00017078
1e+13	1.0381	1.0443	1.0504	0.0061517	1.0378	1.0439	1.051	0.0054163	-0.0012	-0.0003	0.0006	0.0009

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 500.0 (nA))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.2869	0.6674	-0.6195
266	1e+12	NDD	0.8505	0.841	-0.0095
267	1e+12	NDD	0.7949	0.8283	0.0334
288	1e+12	NDD	0.9749	0.7596	-0.2153
348	5e+12	NDD	1.315	0.8727	-0.4423
353	5e+12	NDD	1.0626	0.741	-0.3216
370	5e+12	NDD	1.9527	1.8522	-0.1005
377	5e+12	NDD	1.0529	0.7252	-0.3277
389	1e+13	NDD	1.5179	1.0563	-0.4616
394	1e+13	NDD	0.7381	0.7129	-0.0252
395	1e+13	NDD		0.9219	
396	0	CORRELATION	0.7356		
571	1e+13	NDD	0.8625	0.925	0.0625
632	0	CORRELATION	1.3337	0.6737	-0.66
649	0	CORRELATION	0.9784	0.8909	-0.0875
662	0	CORRELATION	0.6763	0.8033	0.127

Test Statistics (nA)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.6763	0.931	1.3337	0.29859	0.6737	0.7893	0.8909	0.10927	-0.66	-0.20683	0.127	0.40684
1e+12	0.7949	0.9768	1.2869	0.22	0.6674	0.77408	0.841	0.0796	-0.6195	-0.20272	0.0334	0.2983
5e+12	1.0529	1.3458	1.9527	0.4224	0.7252	1.0478	1.8522	0.54034	-0.4423	-0.29802	-0.1005	0.14291
1e+13	0.7381	1.0395	1.5179	0.41895	0.7129	0.90403	1.0563	0.14198	-0.4616	-0.14143	0.0625	0.28072


NDD vs Result Stats



Test Results (Upper Limit = 300.0 (mV))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	249.9	249.71	-0.1845
266	1e+12	NDD	251.48	251.38	-0.1021
267	1e+12	NDD	246.27	246.32	0.0497
288	1e+12	NDD	246.31	246.06	-0.2545
348	5e+12	NDD	246.69	246.59	-0.107
353	5e+12	NDD	248.91	248.82	-0.0874
370	5e+12	NDD	244.21	244.1	-0.1066
377	5e+12	NDD	252.31	252.06	-0.2544
389	1e+13	NDD	247.37	247.37	0.0025
394	1e+13	NDD	247.46	247.28	-0.1817
395	1e+13	NDD		244.79	
396	0	CORRELATION	244.75		
571	1e+13	NDD	248.38	248.26	-0.114
632	0	CORRELATION	249.74	249.57	-0.1689
649	0	CORRELATION	245.91	245.7	-0.2135
662	0	CORRELATION	244.25	244.16	-0.0911



NDD vs Post - Pre Exposure Delta



Test Statistics (mV)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	244.25	246.16	249.74	2.4825	244.16	246.48	249.57	2.7869	-0.2135	-0.15783	-0.0911	0.061946
1e+12	246.27	248.49	251.48	2.6214	246.06	248.37	251.38	2.6092	-0.2545	-0.12285	0.0497	0.13081
5e+12	244.21	248.03	252.31	3.4403	244.1	247.89	252.06	3.3811	-0.2544	-0.13885	-0.0874	0.077574
1e+13	247.37	247.73	248.38	0.55882	244.79	246.92	248.26	1.4921	-0.1817	-0.097733	0.0025	0.093171

Device Test: 24.1 FREQ|100kHz/SYNC1/4.5//OPEN//@SYNC_FREQ_RANGE




Test Results (Lower Limit = 100.0,
Upper Limit = 1000.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	100	100	0
266	1e+12	NDD	100	100	0
267	1e+12	NDD	100	100	0
288	1e+12	NDD	100	100	0
348	5e+12	NDD	100	100	0
353	5e+12	NDD	100	100	0
370	5e+12	NDD	100	100	0
377	5e+12	NDD	100	100	0
389	1e+13	NDD	100	100	0
394	1e+13	NDD	100	100	0
395	1e+13	NDD		100	
396	0	CORRELATION	100		
571	1e+13	NDD	100	100	0
632	0	CORRELATION	100	100	0
649	0	CORRELATION	100	100	0
662	0	CORRELATION	100	100	0

Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	100	100	100	0	100	100	100	0	0	0	0	0
1e+12	100	100	100	0	100	100	100	0	0	0	0	0
5e+12	100	100	100	0	100	100	100	0	0	0	0	0
1e+13	100	100	100	0	100	100	100	0	0	0	0	0


NDD vs Result Stats



Test Results (Upper Limit = 5.0 ((1/fsw) s))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.5137	3.4635	-0.0502
266	1e+12	NDD	3.5223	3.5638	0.0415
267	1e+12	NDD	3.4443	3.3264	-0.1179
288	1e+12	NDD	3.4878	3.5322	0.0444
348	5e+12	NDD	3.4711	3.4366	-0.0345
353	5e+12	NDD	3.3386	3.5478	0.2092
370	5e+12	NDD	3.5792	3.6772	0.098
377	5e+12	NDD	3.3773	3.4856	0.1083
389	1e+13	NDD	3.4884	3.6266	0.1382
394	1e+13	NDD	3.4319	3.563	0.1311
395	1e+13	NDD		3.5761	
396	0	CORRELATION	3.5966		
571	1e+13	NDD	3.477	3.5905	0.1135
632	0	CORRELATION	3.5191	3.4209	-0.0982
649	0	CORRELATION	3.3875	3.5826	0.1951
662	0	CORRELATION	3.4611	3.5958	0.1347


NDD vs Post - Pre Exposure Delta




Test Statistics ((1/fsw) s)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.3875	3.4911	3.5966	0.088595	3.4209	3.5331	3.5958	0.097392	-0.0982	0.0772	0.1951	0.15487
1e+12	3.4443	3.492	3.5223	0.035033	3.3264	3.4715	3.5638	0.10539	-0.1179	-0.02055	0.0444	0.078368
5e+12	3.3386	3.4415	3.5792	0.10731	3.4366	3.5368	3.6772	0.10407	-0.0345	0.09525	0.2092	0.099996
1e+13	3.4319	3.4658	3.4884	0.029878	3.563	3.589	3.6266	0.027437	0.1135	0.1276	0.1382	0.012717

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 2.0 ((1/fsw) s))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1	1	0
266	1e+12	NDD	1	1	0
267	1e+12	NDD	1	1	0
288	1e+12	NDD	1	1	0
348	5e+12	NDD	1	1	0
353	5e+12	NDD	1	1	0
370	5e+12	NDD	1	1	0
377	5e+12	NDD	1	1	0
389	1e+13	NDD	1	1	0
394	1e+13	NDD	1	1	0
395	1e+13	NDD		1	
396	0	CORRELATION	1		
571	1e+13	NDD	1	1	0
632	0	CORRELATION	1	1	0
649	0	CORRELATION	1	1	0
662	0	CORRELATION	1	1	0

Test Statistics ((1/fsw) s)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1	1	1	0	1	1	1	0	0	0	0	0
1e+12	1	1	1	0	1	1	1	0	0	0	0	0
5e+12	1	1	1	0	1	1	1	0	0	0	0	0
1e+13	1	1	1	0	1	1	1	0	0	0	0	0


NDD vs Result Stats



Test Results (Lower Limit = 90.0, Upper Limit = 120.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	109.83	109.89	0.0629
266	1e+12	NDD	108.35	108.41	0.0592
267	1e+12	NDD	109.64	109.66	0.0274
288	1e+12	NDD	105.78	105.75	-0.0297
348	5e+12	NDD	109.86	109.78	-0.079
353	5e+12	NDD	109.05	109.23	0.1802
370	5e+12	NDD	108.08	108.16	0.0847
377	5e+12	NDD	109.1	109.22	0.1233
389	1e+13	NDD	108.83	108.75	-0.0811
394	1e+13	NDD	110.73	110.7	-0.0324
395	1e+13	NDD		109.39	
396	0	CORRELATION	109.56		
571	1e+13	NDD	107.61	107.71	0.1061
632	0	CORRELATION	110.81	110.79	-0.0189
649	0	CORRELATION	109.72	109.81	0.0924
662	0	CORRELATION	108.06	108.07	0.0057

NDD vs Post - Pre Exposure Delta




Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	108.06	109.54	110.81	1.13	108.07	109.56	110.79	1.3797	-0.0189	0.0264	0.0924	0.058466
1e+12	105.78	108.4	109.83	1.8647	105.75	108.43	109.89	1.9004	-0.0297	0.02995	0.0629	0.04284
5e+12	108.08	109.02	109.86	0.72961	108.16	109.1	109.78	0.67634	-0.079	0.0773	0.1802	0.11134
1e+13	107.61	109.06	110.73	1.574	107.71	109.14	110.7	1.2486	-0.0811	-0.0024667	0.1061	0.097123

Device Test: 24.108 FREQ|500kHz/SYNC1/12//90.9k//@EXT_SET_FREQ_500kHz


NDD vs Result Stats



Test Results (Lower Limit = 450.0, Upper Limit = 550.0 (kHz))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	510.95	511.46	0.5103
266	1e+12	NDD	508.01	508.51	0.5086
267	1e+12	NDD	510.12	510.31	0.1891
288	1e+12	NDD	503.71	503.86	0.1485
348	5e+12	NDD	514.49	514.28	-0.2103
353	5e+12	NDD	510.31	510.09	-0.2142
370	5e+12	NDD	507.24	506.98	-0.2634
377	5e+12	NDD	509.9	509.35	-0.5544
389	1e+13	NDD	510.16	508.19	-1.9673
394	1e+13	NDD	513.47	512.72	-0.7509
395	1e+13	NDD		507.61	
396	0	CORRELATION	510.02		
571	1e+13	NDD	508.77	507.02	-1.7527
632	0	CORRELATION	516.24	516.76	0.5232
649	0	CORRELATION	513.25	513.95	0.7003
662	0	CORRELATION	507.39	507.71	0.3173

NDD vs Post - Pre Exposure Delta




Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	507.39	511.72	516.24	3.8464	507.71	512.8	516.76	4.6338	0.3173	0.5136	0.7003	0.19168
1e+12	503.71	508.2	510.95	3.2374	503.86	508.54	511.46	3.3451	0.1485	0.33913	0.5103	0.19737
5e+12	507.24	510.48	514.49	2.9971	506.98	510.17	514.28	3.0427	-0.5544	-0.31058	-0.2103	0.16434
1e+13	508.77	510.8	513.47	2.4131	507.02	508.89	512.72	2.599	-1.9673	-1.4903	-0.7509	0.64927

Device Test: 24.109 FREQ|1MHz/SYNC1/12//34.8k//@EXT_SET_FREQ_1000kHz


NDD vs Result Stats



Test Results (Lower Limit = 870.0, Upper Limit = 1170.0 (kHz))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1039.9	1041.5	1.6556
266	1e+12	NDD	1035.1	1037.2	2.1129
267	1e+12	NDD	1035.6	1036.3	0.6608
288	1e+12	NDD	1025.1	1026.4	1.2945
348	5e+12	NDD	1040.7	1042.4	1.6808
353	5e+12	NDD	1038.1	1040	1.8771
370	5e+12	NDD	1027.4	1029.2	1.7867
377	5e+12	NDD	1045.7	1047.9	2.2464
389	1e+13	NDD	1031.1	1031.5	0.4244
394	1e+13	NDD	1040.6	1042.3	1.6919
395	1e+13	NDD		1036.5	
396	0	CORRELATION	1036.2		
571	1e+13	NDD	1034.9	1038.2	3.2507
632	0	CORRELATION	1059.5	1061.4	1.9351
649	0	CORRELATION	1038.1	1041	2.8812
662	0	CORRELATION	1035.4	1037.5	2.0823


NDD vs Post - Pre Exposure Delta




Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1035.4	1042.3	1059.5	11.506	1037.5	1046.6	1061.4	12.911	1.9351	2.2995	2.8812	0.50909
1e+12	1025.1	1033.9	1039.9	6.2751	1026.4	1035.3	1041.5	6.4099	0.6608	1.431	2.1129	0.61299
5e+12	1027.4	1038	1045.7	7.7261	1029.2	1039.9	1047.9	7.8693	1.6808	1.8977	2.2464	0.24589
1e+13	1031.1	1035.5	1040.6	4.776	1031.5	1037.1	1042.3	4.451	0.4244	1.789	3.2507	1.4156

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 2.0 ((1/fsw) s))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1	1	0
266	1e+12	NDD	1	1	0
267	1e+12	NDD	1	1	0
288	1e+12	NDD	1	1	0
348	5e+12	NDD	1	1	0
353	5e+12	NDD	1	1	0
370	5e+12	NDD	1	1	0
377	5e+12	NDD	1	1	0
389	1e+13	NDD	1	1	0
394	1e+13	NDD	1	1	0
395	1e+13	NDD		1	
396	0	CORRELATION	1		
571	1e+13	NDD	1	1	0
632	0	CORRELATION	1	1	0
649	0	CORRELATION	1	1	0
662	0	CORRELATION	1	1	0


Test Statistics ((1/fsw) s)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1	1	1	0	1	1	1	0	0	0	0	0
1e+12	1	1	1	0	1	1	1	0	0	0	0	0
5e+12	1	1	1	0	1	1	1	0	0	0	0	0
1e+13	1	1	1	0	1	1	1	0	0	0	0	0

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta





Test Results (Upper Limit = 250.0 (ns))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	181.35	182.13	0.7734
266	1e+12	NDD	184.41	184.85	0.4362
267	1e+12	NDD	185.62	195.24	9.6183
288	1e+12	NDD	186.91	183.91	-2.9972
348	5e+12	NDD	185.16	188.07	2.9088
353	5e+12	NDD	183.55	185.63	2.0784
370	5e+12	NDD	188.84	199.05	10.202
377	5e+12	NDD	190.91	188.4	-2.5114
389	1e+13	NDD	181.92	187.47	5.5512
394	1e+13	NDD	179.54	182.97	3.4261
395	1e+13	NDD		197.03	
396	0	CORRELATION	183.19		
571	1e+13	NDD	187.06	188.11	1.0482
632	0	CORRELATION	190.33	191.22	0.8866
649	0	CORRELATION	182.48	183.11	0.6346
662	0	CORRELATION	192.06	201.45	9.3911

Test Statistics (ns)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	182.48	187.02	192.06	4.8875	183.11	191.93	201.45	9.1902	0.6346	3.6374	9.3911	4.9844
1e+12	181.35	184.57	186.91	2.3755	182.13	186.53	195.24	5.9132	-2.9972	1.9577	9.6183	5.3837
5e+12	183.55	187.12	190.91	3.3642	185.63	190.29	199.05	5.9698	-2.5114	3.1695	10.202	5.2597
1e+13	179.54	182.84	187.06	3.8433	182.97	188.89	197.03	5.8851	1.0482	3.3418	5.5512	2.2527

Device Test: 24.112 TIMING|DELAY/EN/12//511k//@T_EN_DELAY





Test Results (Upper Limit = 100.0 (µs))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	55.746	56	0.2539
266	1e+12	NDD	51.555	51.772	0.2165
267	1e+12	NDD	54.682	54.872	0.1907
288	1e+12	NDD	52.729	52.907	0.1773
348	5e+12	NDD	52.305	53.28	0.9745
353	5e+12	NDD	54.934	55.995	1.0606
370	5e+12	NDD	53.443	54.447	1.0046
377	5e+12	NDD	53.872	54.784	0.9115
389	1e+13	NDD	56.674	59.13	2.4565
394	1e+13	NDD	55.143	57.328	2.1847
395	1e+13	NDD		55.233	
396	0	CORRELATION	53.054		
571	1e+13	NDD	54.159	56.557	2.3978
632	0	CORRELATION	53.415	53.432	0.0168
649	0	CORRELATION	48.652	48.685	0.0334
662	0	CORRELATION	53.129	53.153	0.0239

Test Statistics (µs)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	48.652	52.062	53.415	2.2791	48.685	51.757	53.432	2.6637	0.0168	0.0247	0.0334	0.0083289
1e+12	51.555	53.678	55.746	1.8877	51.772	53.888	56	1.9036	0.1773	0.2096	0.2539	0.033717
5e+12	52.305	53.639	54.934	1.0877	53.28	54.626	55.995	1.1169	0.9115	0.9878	1.0606	0.062131
1e+13	54.159	55.325	56.674	1.2671	55.233	57.062	59.13	1.6279	2.1847	2.3463	2.4565	0.14302

Device Test: 24.12 FREQ|100kHz/SYNC1/4.5//511k//@EXT_SET_FREQ_100kHz





Test Results (Lower Limit = 90.0, Upper Limit = 120.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	109.71	109.83	0.1154
266	1e+12	NDD	108.22	108.36	0.1338
267	1e+12	NDD	109.55	109.56	0.0042
288	1e+12	NDD	105.75	105.68	-0.0626
348	5e+12	NDD	109.81	109.84	0.0334
353	5e+12	NDD	109.05	109.15	0.0965
370	5e+12	NDD	107.98	108.14	0.1628
377	5e+12	NDD	109.03	109.09	0.0563
389	1e+13	NDD	108.68	108.62	-0.0615
394	1e+13	NDD	110.61	110.58	-0.0239
395	1e+13	NDD		109.3	
396	0	CORRELATION	109.46		
571	1e+13	NDD	107.47	107.59	0.1125
632	0	CORRELATION	110.75	110.8	0.0562
649	0	CORRELATION	109.69	109.79	0.1032
662	0	CORRELATION	107.94	107.93	-0.0056

Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	107.94	109.46	110.75	1.1587	107.93	109.51	110.8	1.4567	-0.0056	0.051267	0.1032	0.054568
1e+12	105.75	108.31	109.71	1.8345	105.68	108.36	109.83	1.8934	-0.0626	0.0477	0.1338	0.093193
5e+12	107.98	108.97	109.81	0.75275	108.14	109.05	109.84	0.69922	0.0334	0.08725	0.1628	0.056719
1e+13	107.47	108.92	110.61	1.5806	107.59	109.02	110.58	1.2566	-0.0615	0.0090333	0.1125	0.091556




Test Results (Lower Limit = 100.0, Upper Limit = 1000.0 (kHz))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	100	100	0
266	1e+12	NDD	100	100	0
267	1e+12	NDD	100	100	0
288	1e+12	NDD	100	100	0
348	5e+12	NDD	100	100	0
353	5e+12	NDD	100	100	0
370	5e+12	NDD	100	100	0
377	5e+12	NDD	100	100	0
389	1e+13	NDD	100	100	0
394	1e+13	NDD	100	100	0
395	1e+13	NDD		100	
396	0	CORRELATION	100		
571	1e+13	NDD	100	100	0
632	0	CORRELATION	100	100	0
649	0	CORRELATION	100	100	0
662	0	CORRELATION	100	100	0

Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	100	100	100	0	100	100	100	0	0	0	0	0
1e+12	100	100	100	0	100	100	100	0	0	0	0	0
5e+12	100	100	100	0	100	100	100	0	0	0	0	0
1e+13	100	100	100	0	100	100	100	0	0	0	0	0


NDD vs Result Stats



Test Results (Lower Limit = 160.0, Upper Limit = 310.0 (ns))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	234.21	235.75	1.5396
266	1e+12	NDD	252.57	253.81	1.2385
267	1e+12	NDD	235.14	238.42	3.2708
288	1e+12	NDD	243.17	244.42	1.253
348	5e+12	NDD	230.09	233.35	3.262
353	5e+12	NDD	250.77	252.8	2.0332
370	5e+12	NDD	236.34	241.08	4.7407
377	5e+12	NDD	249.76	252.4	2.642
389	1e+13	NDD	233.23	237.76	4.532
394	1e+13	NDD	252.24	255.35	3.1087
395	1e+13	NDD		243.91	
396	0	CORRELATION	238.45		
571	1e+13	NDD	246.35	251.88	5.5314
632	0	CORRELATION	237.92	239.05	1.1319
649	0	CORRELATION	247.05	247.1	0.0539
662	0	CORRELATION	240.07	243.02	2.9489


NDD vs Post - Pre Exposure Delta




Test Statistics (ns)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	237.92	240.87	247.05	4.2189	239.05	243.06	247.1	4.0268	0.0539	1.3782	2.9489	1.4631
1e+12	234.21	241.27	252.57	8.5365	235.75	243.1	253.81	8.0072	1.2385	1.8255	3.2708	0.97347
5e+12	230.09	241.74	250.77	10.177	233.35	244.91	252.8	9.4283	2.0332	3.1695	4.7407	1.1614
1e+13	233.23	243.94	252.24	9.7317	237.76	247.22	255.35	7.9209	3.1087	4.3907	5.5314	1.2175

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 1.7 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.42	1.42	0
266	1e+12	NDD	1.41	1.41	0
267	1e+12	NDD	1.42	1.43	0.01
288	1e+12	NDD	1.43	1.43	0
348	5e+12	NDD	1.45	1.45	0
353	5e+12	NDD	1.44	1.43	-0.01
370	5e+12	NDD	1.44	1.44	0
377	5e+12	NDD	1.41	1.41	0
389	1e+13	NDD	1.42	1.41	-0.01
394	1e+13	NDD	1.43	1.42	-0.01
395	1e+13	NDD		1.43	
396	0	CORRELATION	1.44		
571	1e+13	NDD	1.42	1.42	0
632	0	CORRELATION	1.43	1.42	-0.01
649	0	CORRELATION	1.45	1.45	0
662	0	CORRELATION	1.43	1.43	0


Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.43	1.4375	1.45	0.0095743	1.42	1.4333	1.45	0.015275	-0.01	-0.0033333	0	0.0057735
1e+12	1.41	1.42	1.43	0.008165	1.41	1.4225	1.43	0.0095743	0	0.0025	0.01	0.005
5e+12	1.41	1.435	1.45	0.017321	1.41	1.4325	1.45	0.017078	-0.01	-0.0025	0	0.005
1e+13	1.42	1.4233	1.43	0.0057735	1.41	1.42	1.43	0.008165	-0.01	-0.0066667	0	0.0057735

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 0.7 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.12	1.12	0
266	1e+12	NDD	1.11	1.11	0
267	1e+12	NDD	1.12	1.12	0
288	1e+12	NDD	1.13	1.13	0
348	5e+12	NDD	1.15	1.14	-0.01
353	5e+12	NDD	1.14	1.14	0
370	5e+12	NDD	1.14	1.13	-0.01
377	5e+12	NDD	1.11	1.1	-0.01
389	1e+13	NDD	1.12	1.11	-0.01
394	1e+13	NDD	1.12	1.12	0
395	1e+13	NDD		1.13	
396	0	CORRELATION	1.14		
571	1e+13	NDD	1.13	1.12	-0.01
632	0	CORRELATION	1.13	1.13	0
649	0	CORRELATION	1.15	1.14	-0.01
662	0	CORRELATION	1.13	1.13	0

Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.13	1.1375	1.15	0.0095743	1.13	1.1333	1.14	0.0057735	-0.01	-0.0033333	0	0.0057735
1e+12	1.11	1.12	1.13	0.008165	1.11	1.12	1.13	0.008165	0	0	0	0
5e+12	1.11	1.135	1.15	0.017321	1.1	1.1275	1.14	0.01893	-0.01	-0.0075	0	0.005
1e+13	1.12	1.1233	1.13	0.0057735	1.11	1.12	1.13	0.008165	-0.01	-0.0066667	0	0.0057735


NDD vs Result Stats



Test Results (Lower Limit = 100.0, Upper Limit = 1000.0 (kHz))



Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	499.95	500.03	0.0783
266	1e+12	NDD	499.96	500.05	0.0921
267	1e+12	NDD	499.98	500.06	0.0769
288	1e+12	NDD	499.99	500.03	0.0439
348	5e+12	NDD	499.94	500.02	0.0762
353	5e+12	NDD	499.96	500.07	0.1056
370	5e+12	NDD	499.99	500.06	0.0639
377	5e+12	NDD	499.99	500.01	0.0264
389	1e+13	NDD	499.92	500.03	0.11
394	1e+13	NDD	499.94	500.04	0.1031
395	1e+13	NDD		500.06	
396	0	CORRELATION	499.96		
571	1e+13	NDD	499.95	500.04	0.0932
632	0	CORRELATION	499.95	500.02	0.0737
649	0	CORRELATION	499.94	500.03	0.0947
662	0	CORRELATION	499.97	500.06	0.0885

NDD vs Post - Pre Exposure Delta



Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	499.94	499.96	499.97	0.012671	500.02	500.04	500.06	0.016868	0.0737	0.085633	0.0947	0.01079
1e+12	499.95	499.97	499.99	0.019299	500.03	500.04	500.06	0.014075	0.0439	0.0728	0.0921	0.020451
5e+12	499.94	499.97	499.99	0.023608	500.01	500.04	500.07	0.027547	0.0264	0.068025	0.1056	0.032804
1e+13	499.92	499.94	499.95	0.015864	500.03	500.04	500.06	0.014212	0.0932	0.1021	0.11	0.0084445




Test Results (Lower Limit = 100.0, Upper Limit = 1000.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1000	1000	0
266	1e+12	NDD	1000	1000	0
267	1e+12	NDD	1000	1000	0
288	1e+12	NDD	1000	1000	0
348	5e+12	NDD	1000	1000	0
353	5e+12	NDD	1000	1000	0
370	5e+12	NDD	1000	1000	0
377	5e+12	NDD	1000	1000	0
389	1e+13	NDD	1000	1000	0
394	1e+13	NDD	1000	1000	0
395	1e+13	NDD		1000	
396	0	CORRELATION	1000		
571	1e+13	NDD	1000	1000	0
632	0	CORRELATION	1000	1000	0
649	0	CORRELATION	1000	1000	0
662	0	CORRELATION	1000	1000	0


Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
1e+12	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
5e+12	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
1e+13	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 0.4, Upper Limit = 0.6 (Decimal))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.4	0.4	0
266	1e+12	NDD	0.4	0.4	0
267	1e+12	NDD	0.4	0.4	0
288	1e+12	NDD	0.4	0.4	0
348	5e+12	NDD	0.4	0.4	0
353	5e+12	NDD	0.4	0.4	0
370	5e+12	NDD	0.4	0.4	0
377	5e+12	NDD	0.4	0.4	0
389	1e+13	NDD	0.4	0.4	0
394	1e+13	NDD	0.4	0.4	0
395	1e+13	NDD		0.4	
396	0	CORRELATION	0.4		
571	1e+13	NDD	0.4	0.4	0
632	0	CORRELATION	0.4	0.4	0
649	0	CORRELATION	0.4	0.4	0
662	0	CORRELATION	0.4	0.4	0


Test Statistics (Decimal)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
1e+12	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
5e+12	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
1e+13	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 0.4,
Upper Limit = 0.6 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.6	0.6	0
266	1e+12	NDD	0.6	0.6	0
267	1e+12	NDD	0.6	0.6	0
288	1e+12	NDD	0.6	0.6	0
348	5e+12	NDD	0.6	0.6	0
353	5e+12	NDD	0.6	0.6	0
370	5e+12	NDD	0.6	0.6	0
377	5e+12	NDD	0.6	0.6	0
389	1e+13	NDD	0.6	0.6	0
394	1e+13	NDD	0.6	0.6	0
395	1e+13	NDD		0.6	
396	0	CORRELATION	0.6		
571	1e+13	NDD	0.6	0.6	0
632	0	CORRELATION	0.6	0.6	0
649	0	CORRELATION	0.6	0.6	0
662	0	CORRELATION	0.6	0.6	0

Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
1e+12	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
5e+12	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
1e+13	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0


NDD vs Result Stats



Test Results (Upper Limit = 5.0 ((1/fsw) s))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.4609	3.5444	0.0835
266	1e+12	NDD	3.5193	3.6315	0.1122
267	1e+12	NDD	3.5703	3.4136	-0.1567
288	1e+12	NDD	3.5825	3.5657	-0.0168
348	5e+12	NDD	3.6202	3.511	-0.1092
353	5e+12	NDD	3.4104	3.5806	0.1702
370	5e+12	NDD	3.5093	3.5837	0.0744
377	5e+12	NDD	3.5491	3.5586	0.0095
389	1e+13	NDD	3.4668	3.572	0.1052
394	1e+13	NDD	3.6483	3.5834	-0.0649
395	1e+13	NDD		3.5331	
396	0	CORRELATION	3.5779		
571	1e+13	NDD	3.4535	3.4084	-0.0451
632	0	CORRELATION	3.392	3.4999	0.1079
649	0	CORRELATION	3.4046	3.5194	0.1148
662	0	CORRELATION	3.6031	3.5643	-0.0388


NDD vs Post - Pre Exposure Delta




Test Statistics ((1/fsw) s)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.392	3.4944	3.6031	0.11156	3.4999	3.5279	3.5643	0.033024	-0.0388	0.0613	0.1148	0.086758
1e+12	3.4609	3.5332	3.5825	0.05546	3.4136	3.5388	3.6315	0.09133	-0.1567	0.00555	0.1122	0.12148
5e+12	3.4104	3.5223	3.6202	0.087547	3.511	3.5585	3.5837	0.033564	-0.1092	0.036225	0.1702	0.11729
1e+13	3.4535	3.5229	3.6483	0.10883	3.4084	3.5242	3.5834	0.080163	-0.0649	-0.0016	0.1052	0.09302

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta



Test Results (Upper Limit = 2.0 ((1/fsw) s))


Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1	1	0
266	1e+12	NDD	1	1	0
267	1e+12	NDD	1	1	0
288	1e+12	NDD	1	1	0
348	5e+12	NDD	1	1	0
353	5e+12	NDD	1	1	0
370	5e+12	NDD	1	1	0
377	5e+12	NDD	1	1	0
389	1e+13	NDD	1	1	0
394	1e+13	NDD	1	1	0
395	1e+13	NDD		1	
396	0	CORRELATION	1		
571	1e+13	NDD	1	1	0
632	0	CORRELATION	1	1	0
649	0	CORRELATION	1	1	0
662	0	CORRELATION	1	1	0

Test Statistics ((1/fsw) s)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1	1	1	0	1	1	1	0	0	0	0	0
1e+12	1	1	1	0	1	1	1	0	0	0	0	0
5e+12	1	1	1	0	1	1	1	0	0	0	0	0
1e+13	1	1	1	0	1	1	1	0	0	0	0	0

Device Test: 24.144 FREQ|100kHz/SYNC1/14//511k//@EXT_SET_FREQ_100kHz


NDD vs Result Stats



Test Results (Lower Limit = 90.0, Upper Limit = 120.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	109.82	109.88	0.0583
266	1e+12	NDD	108.34	108.4	0.0581
267	1e+12	NDD	109.62	109.62	0.0041
288	1e+12	NDD	105.78	105.73	-0.0478
348	5e+12	NDD	109.83	109.77	-0.062
353	5e+12	NDD	109.08	109.21	0.1361
370	5e+12	NDD	108.05	108.14	0.0949
377	5e+12	NDD	109.05	109.19	0.1422
389	1e+13	NDD	108.81	108.71	-0.094
394	1e+13	NDD	110.71	110.69	-0.0134
395	1e+13	NDD		109.34	
396	0	CORRELATION	109.57		
571	1e+13	NDD	107.62	107.71	0.0919
632	0	CORRELATION	110.77	110.81	0.045
649	0	CORRELATION	109.72	109.82	0.0909
662	0	CORRELATION	108.07	108.01	-0.0556


NDD vs Post - Pre Exposure Delta



Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	108.07	109.53	110.77	1.1105	108.01	109.55	110.81	1.4177	-0.0556	0.026767	0.0909	0.074933
1e+12	105.78	108.39	109.82	1.8622	105.73	108.41	109.88	1.9002	-0.0478	0.018175	0.0583	0.050842
5e+12	108.05	109	109.83	0.73285	108.14	109.08	109.77	0.68013	-0.062	0.0778	0.1422	0.095538
1e+13	107.62	109.04	110.71	1.557	107.71	109.11	110.69	1.2478	-0.094	-0.0051667	0.0919	0.093223


NDD vs Result Stats



Test Results (Lower Limit = 450.0, Upper Limit = 550.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	510.89	511	0.1125
266	1e+12	NDD	508	508.57	0.5699
267	1e+12	NDD	509.67	509.95	0.2867
288	1e+12	NDD	503.62	503.81	0.1961
348	5e+12	NDD	514.16	513.95	-0.2111
353	5e+12	NDD	510.02	509.79	-0.2353
370	5e+12	NDD	506.92	506.58	-0.3462
377	5e+12	NDD	509.63	509.02	-0.605
389	1e+13	NDD	509.25	508.45	-0.7975
394	1e+13	NDD	513.33	512.38	-0.9499
395	1e+13	NDD		507.27	
396	0	CORRELATION	509.69		
571	1e+13	NDD	508.51	506.72	-1.7831
632	0	CORRELATION	516.11	516.33	0.2248
649	0	CORRELATION	512.89	513.74	0.8492
662	0	CORRELATION	507.39	507.63	0.2356


NDD vs Post - Pre Exposure Delta



Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	507.39	511.52	516.11	3.7981	507.63	512.57	516.33	4.4681	0.2248	0.43653	0.8492	0.35742
1e+12	503.62	508.04	510.89	3.1775	503.81	508.33	511	3.1726	0.1125	0.2913	0.5699	0.19889
5e+12	506.92	510.18	514.16	2.9873	506.58	509.83	513.95	3.0658	-0.605	-0.3494	-0.2111	0.18027
1e+13	508.51	510.36	513.33	2.598	506.72	508.71	512.38	2.5549	-1.7831	-1.1768	-0.7975	0.53054


NDD vs Result Stats



Test Results (Lower Limit = 870.0, Upper Limit = 1170.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1040.2	1041.8	1.603
266	1e+12	NDD	1033.3	1035	1.7568
267	1e+12	NDD	1034.8	1036	1.1492
288	1e+12	NDD	1023.5	1024	0.4293
348	5e+12	NDD	1038.6	1042.1	3.4755
353	5e+12	NDD	1037.5	1039.8	2.2804
370	5e+12	NDD	1026.6	1028.7	2.0879
377	5e+12	NDD	1044.9	1046.8	1.8758
389	1e+13	NDD	1030.1	1030.6	0.4575
394	1e+13	NDD	1038.6	1041.7	3.0463
395	1e+13	NDD		1035.8	
396	0	CORRELATION	1035		
571	1e+13	NDD	1034.4	1036.6	2.2088
632	0	CORRELATION	1056.7	1059.2	2.5116
649	0	CORRELATION	1037.2	1040.3	3.1211
662	0	CORRELATION	1035.2	1036.4	1.1603


NDD vs Post - Pre Exposure Delta




Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1035	1041	1056.7	10.501	1036.4	1045.3	1059.2	12.222	1.1603	2.2643	3.1211	1.0035
1e+12	1023.5	1033	1040.2	6.9619	1024	1034.2	1041.8	7.4614	0.4293	1.2346	1.7568	0.5956
5e+12	1026.6	1036.9	1044.9	7.5908	1028.7	1039.3	1046.8	7.6578	1.8758	2.4299	3.4755	0.71638
1e+13	1030.1	1034.4	1038.6	4.2422	1030.6	1036.2	1041.7	4.5326	0.4575	1.9042	3.0463	1.321

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta





Test Results (Upper Limit = 250.0 (ns))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	181.26	183.03	1.774
266	1e+12	NDD	183.11	184.35	1.2435
267	1e+12	NDD	184.5	193.33	8.8324
288	1e+12	NDD	186.01	183.34	-2.6693
348	5e+12	NDD	183.94	186.94	3.0016
353	5e+12	NDD	182.88	184.59	1.7119
370	5e+12	NDD	188.34	198.51	10.169
377	5e+12	NDD	189.12	187.66	-1.4649
389	1e+13	NDD	180.91	185.62	4.7078
394	1e+13	NDD	178.85	182.32	3.4702
395	1e+13	NDD		196.6	
396	0	CORRELATION	183.4		
571	1e+13	NDD	186.39	187.69	1.3008
632	0	CORRELATION	190.7	191.87	1.1674
649	0	CORRELATION	182.14	182.89	0.75
662	0	CORRELATION	190.94	200.85	9.913

Test Statistics (ns)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	182.14	186.79	190.94	4.6771	182.89	191.87	200.85	8.9798	0.75	3.9435	9.913	5.174
1e+12	181.26	183.72	186.01	2.0239	183.03	186.01	193.33	4.9095	-2.6693	2.2951	8.8324	4.7874
5e+12	182.88	186.07	189.12	3.1189	184.59	189.43	198.51	6.195	-1.4649	3.3545	10.169	4.9156
1e+13	178.85	182.05	186.39	3.8967	182.32	188.06	196.6	6.1077	1.3008	3.1596	4.7078	1.7246



Test Results (Upper Limit = 100.0 (µs))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	55.692	55.93	0.2379
266	1e+12	NDD	51.547	51.787	0.2398
267	1e+12	NDD	54.64	54.818	0.1779
288	1e+12	NDD	52.726	52.897	0.1715
348	5e+12	NDD	52.299	53.272	0.9727
353	5e+12	NDD	54.92	55.952	1.0324
370	5e+12	NDD	53.492	54.446	0.9539
377	5e+12	NDD	53.792	54.844	1.0513
389	1e+13	NDD	56.65	59.039	2.3894
394	1e+13	NDD	55.115	57.294	2.1789
395	1e+13	NDD		55.226	
396	0	CORRELATION	53.05		
571	1e+13	NDD	54.195	56.535	2.3407
632	0	CORRELATION	53.383	53.44	0.0561
649	0	CORRELATION	48.66	48.695	0.0351
662	0	CORRELATION	53.148	53.13	-0.0176

Test Statistics (µs)												
Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	48.66	52.06	53.383	2.2714	48.695	51.755	53.44	2.6546	-0.0176	0.024533	0.0561	0.037969
1e+12	51.547	53.651	55.692	1.8642	51.787	53.858	55.93	1.8643	0.1715	0.20678	0.2398	0.037137
5e+12	52.299	53.626	54.92	1.0772	53.272	54.628	55.952	1.1065	0.9539	1.0026	1.0513	0.046638
1e+13	54.195	55.32	56.65	1.2404	55.226	57.024	59.039	1.5922	2.1789	2.303	2.3894	0.1102


NDD vs Result Stats



Test Results (Lower Limit = 450.0, Upper Limit = 550.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	509.14	509.71	0.5699
266	1e+12	NDD	506.04	506.66	0.6197
267	1e+12	NDD	508.59	508.87	0.2776
288	1e+12	NDD	502.04	502.38	0.3439
348	5e+12	NDD	512.72	513	0.2789
353	5e+12	NDD	508.67	508.81	0.1377
370	5e+12	NDD	505.37	505.41	0.0394
377	5e+12	NDD	508.45	508.31	-0.1409
389	1e+13	NDD	507.66	506.64	-1.0288
394	1e+13	NDD	511.83	511.51	-0.3215
395	1e+13	NDD		506.69	
396	0	CORRELATION	508.49		
571	1e+13	NDD	506.9	505.9	-0.999
632	0	CORRELATION	515.17	515.85	0.6853
649	0	CORRELATION	511.36	512.19	0.8321
662	0	CORRELATION	506.4	506.82	0.426


NDD vs Post - Pre Exposure Delta



Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	506.4	510.35	515.17	3.7992	506.82	511.62	515.85	4.5408	0.426	0.6478	0.8321	0.20563
1e+12	502.04	506.45	509.14	3.2384	502.38	506.9	509.71	3.2787	0.2776	0.45278	0.6197	0.16745
5e+12	505.37	508.8	512.72	3.0162	505.41	508.88	513	3.1286	-0.1409	0.078775	0.2789	0.17638
1e+13	506.9	508.8	511.83	2.6543	505.9	507.69	511.51	2.5763	-1.0288	-0.7831	-0.3215	0.40003


NDD vs Result Stats



Test Results (Lower Limit = 850.0, Upper Limit = 1150.0 (kHz))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1020.4	1023.1	2.6629
266	1e+12	NDD	1004.2	1008	3.8023
267	1e+12	NDD	1004.8	1009.3	4.5779
288	1e+12	NDD	987.13	988.89	1.7687
348	5e+12	NDD	992.9	1002.5	9.5754
353	5e+12	NDD	1008.1	1019.1	11.024
370	5e+12	NDD	985.57	993.64	8.0687
377	5e+12	NDD	1025.1	1027.6	2.5416
389	1e+13	NDD	981.09	999.85	18.763
394	1e+13	NDD	1004.6	1017.5	12.911
395	1e+13	NDD		1018.6	
396	0	CORRELATION	1004.8		
571	1e+13	NDD	992.98	1015.5	22.534
632	0	CORRELATION	1037.9	1039.4	1.5894
649	0	CORRELATION	995.27	1000.1	4.8578
662	0	CORRELATION	1016	1018.3	2.279


NDD vs Post - Pre Exposure Delta




Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	995.27	1013.5	1037.9	18.327	1000.1	1019.3	1039.4	19.679	1.5894	2.9087	4.8578	1.7228
1e+12	987.13	1004.1	1020.4	13.597	988.89	1007.3	1023.1	14.05	1.7687	3.2029	4.5779	1.2381
5e+12	985.57	1002.9	1025.1	17.514	993.64	1010.7	1027.6	15.459	2.5416	7.8025	11.024	3.709
1e+13	981.09	992.9	1004.6	11.772	999.85	1012.9	1018.6	8.7855	12.911	18.069	22.534	4.8487

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta





Test Results (Upper Limit = 235.0 (ns))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	190.04	191.9	1.8604
266	1e+12	NDD	194.01	195.69	1.6808
267	1e+12	NDD	195.79	205.34	9.5465
288	1e+12	NDD	193.41	191.29	-2.1251
348	5e+12	NDD	194.2	196.44	2.2387
353	5e+12	NDD	192.26	195.71	3.4511
370	5e+12	NDD	192.01	204.06	12.054
377	5e+12	NDD	199.02	199.82	0.8006
389	1e+13	NDD	190.55	196.64	6.0982
394	1e+13	NDD	188.34	193.77	5.4236
395	1e+13	NDD		205.8	
396	0	CORRELATION	190.78		
571	1e+13	NDD	197.11	199.92	2.8168
632	0	CORRELATION	202.78	201.82	-0.9644
649	0	CORRELATION	191.7	192.05	0.3541
662	0	CORRELATION	201.35	211.47	10.127

Test Statistics (ns)


Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	190.78	196.65	202.78	6.2897	192.05	201.78	211.47	9.7116	-0.9644	3.1721	10.127	6.0588
1e+12	190.04	193.31	195.79	2.4045	191.29	196.05	205.34	6.4889	-2.1251	2.7407	9.5465	4.8953
5e+12	192.01	194.37	199.02	3.2501	195.71	199.01	204.06	3.8166	0.8006	4.6361	12.054	5.0626
1e+13	188.34	192	197.11	4.5585	193.77	199.03	205.8	5.1635	2.8168	4.7795	6.0982	1.7329

Device Test: 24.23 TIMING|DELAY/EN/4.5//511k//@T_EN_DELAY




Test Results (Upper Limit = 100.0 (µs))					
Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	49.532	49.777	0.2453
266	1e+12	NDD	45.886	46.139	0.2528
267	1e+12	NDD	48.529	48.77	0.2418
288	1e+12	NDD	46.721	46.937	0.2165
348	5e+12	NDD	46.21	47.204	0.9943
353	5e+12	NDD	48.938	50.004	1.066
370	5e+12	NDD	47.168	48.207	1.0392
377	5e+12	NDD	47.81	48.84	1.0303
389	1e+13	NDD	50.212	52.687	2.4743
394	1e+13	NDD	48.946	51.158	2.2116
395	1e+13	NDD		49.283	
396	0	CORRELATION	47.062		
571	1e+13	NDD	47.924	50.335	2.4115
632	0	CORRELATION	47.559	47.59	0.0313
649	0	CORRELATION	43.201	43.168	-0.0336
662	0	CORRELATION	47.357	47.38	0.0232

Test Statistics (µs)												
Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	43.201	46.295	47.559	2.0725	43.168	46.046	47.59	2.4951	-0.0336	0.0069667	0.0313	0.035364
1e+12	45.886	47.667	49.532	1.6619	46.139	47.906	49.777	1.6642	0.2165	0.2391	0.2528	0.01575
5e+12	46.21	47.531	48.938	1.145	47.204	48.564	50.004	1.1726	0.9943	1.0324	1.066	0.029615
1e+13	47.924	49.028	50.212	1.1465	49.283	50.866	52.687	1.4363	2.2116	2.3658	2.4743	0.13718



Test Results (Lower Limit = 150.0, Upper Limit = 390.0 (ns))


Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	251.52	253.81	2.2997
266	1e+12	NDD	267.36	268.88	1.5212
267	1e+12	NDD	251.83	256.8	4.9703
288	1e+12	NDD	262.27	264.21	1.9336
348	5e+12	NDD	246.62	250.55	3.9339
353	5e+12	NDD	265.3	268.14	2.8335
370	5e+12	NDD	257.69	261.79	4.1023
377	5e+12	NDD	263.73	267.54	3.8146
389	1e+13	NDD	251.03	255.61	4.5755
394	1e+13	NDD	269.73	273.42	3.6915
395	1e+13	NDD		262.88	
396	0	CORRELATION	255.67		
571	1e+13	NDD	263.39	268.95	5.5577
632	0	CORRELATION	251.93	252.95	1.0176
649	0	CORRELATION	264.32	264.86	0.5427
662	0	CORRELATION	255.1	259.64	4.5375



Test Statistics (ns)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	251.93	256.76	264.32	5.3027	252.95	259.15	264.86	5.9709	0.5427	2.0326	4.5375	2.1823
1e+12	251.52	258.24	267.36	7.8682	253.81	260.93	268.88	6.8707	1.5212	2.6812	4.9703	1.5588
5e+12	246.62	258.33	265.3	8.4709	250.55	262.01	268.14	8.1528	2.8335	3.6711	4.1023	0.57072
1e+13	251.03	261.38	269.73	9.5089	255.61	265.21	273.42	7.7249	3.6915	4.6082	5.5577	0.93353


NDD vs Result Stats



Test Results (Upper Limit = 1.7 (V))



Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.36	1.35	-0.01
266	1e+12	NDD	1.35	1.34	-0.01
267	1e+12	NDD	1.36	1.36	0
288	1e+12	NDD	1.36	1.36	0
348	5e+12	NDD	1.38	1.37	-0.01
353	5e+12	NDD	1.38	1.37	-0.01
370	5e+12	NDD	1.37	1.37	0
377	5e+12	NDD	1.35	1.34	-0.01
389	1e+13	NDD	1.35	1.34	-0.01
394	1e+13	NDD	1.36	1.35	-0.01
395	1e+13	NDD		1.36	
396	0	CORRELATION	1.37		
571	1e+13	NDD	1.35	1.35	0
632	0	CORRELATION	1.36	1.36	0
649	0	CORRELATION	1.38	1.38	0
662	0	CORRELATION	1.37	1.36	-0.01

NDD vs Post - Pre Exposure Delta



Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.36	1.37	1.38	0.008165	1.36	1.3667	1.38	0.011547	-0.01	-0.0033333	0	0.0057735
1e+12	1.35	1.3575	1.36	0.005	1.34	1.3525	1.36	0.0095743	-0.01	-0.005	0	0.0057735
5e+12	1.35	1.37	1.38	0.014142	1.34	1.3625	1.37	0.015	-0.01	-0.0075	0	0.005
1e+13	1.35	1.3533	1.36	0.0057735	1.34	1.35	1.36	0.008165	-0.01	-0.0066667	0	0.0057735




Test Results (Lower Limit = 100.0, Upper Limit = 1000.0 (kHz))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	100	100	0
266	1e+12	NDD	100	100	0
267	1e+12	NDD	100	100	0
288	1e+12	NDD	100	100	0
348	5e+12	NDD	100	100	0
353	5e+12	NDD	100	100	0
370	5e+12	NDD	100	100	0
377	5e+12	NDD	100	100	0
389	1e+13	NDD	100	100	0
394	1e+13	NDD	100	100	0
395	1e+13	NDD		100	
396	0	CORRELATION	100		
571	1e+13	NDD	100	100	0
632	0	CORRELATION	100	100	0
649	0	CORRELATION	100	100	0
662	0	CORRELATION	100	100	0

Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	100	100	100	0	100	100	100	0	0	0	0	0
1e+12	100	100	100	0	100	100	100	0	0	0	0	0
5e+12	100	100	100	0	100	100	100	0	0	0	0	0
1e+13	100	100	100	0	100	100	100	0	0	0	0	0


NDD vs Result Stats



Test Results (Lower Limit = 160.0, Upper Limit = 310.0 (ns))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	241.57	243.91	2.3371
266	1e+12	NDD	257.41	258.17	0.7673
267	1e+12	NDD	241.39	245.59	4.2087
288	1e+12	NDD	251.45	254.04	2.5912
348	5e+12	NDD	236.51	239.78	3.2726
353	5e+12	NDD	254.59	257.87	3.2738
370	5e+12	NDD	245.51	251.28	5.7723
377	5e+12	NDD	253.79	257.42	3.6219
389	1e+13	NDD	240.64	244.82	4.183
394	1e+13	NDD	258.94	262.9	3.9689
395	1e+13	NDD		251.82	
396	0	CORRELATION	243.91		
571	1e+13	NDD	252.41	258.33	5.9127
632	0	CORRELATION	240.62	243.35	2.7293
649	0	CORRELATION	253.34	254.44	1.0998
662	0	CORRELATION	244.8	248.22	3.421


NDD vs Post - Pre Exposure Delta




Test Statistics (ns)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	240.62	245.67	253.34	5.4223	243.35	248.67	254.44	5.5594	1.0998	2.4167	3.421	1.1918
1e+12	241.39	247.95	257.41	7.8612	243.91	250.43	258.17	6.8035	0.7673	2.4761	4.2087	1.4088
5e+12	236.51	247.6	254.59	8.4605	239.78	251.59	257.87	8.4255	3.2726	3.9851	5.7723	1.2027
1e+13	240.64	250.66	258.94	9.2725	244.82	254.47	262.9	7.8765	3.9689	4.6882	5.9127	1.0658

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 0.7 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.08	1.08	0
266	1e+12	NDD	1.07	1.06	-0.01
267	1e+12	NDD	1.08	1.08	0
288	1e+12	NDD	1.08	1.08	0
348	5e+12	NDD	1.1	1.1	0
353	5e+12	NDD	1.1	1.1	0
370	5e+12	NDD	1.09	1.09	0
377	5e+12	NDD	1.06	1.06	0
389	1e+13	NDD	1.07	1.07	0
394	1e+13	NDD	1.08	1.08	0
395	1e+13	NDD		1.09	
396	0	CORRELATION	1.1		
571	1e+13	NDD	1.08	1.08	0
632	0	CORRELATION	1.09	1.09	0
649	0	CORRELATION	1.1	1.1	0
662	0	CORRELATION	1.09	1.09	0


Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.09	1.095	1.1	0.0057735	1.09	1.0933	1.1	0.0057735	0	0	0	0
1e+12	1.07	1.0775	1.08	0.005	1.06	1.075	1.08	0.01	-0.01	-0.0025	0	0.005
5e+12	1.06	1.0875	1.1	0.01893	1.06	1.0875	1.1	0.01893	0	0	0	0
1e+13	1.07	1.0767	1.08	0.0057735	1.07	1.08	1.09	0.008165	0	0	0	0

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 1.7 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.42	1.42	0
266	1e+12	NDD	1.4	1.41	0.01
267	1e+12	NDD	1.42	1.42	0
288	1e+12	NDD	1.42	1.42	0
348	5e+12	NDD	1.44	1.44	0
353	5e+12	NDD	1.44	1.43	-0.01
370	5e+12	NDD	1.44	1.43	-0.01
377	5e+12	NDD	1.4	1.4	0
389	1e+13	NDD	1.41	1.41	0
394	1e+13	NDD	1.42	1.42	0
395	1e+13	NDD		1.43	
396	0	CORRELATION	1.44		
571	1e+13	NDD	1.42	1.41	-0.01
632	0	CORRELATION	1.43	1.41	-0.02
649	0	CORRELATION	1.45	1.44	-0.01
662	0	CORRELATION	1.42	1.42	0


Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.42	1.435	1.45	0.01291	1.41	1.4233	1.44	0.015275	-0.02	-0.01	0	0.01
1e+12	1.4	1.415	1.42	0.01	1.41	1.4175	1.42	0.005	0	0.0025	0.01	0.005
5e+12	1.4	1.43	1.44	0.02	1.4	1.425	1.44	0.017321	-0.01	-0.005	0	0.0057735
1e+13	1.41	1.4167	1.42	0.0057735	1.41	1.4175	1.43	0.0095743	-0.01	-0.0033333	0	0.0057735

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta





Test Results (Lower Limit = 0.7 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.12	1.12	0
266	1e+12	NDD	1.11	1.1	-0.01
267	1e+12	NDD	1.12	1.12	0
288	1e+12	NDD	1.12	1.12	0
348	5e+12	NDD	1.14	1.14	0
353	5e+12	NDD	1.14	1.14	0
370	5e+12	NDD	1.13	1.13	0
377	5e+12	NDD	1.1	1.1	0
389	1e+13	NDD	1.11	1.11	0
394	1e+13	NDD	1.12	1.11	-0.01
395	1e+13	NDD		1.13	
396	0	CORRELATION	1.14		
571	1e+13	NDD	1.12	1.12	0
632	0	CORRELATION	1.13	1.13	0
649	0	CORRELATION	1.14	1.14	0
662	0	CORRELATION	1.13	1.13	0

Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.13	1.135	1.14	0.0057735	1.13	1.1333	1.14	0.0057735	0	0	0	0
1e+12	1.11	1.1175	1.12	0.005	1.1	1.115	1.12	0.01	-0.01	-0.0025	0	0.005
5e+12	1.1	1.1275	1.14	0.01893	1.1	1.1275	1.14	0.01893	0	0	0	0
1e+13	1.11	1.1167	1.12	0.0057735	1.11	1.1175	1.13	0.0095743	-0.01	-0.0033333	0	0.0057735





Test Results (Lower Limit = 100.0, Upper Limit = 1000.0 (kHz))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	499.92	500.01	0.0837
266	1e+12	NDD	499.96	500.07	0.1094
267	1e+12	NDD	499.97	500.04	0.0701
288	1e+12	NDD	499.97	500.03	0.0588
348	5e+12	NDD	499.95	500.04	0.0882
353	5e+12	NDD	499.96	500.03	0.0695
370	5e+12	NDD	499.98	500.04	0.06
377	5e+12	NDD	499.97	500.03	0.0597
389	1e+13	NDD	499.97	500.02	0.0518
394	1e+13	NDD	499.95	500.08	0.1306
395	1e+13	NDD		500.05	
396	0	CORRELATION	499.97		
571	1e+13	NDD	499.98	500.05	0.069
632	0	CORRELATION	499.95	500.02	0.0699
649	0	CORRELATION	499.96	500.04	0.0842
662	0	CORRELATION	499.97	500.02	0.0516

Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	499.95	499.96	499.97	0.010723	500.02	500.03	500.04	0.013203	0.0516	0.068567	0.0842	0.016341
1e+12	499.92	499.95	499.97	0.02089	500.01	500.04	500.07	0.024801	0.0588	0.0805	0.1094	0.021791
5e+12	499.95	499.97	499.98	0.015445	500.03	500.04	500.04	0.0086284	0.0597	0.06935	0.0882	0.013365
1e+13	499.95	499.97	499.98	0.016142	500.02	500.05	500.08	0.023031	0.0518	0.0838	0.1306	0.041432




Test Results (Lower Limit = 100.0, Upper Limit = 1000.0 (kHz))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1000	1000	0
266	1e+12	NDD	1000	1000	0
267	1e+12	NDD	1000	1000	0
288	1e+12	NDD	1000	1000	0
348	5e+12	NDD	1000	1000	0
353	5e+12	NDD	1000	1000	0
370	5e+12	NDD	1000	1000	0
377	5e+12	NDD	1000	1000	0
389	1e+13	NDD	1000	1000	0
394	1e+13	NDD	1000	1000	0
395	1e+13	NDD		1000	
396	0	CORRELATION	1000		
571	1e+13	NDD	1000	1000	0
632	0	CORRELATION	1000	1000	0
649	0	CORRELATION	1000	1000	0
662	0	CORRELATION	1000	1000	0


Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
1e+12	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
5e+12	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
1e+13	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 0.4, Upper Limit = 0.6 (Decimal))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.4	0.4	0
266	1e+12	NDD	0.4	0.4	0
267	1e+12	NDD	0.4	0.4	0
288	1e+12	NDD	0.4	0.4	0
348	5e+12	NDD	0.4	0.4	0
353	5e+12	NDD	0.4	0.4	0
370	5e+12	NDD	0.4	0.4	0
377	5e+12	NDD	0.4	0.4	0
389	1e+13	NDD	0.4	0.4	0
394	1e+13	NDD	0.4	0.4	0
395	1e+13	NDD		0.4	
396	0	CORRELATION	0.4		
571	1e+13	NDD	0.4	0.4	0
632	0	CORRELATION	0.4	0.4	0
649	0	CORRELATION	0.4	0.4	0
662	0	CORRELATION	0.4	0.4	0


Test Statistics (Decimal)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
1e+12	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
5e+12	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
1e+13	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 0.4, Upper Limit = 0.6 (Decimal))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.6	0.6	0
266	1e+12	NDD	0.6	0.6	0
267	1e+12	NDD	0.6	0.6	0
288	1e+12	NDD	0.6	0.6	0
348	5e+12	NDD	0.6	0.6	0
353	5e+12	NDD	0.6	0.6	0
370	5e+12	NDD	0.6	0.6	0
377	5e+12	NDD	0.6	0.6	0
389	1e+13	NDD	0.6	0.6	0
394	1e+13	NDD	0.6	0.6	0
395	1e+13	NDD		0.6	
396	0	CORRELATION	0.6		
571	1e+13	NDD	0.6	0.6	0
632	0	CORRELATION	0.6	0.6	0
649	0	CORRELATION	0.6	0.6	0
662	0	CORRELATION	0.6	0.6	0

Test Statistics (Decimal)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
1e+12	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
5e+12	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
1e+13	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0


NDD vs Result Stats



Test Results (Upper Limit = 5.0 ((1/fsw) s))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.5137	3.5702	0.0565
266	1e+12	NDD	3.5134	3.7829	0.2695
267	1e+12	NDD	3.5688	3.5811	0.0123
288	1e+12	NDD	3.531	3.5294	-0.0016
348	5e+12	NDD	3.5456	3.609	0.0634
353	5e+12	NDD	3.595	3.5527	-0.0423
370	5e+12	NDD	3.6367	3.6953	0.0586
377	5e+12	NDD	3.6514	3.6356	-0.0158
389	1e+13	NDD	3.5858	3.5319	-0.0539
394	1e+13	NDD	3.5745	3.6165	0.042
395	1e+13	NDD		3.4483	
396	0	CORRELATION	3.5219		
571	1e+13	NDD	3.511	3.5946	0.0836
632	0	CORRELATION	3.7192	3.5002	-0.219
649	0	CORRELATION	3.5904	3.4501	-0.1403
662	0	CORRELATION	3.5227	3.4232	-0.0995


NDD vs Post - Pre Exposure Delta




Test Statistics ((1/fsw) s)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.5219	3.5885	3.7192	0.092828	3.4232	3.4578	3.5002	0.039078	-0.219	-0.15293	-0.0995	0.060743
1e+12	3.5134	3.5317	3.5688	0.02605	3.5294	3.6159	3.7829	0.11354	-0.0016	0.084175	0.2695	0.12601
5e+12	3.5456	3.6072	3.6514	0.047495	3.5527	3.6231	3.6953	0.059229	-0.0423	0.015975	0.0634	0.05314
1e+13	3.511	3.5571	3.5858	0.040322	3.4483	3.5478	3.6165	0.075417	-0.0539	0.0239	0.0836	0.070514

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 2.0 ((1/fsw) s))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1	1	0
266	1e+12	NDD	1	1	0
267	1e+12	NDD	1	1	0
288	1e+12	NDD	1	1	0
348	5e+12	NDD	1	1	0
353	5e+12	NDD	1	1	0
370	5e+12	NDD	1	1	0
377	5e+12	NDD	1	1	0
389	1e+13	NDD	1	1	0
394	1e+13	NDD	1	1	0
395	1e+13	NDD		1	
396	0	CORRELATION	1		
571	1e+13	NDD	1	1	0
632	0	CORRELATION	1	1	0
649	0	CORRELATION	1	1	0
662	0	CORRELATION	1	1	0

Test Statistics ((1/fsw) s)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1	1	1	0	1	1	1	0	0	0	0	0
1e+12	1	1	1	0	1	1	1	0	0	0	0	0
5e+12	1	1	1	0	1	1	1	0	0	0	0	0
1e+13	1	1	1	0	1	1	1	0	0	0	0	0


NDD vs Result Stats



Test Results (Lower Limit = 90.0, Upper Limit = 120.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	109.8	109.93	0.1365
266	1e+12	NDD	108.32	108.43	0.1107
267	1e+12	NDD	109.55	109.6	0.0505
288	1e+12	NDD	105.77	105.79	0.021
348	5e+12	NDD	109.82	109.78	-0.037
353	5e+12	NDD	109.04	109.27	0.2264
370	5e+12	NDD	108	108.16	0.1654
377	5e+12	NDD	109.06	109.21	0.1505
389	1e+13	NDD	108.79	108.73	-0.0625
394	1e+13	NDD	110.68	110.68	-0.0041
395	1e+13	NDD		109.37	
396	0	CORRELATION	109.51		
571	1e+13	NDD	107.6	107.69	0.098
632	0	CORRELATION	110.79	110.82	0.0326
649	0	CORRELATION	109.72	109.85	0.1318
662	0	CORRELATION	108.02	108.02	0.0005

NDD vs Post - Pre Exposure Delta




Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	108.02	109.51	110.79	1.1388	108.02	109.56	110.82	1.4206	0.0005	0.054967	0.1318	0.068448
1e+12	105.77	108.36	109.8	1.8423	105.79	108.44	109.93	1.8784	0.021	0.079675	0.1365	0.053184
5e+12	108	108.98	109.82	0.74861	108.16	109.11	109.78	0.67945	-0.037	0.12632	0.2264	0.11373
1e+13	107.6	109.02	110.68	1.5556	107.69	109.12	110.68	1.2484	-0.0625	0.010467	0.098	0.081235

Device Test: 24.6 FREQ|500kHz/SYNC1/4.5//OPEN//@SYNC_FREQ_RANGE


NDD vs Result Stats



Test Results (Lower Limit = 100.0, Upper Limit = 1000.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	499.94	500.05	0.1013
266	1e+12	NDD	499.95	500.03	0.0801
267	1e+12	NDD	499.97	500.03	0.0597
288	1e+12	NDD	499.98	500.03	0.049
348	5e+12	NDD	499.94	500.01	0.0696
353	5e+12	NDD	499.94	500.05	0.1096
370	5e+12	NDD	499.98	500.05	0.071
377	5e+12	NDD	499.98	500.03	0.0516
389	1e+13	NDD	499.95	500.03	0.0787
394	1e+13	NDD	499.97	500.08	0.1157
395	1e+13	NDD		500.07	
396	0	CORRELATION	500		
571	1e+13	NDD	499.98	500.03	0.0428
632	0	CORRELATION	499.95	500	0.0501
649	0	CORRELATION	499.94	500.04	0.095
662	0	CORRELATION	499.98	500.03	0.0521


NDD vs Post - Pre Exposure Delta




Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	499.94	499.97	500	0.026084	500	500.02	500.04	0.018293	0.0501	0.065733	0.095	0.025365
1e+12	499.94	499.96	499.98	0.015999	500.03	500.03	500.05	0.0090093	0.049	0.072525	0.1013	0.023118
5e+12	499.94	499.96	499.98	0.020446	500.01	500.04	500.05	0.020117	0.0516	0.07545	0.1096	0.02442
1e+13	499.95	499.97	499.98	0.017867	500.03	500.05	500.08	0.028698	0.0428	0.079067	0.1157	0.036451

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 450.0, Upper Limit = 550.0 (kHz))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	510.44	511.08	0.6444
266	1e+12	NDD	507.81	508.54	0.7289
267	1e+12	NDD	509.71	510.18	0.4748
288	1e+12	NDD	503.72	503.99	0.2704
348	5e+12	NDD	514.27	514.44	0.1733
353	5e+12	NDD	510.06	510.12	0.062
370	5e+12	NDD	506.99	506.97	-0.0189
377	5e+12	NDD	509.72	509.42	-0.306
389	1e+13	NDD	509.76	508.25	-1.5085
394	1e+13	NDD	513.33	512.89	-0.4482
395	1e+13	NDD		507.62	
396	0	CORRELATION	509.67		
571	1e+13	NDD	508.56	507.22	-1.3436
632	0	CORRELATION	515.92	516.84	0.9233
649	0	CORRELATION	513.03	513.93	0.9077
662	0	CORRELATION	507.24	507.94	0.7048

Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	507.24	511.46	515.92	3.801	507.94	512.91	516.84	4.5376	0.7048	0.84527	0.9233	0.1219
1e+12	503.72	507.92	510.44	3.0088	503.99	508.45	511.08	3.1515	0.2704	0.52962	0.7289	0.20256
5e+12	506.99	510.26	514.27	3.0051	506.97	510.24	514.44	3.111	-0.306	-0.0224	0.1733	0.20483
1e+13	508.56	510.55	513.33	2.4838	507.22	508.99	512.89	2.63	-1.5085	-1.1001	-0.4482	0.57055


NDD vs Result Stats



Test Results (Lower Limit = 870.0, Upper Limit = 1170.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1040.7	1042.9	2.1404
266	1e+12	NDD	1035.7	1038.2	2.5442
267	1e+12	NDD	1034.4	1035.8	1.323
288	1e+12	NDD	1025.3	1027.3	1.9705
348	5e+12	NDD	1038.9	1043	4.1326
353	5e+12	NDD	1037.1	1040.1	2.9881
370	5e+12	NDD	1026.7	1029	2.3332
377	5e+12	NDD	1045.4	1047.1	1.7336
389	1e+13	NDD	1029.5	1033.2	3.6836
394	1e+13	NDD	1040.8	1042.8	1.9297
395	1e+13	NDD		1036	
396	0	CORRELATION	1035.2		
571	1e+13	NDD	1033.7	1037.9	4.1483
632	0	CORRELATION	1057	1060.7	3.6588
649	0	CORRELATION	1038	1041.2	3.1475
662	0	CORRELATION	1036.7	1037.5	0.8099


NDD vs Post - Pre Exposure Delta




Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1035.2	1041.7	1057	10.246	1037.5	1046.4	1060.7	12.462	0.8099	2.5387	3.6588	1.5189
1e+12	1025.3	1034	1040.7	6.4097	1027.3	1036	1042.9	6.5229	1.323	1.9945	2.5442	0.50825
5e+12	1026.7	1037	1045.4	7.7366	1029	1039.8	1047.1	7.7362	1.7336	2.7969	4.1326	1.0273
1e+13	1029.5	1034.7	1040.8	5.7116	1033.2	1037.5	1042.8	4.0154	1.9297	3.2539	4.1483	1.1701

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Upper Limit = 250.0 (ns))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	195.83	197.72	1.8952
266	1e+12	NDD	199.6	200.07	0.4693
267	1e+12	NDD	200.46	209.83	9.3705
288	1e+12	NDD	198.6	197.19	-1.4121
348	5e+12	NDD	199.88	200.26	0.3756
353	5e+12	NDD	198.03	200.97	2.9408
370	5e+12	NDD	197.79	209.95	12.154
377	5e+12	NDD	205.19	205.74	0.5442
389	1e+13	NDD	196.73	201.52	4.7882
394	1e+13	NDD	193.6	197.95	4.345
395	1e+13	NDD		210.96	
396	0	CORRELATION	197.22		
571	1e+13	NDD	202.5	205.85	3.3515
632	0	CORRELATION	208.65	208.64	-0.0189
649	0	CORRELATION	197.11	197.51	0.3955
662	0	CORRELATION	206.37	217.08	10.713


Test Statistics (ns)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	197.11	202.34	208.65	6.0469	197.51	207.74	217.08	9.8174	-0.0189	3.6965	10.713	6.0799
1e+12	195.83	198.62	200.46	2.0103	197.19	201.2	209.83	5.8854	-1.4121	2.5807	9.3705	4.7248
5e+12	197.79	200.23	205.19	3.4403	200.26	204.23	209.95	4.5203	0.3756	4.0038	12.154	5.5587
1e+13	193.6	197.61	202.5	4.5101	197.95	204.07	210.96	5.6152	3.3515	4.1616	4.7882	0.73571

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta





Test Results (Upper Limit = 100.0 (µs))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	54.942	55.194	0.2527
266	1e+12	NDD	50.862	51.12	0.2589
267	1e+12	NDD	53.807	54.077	0.2703
288	1e+12	NDD	51.83	51.999	0.1695
348	5e+12	NDD	51.239	52.282	1.0431
353	5e+12	NDD	54.2	55.376	1.1765
370	5e+12	NDD	52.291	53.402	1.111
377	5e+12	NDD	52.998	54.152	1.1541
389	1e+13	NDD	55.663	58.344	2.6811
394	1e+13	NDD	54.277	56.662	2.3846
395	1e+13	NDD		54.604	
396	0	CORRELATION	52.178		
571	1e+13	NDD	53.13	55.739	2.6088
632	0	CORRELATION	52.663	52.707	0.0446
649	0	CORRELATION	47.824	47.853	0.0296
662	0	CORRELATION	52.506	52.535	0.0292

Test Statistics (µs)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	47.824	51.293	52.663	2.3215	47.853	51.032	52.707	2.7542	0.0292	0.034467	0.0446	0.008778
1e+12	50.862	52.86	54.942	1.8516	51.12	53.098	55.194	1.8683	0.1695	0.23785	0.2703	0.046146
5e+12	51.239	52.682	54.2	1.2435	52.282	53.803	55.376	1.3001	1.0431	1.1212	1.1765	0.05872
1e+13	53.13	54.357	55.663	1.2681	54.604	56.337	58.344	1.5804	2.3846	2.5582	2.6811	0.1546




Test Results (Lower Limit = 100.0, Upper Limit = 1000.0 (kHz))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1000	1000	0
266	1e+12	NDD	1000	1000	0
267	1e+12	NDD	1000	1000	0
288	1e+12	NDD	1000	1000	0
348	5e+12	NDD	1000	1000	0
353	5e+12	NDD	1000	1000	0
370	5e+12	NDD	1000	1000	0
377	5e+12	NDD	1000	1000	0
389	1e+13	NDD	1000	1000	0
394	1e+13	NDD	1000	1000	0
395	1e+13	NDD		1000	
396	0	CORRELATION	1000		
571	1e+13	NDD	1000	1000	0
632	0	CORRELATION	1000	1000	0
649	0	CORRELATION	1000	1000	0
662	0	CORRELATION	1000	1000	0


Test Statistics (kHz)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
1e+12	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
5e+12	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
1e+13	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 0.4, Upper Limit = 0.6 (Decimal))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.4	0.4	0
266	1e+12	NDD	0.4	0.4	0
267	1e+12	NDD	0.4	0.4	0
288	1e+12	NDD	0.4	0.4	0
348	5e+12	NDD	0.4	0.4	0
353	5e+12	NDD	0.4	0.4	0
370	5e+12	NDD	0.4	0.4	0
377	5e+12	NDD	0.4	0.4	0
389	1e+13	NDD	0.4	0.4	0
394	1e+13	NDD	0.4	0.4	0
395	1e+13	NDD		0.4	
396	0	CORRELATION	0.4		
571	1e+13	NDD	0.4	0.4	0
632	0	CORRELATION	0.4	0.4	0
649	0	CORRELATION	0.4	0.4	0
662	0	CORRELATION	0.4	0.4	0

Test Statistics (Decimal)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
1e+12	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
5e+12	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
1e+13	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0


NDD vs Result Stats



Test Results (Lower Limit = 0.4, Upper Limit = 0.6 (Decimal))



Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.6	0.6	0
266	1e+12	NDD	0.6	0.6	0
267	1e+12	NDD	0.6	0.6	0
288	1e+12	NDD	0.6	0.6	0
348	5e+12	NDD	0.6	0.6	0
353	5e+12	NDD	0.6	0.6	0
370	5e+12	NDD	0.6	0.6	0
377	5e+12	NDD	0.6	0.6	0
389	1e+13	NDD	0.6	0.6	0
394	1e+13	NDD	0.6	0.6	0
395	1e+13	NDD		0.6	
396	0	CORRELATION	0.6		
571	1e+13	NDD	0.6	0.6	0
632	0	CORRELATION	0.6	0.6	0
649	0	CORRELATION	0.6	0.6	0
662	0	CORRELATION	0.6	0.6	0

NDD vs Post - Pre Exposure Delta



Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
1e+12	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
5e+12	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
1e+13	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0




Test Results (Lower Limit = 100.0, Upper Limit = 1000.0 (kHz))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	100	100	0
266	1e+12	NDD	100	100	0
267	1e+12	NDD	100	100	0
288	1e+12	NDD	100	100	0
348	5e+12	NDD	100	100	0
353	5e+12	NDD	100	100	0
370	5e+12	NDD	100	100	0
377	5e+12	NDD	100	100	0
389	1e+13	NDD	100	100	0
394	1e+13	NDD	100	100	0
395	1e+13	NDD		100	
396	0	CORRELATION	100		
571	1e+13	NDD	100	100	0
632	0	CORRELATION	100	100	0
649	0	CORRELATION	100	100	0
662	0	CORRELATION	100	100	0

Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	100	100	100	0	100	100	100	0	0	0	0	0
1e+12	100	100	100	0	100	100	100	0	0	0	0	0
5e+12	100	100	100	0	100	100	100	0	0	0	0	0
1e+13	100	100	100	0	100	100	100	0	0	0	0	0


NDD vs Result Stats



Test Results (Lower Limit = 160.0, Upper Limit = 310.0 (ns))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	233.21	235.01	1.7968
266	1e+12	NDD	251.76	253.16	1.3956
267	1e+12	NDD	233.83	237.62	3.7933
288	1e+12	NDD	242.47	244.09	1.6144
348	5e+12	NDD	228.95	231.43	2.4761
353	5e+12	NDD	249.93	251.62	1.684
370	5e+12	NDD	235.37	239.62	4.246
377	5e+12	NDD	248.67	250.88	2.2097
389	1e+13	NDD	231.76	236.88	5.1256
394	1e+13	NDD	251.01	254.83	3.8263
395	1e+13	NDD		242.91	
396	0	CORRELATION	237.05		
571	1e+13	NDD	244.85	250.99	6.1436
632	0	CORRELATION	236.88	237.17	0.2943
649	0	CORRELATION	246.52	246.8	0.2848
662	0	CORRELATION	238.99	243.12	4.134


NDD vs Post - Pre Exposure Delta



Test Statistics (ns)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	236.88	239.86	246.52	4.5412	237.17	242.36	246.8	4.8589	0.2848	1.571	4.134	2.2196
1e+12	233.21	240.32	251.76	8.7211	235.01	242.47	253.16	8.0824	1.3956	2.15	3.7933	1.1077
5e+12	228.95	240.73	249.93	10.251	231.43	243.39	251.62	9.6813	1.684	2.6539	4.246	1.1112
1e+13	231.76	242.54	251.01	9.8315	236.88	246.4	254.83	8.0622	3.8263	5.0318	6.1436	1.1615


NDD vs Result Stats



Test Results (Upper Limit = 1.7 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.42	1.42	0
266	1e+12	NDD	1.41	1.41	0
267	1e+12	NDD	1.43	1.42	-0.01
288	1e+12	NDD	1.43	1.42	-0.01
348	5e+12	NDD	1.45	1.44	-0.01
353	5e+12	NDD	1.44	1.43	-0.01
370	5e+12	NDD	1.44	1.43	-0.01
377	5e+12	NDD	1.41	1.4	-0.01
389	1e+13	NDD	1.42	1.41	-0.01
394	1e+13	NDD	1.42	1.42	0
395	1e+13	NDD		1.43	
396	0	CORRELATION	1.44		
571	1e+13	NDD	1.42	1.41	-0.01
632	0	CORRELATION	1.42	1.42	0
649	0	CORRELATION	1.45	1.45	0
662	0	CORRELATION	1.43	1.43	0


NDD vs Post - Pre Exposure Delta




Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.42	1.435	1.45	0.01291	1.42	1.4333	1.45	0.015275	0	0	0	0
1e+12	1.41	1.4225	1.43	0.0095743	1.41	1.4175	1.42	0.005	-0.01	-0.005	0	0.0057735
5e+12	1.41	1.435	1.45	0.017321	1.4	1.425	1.44	0.017321	-0.01	-0.01	-0.01	0
1e+13	1.42	1.42	1.42	0	1.41	1.4175	1.43	0.0095743	-0.01	-0.0066667	0	0.0057735

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 0.7 (V))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1.12	1.12	0
266	1e+12	NDD	1.11	1.11	0
267	1e+12	NDD	1.12	1.12	0
288	1e+12	NDD	1.13	1.12	-0.01
348	5e+12	NDD	1.14	1.14	0
353	5e+12	NDD	1.14	1.14	0
370	5e+12	NDD	1.13	1.13	0
377	5e+12	NDD	1.1	1.1	0
389	1e+13	NDD	1.11	1.11	0
394	1e+13	NDD	1.12	1.12	0
395	1e+13	NDD		1.13	
396	0	CORRELATION	1.14		
571	1e+13	NDD	1.12	1.12	0
632	0	CORRELATION	1.13	1.13	0
649	0	CORRELATION	1.15	1.14	-0.01
662	0	CORRELATION	1.13	1.13	0

Test Statistics (V)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1.13	1.1375	1.15	0.0095743	1.13	1.1333	1.14	0.0057735	-0.01	-0.0033333	0	0.0057735
1e+12	1.11	1.12	1.13	0.008165	1.11	1.1175	1.12	0.005	-0.01	-0.0025	0	0.005
5e+12	1.1	1.1275	1.14	0.01893	1.1	1.1275	1.14	0.01893	0	0	0	0
1e+13	1.11	1.1167	1.12	0.0057735	1.11	1.12	1.13	0.008165	0	0	0	0


NDD vs Result Stats



Test Results (Lower Limit = 100.0, Upper Limit = 1000.0 (kHz))



Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	499.94	500.02	0.0716
266	1e+12	NDD	499.94	500.08	0.1387
267	1e+12	NDD	499.98	500.06	0.0784
288	1e+12	NDD	499.96	500.03	0.0684
348	5e+12	NDD	499.94	500.01	0.0649
353	5e+12	NDD	499.94	500.05	0.1122
370	5e+12	NDD	499.98	500.07	0.0865
377	5e+12	NDD	499.97	500.06	0.0925
389	1e+13	NDD	499.95	500.01	0.0573
394	1e+13	NDD	499.95	500.04	0.0942
395	1e+13	NDD		500.07	
396	0	CORRELATION	499.97		
571	1e+13	NDD	499.97	500.01	0.0334
632	0	CORRELATION	499.94	500	0.0597
649	0	CORRELATION	499.96	500.05	0.0855
662	0	CORRELATION	499.96	500.07	0.1101

NDD vs Post - Pre Exposure Delta



Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	499.94	499.96	499.97	0.011906	500	500.04	500.07	0.034089	0.0597	0.0851	0.1101	0.025202
1e+12	499.94	499.96	499.98	0.020539	500.02	500.05	500.08	0.028081	0.0684	0.089275	0.1387	0.033213
5e+12	499.94	499.96	499.98	0.019409	500.01	500.05	500.07	0.027315	0.0649	0.089025	0.1122	0.019473
1e+13	499.95	499.96	499.97	0.012287	500.01	500.03	500.07	0.029622	0.0334	0.061633	0.0942	0.030631




Test Results (Lower Limit = 100.0, Upper Limit = 1000.0 (kHz))

Serial #	Fluence(n/cm ²)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	1000	1000	0
266	1e+12	NDD	1000	1000	0
267	1e+12	NDD	1000	1000	0
288	1e+12	NDD	1000	1000	0
348	5e+12	NDD	1000	1000	0
353	5e+12	NDD	1000	1000	0
370	5e+12	NDD	1000	1000	0
377	5e+12	NDD	1000	1000	0
389	1e+13	NDD	1000	1000	0
394	1e+13	NDD	1000	1000	0
395	1e+13	NDD		1000	
396	0	CORRELATION	1000		
571	1e+13	NDD	1000	1000	0
632	0	CORRELATION	1000	1000	0
649	0	CORRELATION	1000	1000	0
662	0	CORRELATION	1000	1000	0


Test Statistics (kHz)

Fluence(n/cm ²)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
1e+12	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
5e+12	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0
1e+13	1000	1000	1000	0	1000	1000	1000	0	0	0	0	0

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta




Test Results (Lower Limit = 0.4, Upper Limit = 0.6 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.4	0.4	0
266	1e+12	NDD	0.4	0.4	0
267	1e+12	NDD	0.4	0.4	0
288	1e+12	NDD	0.4	0.4	0
348	5e+12	NDD	0.4	0.4	0
353	5e+12	NDD	0.4	0.4	0
370	5e+12	NDD	0.4	0.4	0
377	5e+12	NDD	0.4	0.4	0
389	1e+13	NDD	0.4	0.4	0
394	1e+13	NDD	0.4	0.4	0
395	1e+13	NDD		0.4	
396	0	CORRELATION	0.4		
571	1e+13	NDD	0.4	0.4	0
632	0	CORRELATION	0.4	0.4	0
649	0	CORRELATION	0.4	0.4	0
662	0	CORRELATION	0.4	0.4	0

Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
1e+12	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
5e+12	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0
1e+13	0.4	0.4	0.4	0	0.4	0.4	0.4	0	0	0	0	0


NDD vs Result Stats



Test Results (Lower Limit = 0.4, Upper Limit = 0.6 (Decimal))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	0.6	0.6	0
266	1e+12	NDD	0.6	0.6	0
267	1e+12	NDD	0.6	0.6	0
288	1e+12	NDD	0.6	0.6	0
348	5e+12	NDD	0.6	0.6	0
353	5e+12	NDD	0.6	0.6	0
370	5e+12	NDD	0.6	0.6	0
377	5e+12	NDD	0.6	0.6	0
389	1e+13	NDD	0.6	0.6	0
394	1e+13	NDD	0.6	0.6	0
395	1e+13	NDD		0.6	
396	0	CORRELATION	0.6		
571	1e+13	NDD	0.6	0.6	0
632	0	CORRELATION	0.6	0.6	0
649	0	CORRELATION	0.6	0.6	0
662	0	CORRELATION	0.6	0.6	0


NDD vs Post - Pre Exposure Delta




Test Statistics (Decimal)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
1e+12	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
5e+12	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0
1e+13	0.6	0.6	0.6	0	0.6	0.6	0.6	0	0	0	0	0

NDD vs Result Stats



NDD vs Post - Pre Exposure Delta



Test Results (Upper Limit = 5.0 ((1/fsw) s))

Serial #	Fluence(n/cm^2)	Exposure Conditions	Pre Result	Post Result	Delta
254	1e+12	NDD	3.6303	3.4565	-0.1738
266	1e+12	NDD	3.5722	3.431	-0.1412
267	1e+12	NDD	3.6157	3.6231	0.0074
288	1e+12	NDD	3.6539	3.533	-0.1209
348	5e+12	NDD	3.651	3.5022	-0.1488
353	5e+12	NDD	3.5579	3.7178	0.1599
370	5e+12	NDD	3.5398	3.5958	0.056
377	5e+12	NDD	3.5207	3.3697	-0.151
389	1e+13	NDD	3.5372	3.4079	-0.1293
394	1e+13	NDD	3.505	3.6022	0.0972
395	1e+13	NDD		3.7058	
396	0	CORRELATION	3.7347		
571	1e+13	NDD	3.5514	3.6423	0.0909
632	0	CORRELATION	3.5216	3.4346	-0.087
649	0	CORRELATION	3.5637	3.6114	0.0477
662	0	CORRELATION	3.4979	3.349	-0.1489

Test Statistics ((1/fsw) s)

Fluence(n/cm^2)	Pre Exposure Min	Pre Exposure Avg	Pre Exposure Max	Pre Exposure Std	Post Exposure Min	Post Exposure Avg	Post Exposure Max	Post Exposure Std	Min Delta	Avg Delta	Max Delta	Std Delta
0	3.4979	3.5795	3.7347	0.107	3.349	3.465	3.6114	0.13382	-0.1489	-0.062733	0.0477	0.10052
1e+12	3.5722	3.618	3.6539	0.034366	3.431	3.5109	3.6231	0.08645	-0.1738	-0.10713	0.0074	0.079399
5e+12	3.5207	3.5674	3.651	0.057798	3.3697	3.5464	3.7178	0.14719	-0.151	-0.020975	0.1599	0.1548
1e+13	3.505	3.5312	3.5514	0.023775	3.4079	3.5896	3.7058	0.12839	-0.1293	0.0196	0.0972	0.12899

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, regulatory or other requirements.

These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you fully indemnify TI and its representatives against any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to [TI's Terms of Sale](#), [TI's General Quality Guidelines](#), or other applicable terms available either on [ti.com](#) or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products. Unless TI explicitly designates a product as custom or customer-specified, TI products are standard, catalog, general purpose devices.

TI objects to and rejects any additional or different terms you may propose.

Copyright © 2025, Texas Instruments Incorporated

Last updated 10/2025